



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.


About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

NYPL RESEARCH LIBRARIES



3 3433 06273600 8



APP. ENCL. - MARCH. 1900

6 4 7 7 E L R.

SDG
New Hampshire
Vital

ELEVENTH ANNUAL REPORT

RELATING TO THE

REGISTRATION AND RETURN

OF

BIRTHS, MARRIAGES, DIVORCES, AND DEATHS

IN NEW HAMPSHIRE,


FOR THE YEAR 1890.

VOLUME VIII.—NEW SERIES.

CONCORD:

IRA C. EVANS, PUBLIC PRINTER.

1892.



THE STATE OF NEW HAMPSHIRE.

OFFICE OF THE REGISTRAR OF VITAL STATISTICS,

CONCORD, November 2, 1891.

To His Excellency the Governor and the Honorable Council:

I have the honor to submit herewith, in accordance with the laws of the State of New Hampshire, the eleventh annual report relating to the registration of births, marriages, divorces, and deaths in this State for the year ending December 31, 1890.

The number of births reported in the State for the year 1890 was 6,946, or 34 more than was reported in 1889; the number of marriages was 3,621, exactly the same number returned in 1889; the number of divorces was 382; the number of deaths was 7,368, or 672 more than in 1889.

The total population of the State, according to the census of 1890, is 376,530, and the proportion of births, marriages, and deaths to each one thousand of the population is as follows:

Birth-rate, 18.44; marriage-rate, 9.61 (couples); divorce-rate, 1.01; death-rate, 19.56.

The returns of marriages, divorces, and deaths may be regarded as correct; those of births defective.

The tables have been arranged substantially as in the last registration report.

Reference should be had to the index at the end of this volume for any subject included in this report.

Respectfully submitted.

Irving A. Watson
Registrar of Vital Statistics.

REGISTRATION REPORT.

TABLE No. I.
Showing Births for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890.

| COUNTIES. | Population in 1880. | Population in 1890. | Births. | | | | | | | | | | | |
|-------------------|------------------------|------------------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | 1880. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. | 1890. |
| Rockingham | 49,064 | 49,650 | 733 | 675 | 749 | 692 | 637 | 640 | 757 | 727 | 750 | 752 | 773 | 773 |
| Strafford | 35,558 | 38,442 | 322 | 423 | 625 | 698 | 640 | 621 | 662 | 701 | 725 | 705 | 784 | 784 |
| Belknap | 17,948 | 20,321 | 215 | 227 | 273 | 261 | 242 | 256 | 263 | 296 | 307 | 328 | 322 | 322 |
| Carroll | 18,224 | 18,124 | 153 | 198 | 274 | 286 | 275 | 245 | 264 | 249 | 236 | 260 | 261 | 261 |
| Merrimack | 46,300 | 49,435 | 628 | 750 | 809 | 723 | 739 | 734 | 818 | 773 | 852 | 921 | 938 | 938 |
| Hillborough | 75,634 | 93,247 | 840 | 879 | 1,617 | 1,675 | 1,843 | 1,952 | 2,148 | 2,313 | 1,798 | 1,923 | 1,963 | 1,963 |
| Cheshire | 28,734 | 29,579 | 255 | 348 | 445 | 496 | 554 | 511 | 514 | 525 | 553 | 546 | 543 | 543 |
| Sullivan | 18,161 | 17,304 | 245 | 236 | 265 | 269 | 268 | 267 | 230 | 269 | 276 | 287 | 306 | 306 |
| Grafton | 38,788 | 37,217 | 584 | 593 | 657 | 647 | 643 | 631 | 623 | 623 | 599 | 695 | 636 | 636 |
| Cooks | 18,580 | 23,211 | 274 | 286 | 410 | 403 | 406 | 462 | 378 | 434 | 347 | 495 | 420 | 420 |
| Total | 346,991 | 376,530 | 4,249 | 4,615 | 6,124 | 6,150 | 6,247 | 6,319 | 6,657 | 6,910 | 6,443 | 6,912 | 6,946 | 6,946 |

TABLE No. I.—*Continued.*
Showing Marriages for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890.

| COUNTIES. | Population in 1880. | Population in 1890. | MARRIAGES. | | | | | | | | | | |
|------------------|------------------------|------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | 1880. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
| Rockingham | 49,064 | 49,650 | 310 | 382 | 419 | 399 | 419 | 447 | 440 | 457 | 420 | 484 | 458 |
| Strafford | 35,558 | 38,442 | 255 | 332 | 428 | 425 | 415 | 388 | 418 | 420 | 416 | 877 | 457 |
| Belknap | 17,948 | 20,321 | 108 | 177 | 166 | 198 | 147 | 150 | 183 | 213 | 183 | 186 | 178 |
| Carroll | 18,224 | 18,124 | 136 | 149 | 159 | 175 | 171 | 182 | 177 | 149 | 163 | 176 | 155 |
| Merrimack | 46,300 | 49,435 | 330 | 353 | 364 | 432 | 344 | 361 | 345 | 421 | 405 | 423 | 473 |
| Hillsborough ... | 75,634 | 93,247 | 752 | 674 | 1,025 | 949 | 886 | 815 | 876 | 915 | 879 | 1,018 | 939 |
| Cheshire | 28,734 | 29,579 | 195 | 206 | 232 | 262 | 238 | 233 | 240 | 255 | 221 | 250 | 237 |
| Sullivan | 18,161 | 17,304 | 134 | 151 | 149 | 167 | 138 | 109 | 140 | 123 | 146 | 154 | 172 |
| Grafton | 38,788 | 37,217 | 274 | 270 | 319 | 339 | 332 | 327 | 318 | 328 | 322 | 343 | 314 |
| Coös | 18,580 | 23,211 | 135 | 146 | 172 | 149 | 202 | 168 | 187 | 214 | 224 | 215 | 238 |
| Total | 346,991 | 376,530 | 2,629 | 2,830 | 3,433 | 3,495 | 3,292 | 3,180 | 3,324 | 3,495 | 3,379 | 3,621 | 3,621 |

REGISTRATION REPORT.

TABLE No. I. — *Continued.*
Showing Deaths for 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890.

| COUNTIES. | Population in 1880. | DEATHS. | | | | | | | | | | |
|--------------------|------------------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 1880. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
| Rockingham | 49,064 | 627 | 717 | 732 | 699 | 873 | 911 | 963 | 876 | 896 | 875 | 1,065 |
| Strafford | 35,558 | 184 | 329 | 372 | 494 | 627 | 619 | 649 | 673 | 688 | 691 | 801 |
| Belknap | 17,948 | 147 | 153 | 219 | 262 | 285 | 289 | 362 | 369 | 392 | 389 | 374 |
| Carroll | 18,224 | 107 | 189 | 219 | 253 | 333 | 269 | 303 | 294 | 328 | 298 | 303 |
| Merrimack | 46,300 | 595 | 695 | 726 | 762 | 736 | 796 | 833 | 835 | 920 | 891 | 983 |
| Hillsborough | 75,634 | 1,203 | 1,306 | 1,390 | 1,551 | 1,655 | 1,701 | 1,681 | 1,697 | 1,846 | 1,740 | 1,973 |
| Cheshire | 28,734 | 240 | 271 | 405 | 418 | 497 | 494 | 475 | 482 | 488 | 525 | 557 |
| Sullivan | 18,161 | 190 | 261 | 261 | 254 | 273 | 284 | 328 | 283 | 327 | 314 | 332 |
| Grafton | 38,788 | 429 | 482 | 487 | 547 | 652 | 611 | 616 | 602 | 655 | 625 | 651 |
| Cooks | 18,580 | 107 | 157 | 190 | 181 | 263 | 227 | 256 | 308 | 314 | 348 | 329 |
| Total | 346,901 | 3,829 | 4,650 | 5,001 | 5,421 | 6,194 | 6,201 | 6,426 | 6,479 | 6,854 | 6,696 | 7,368 |

TABLE No. II.

Population of 1890; Births, Marriages, and Deaths, with percentage of each to one thousand of the population, for the year ending December 31, 1890.

| COUNTIES. | Population in 1890. | Births. | Rate per 1,000 of population. | Marriages. | Rate per 1,000 of population. | Deaths. | Rate per 1,000 of population. |
|------------------|---------------------|---------|-------------------------------|------------|-------------------------------|---------|-------------------------------|
| Rockingham..... | 49,650 | 773 | 15.55 | 458 | 9.22 | 1,065 | 21.45 |
| Strafford..... | 38,442 | 784 | 19.87 | 457 | 11.88 | 801 | 20.83 |
| Belknap..... | 20,321 | 322 | 15.84 | 178 | 8.75 | 374 | 18.40 |
| Carroll..... | 18,124 | 261 | 14.40 | 155 | 8.55 | 303 | 16.71 |
| Merrimack..... | 40,435 | 938 | 18.97 | 473 | 9.56 | 983 | 19.68 |
| Hillsborough.... | 98,247 | 1,963 | 21.05 | 939 | 10.07 | 1,973 | 21.14 |
| Cheshire..... | 29,579 | 543 | 18.35 | 287 | 8.01 | 557 | 18.49 |
| Sullivan..... | 17,304 | 306 | 17.68 | 172 | 9.93 | 332 | 19.18 |
| Grafton..... | 37,217 | 636 | 17.08 | 314 | 8.43 | 651 | 17.49 |
| Cooks..... | 23,211 | 420 | 18.09 | 238 | 10.25 | 329 | 14.17 |
| Total..... | 376,530 | 6,946 | 18.44 | 3,621 | 9.61 | 7,368 | 19.56 |

TABLE
Births, Marriages, and Deaths for
ROCKINGHAM

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | |
|---------------------|---------------------|------------|------------|-------------|------------|-----------------|----------------|---------------|-----------------------------------|
| | | Sex. | | | | | Parentage. | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. |
| | | | | | | | | | |
| Atkinson | 483 | 1 | 5 | | 6 | 12.42 | 5 | | 1 |
| Auburn | 631 | | 3 | 1 | 4 | 6.33 | 4 | | |
| Brentwood | 967 | 9 | 5 | | *14 | 14.47 | 9 | 2 | 1 |
| Candia | 1,108 | 6 | 12 | | 18 | 16.24 | 14 | 2 | 1 |
| Chester | 958 | 8 | 3 | | 11 | 11.48 | 8 | 1 | 1 |
| Danville | 666 | 3 | 1 | | 4 | 6.00 | 3 | | 1 |
| Deerfield | 1,220 | 7 | 12 | | 19 | 15.57 | 18 | | 2 |
| Derry | 2,604 | 15 | 21 | | 36 | 13.82 | 30 | 3 | 2 |
| East Kingston | 461 | 2 | 2 | | 4 | 8.67 | 1 | 2 | 1 |
| Epping | 1,721 | 29 | 17 | | 46 | 26.72 | 29 | 11 | 5 |
| Exeter | 4,284 | 41 | 45 | | 86 | 20.07 | 47 | 23 | 8 |
| Fremont | 726 | 14 | 8 | 1 | 23 | 31.68 | 14 | 8 | 1 |
| Greenland | 647 | 4 | 6 | | 10 | 15.45 | 6 | 1 | 1 |
| Hampstead | 860 | 1 | 4 | | 5 | 5.81 | 4 | 1 | |
| Hampton | 1,330 | 10 | 6 | 3 | 19 | 14.28 | 13 | | 5 |
| Hampton Falls | 622 | 2 | 2 | | 4 | 6.43 | 3 | | 1 |
| Kensington | 547 | 3 | 3 | | 6 | 10.96 | 4 | 1 | 1 |
| Kingston | 1,120 | 9 | 5 | | 14 | 12.50 | 12 | | 1 |
| Londonderry | 1,220 | 9 | 8 | | 17 | 13.93 | 15 | | 2 |
| Newcastle | 48 | 4 | 3 | | 7 | 14.34 | 4 | 2 | 1 |
| Newington | 401 | 6 | 3 | | 9 | 22.44 | 9 | | |
| Newmarket | 2,742 | 20 | 31 | 2 | 53 | 19.32 | 21 | 23 | 5 |
| Newton | 1,064 | 11 | 4 | | 15 | 14.09 | 13 | 1 | 1 |
| N. Hampton | 804 | 5 | 1 | | 6 | 7.46 | 4 | 1 | 1 |
| Northwood | 1,478 | 16 | 17 | | 33 | 22.32 | 28 | | 3 |
| Nottingham | 988 | 3 | 7 | | 10 | 10.12 | 4 | | 6 |
| Plaistow | 1,085 | 9 | 4 | | 13 | 11.99 | 7 | 2 | 3 |
| Portsmouth | 9,827 | 89 | 63 | 3 | 155 | 15.87 | 103 | 27 | 12 |
| Raymond | 1,131 | 6 | 6 | 1 | 13 | 11.49 | 12 | 1 | |
| Rye | 978 | 6 | 8 | | 14 | 14.30 | 10 | 1 | 2 |
| Salem | 1,805 | 10 | 11 | | 21 | 11.63 | 14 | 1 | 3 |
| Sandown | 475 | 2 | 3 | | 5 | 10.52 | 4 | 1 | |
| Seabrook | 1,672 | 17 | 15 | 3 | 35 | 20.93 | 31 | | 2 |
| S. Hampton | 370 | 3 | 3 | | 6 | 16.21 | 4 | | 1 |
| S. Newmarket | 855 | 5 | 6 | | 11 | 12.86 | 11 | | |
| Stratham | 680 | 6 | 5 | | 11 | 16.17 | 10 | | 1 |
| Windham | 632 | 2 | 8 | | 10 | 15.82 | 10 | | |
| Total | 49,650 | 393 | 366 | 14 | 773 | 15.55 | 533 | 116 | 36 |
| | | | | | | | | | 48 |

* Born at county farm, 2.

BIRTHS, MARRIAGES, AND DEATHS.

9

No. III.

the year ending December 31, 1890.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Sex. | | | | Nativity. | | |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. |
| 3 | ... | ... | ... | ... | 3 | 4 | 6 | ... | 10 | 8 | 1 | 1 |
| 3 | ... | ... | ... | ... | 3 | 5 | 5 | ... | 10 | 8 | ... | 2 |
| 4 | ... | ... | ... | ... | 4 | 18 | 10 | ... | *28 | 10 | ... | 18 |
| 6 | ... | ... | ... | ... | 6 | 5 | 8 | ... | 13 | 12 | ... | 1 |
| 4 | ... | ... | 1 | 1 | 6 | 11 | 9 | ... | 20 | 17 | ... | 3 |
| 6 | ... | 2 | ... | ... | 8 | 8 | 4 | 1 | 13 | 6 | ... | 7 |
| 8 | ... | ... | ... | ... | 8 | 15 | 15 | ... | 30 | 20 | 1 | 9 |
| 17 | 1 | ... | 1 | ... | 19 | 21 | 23 | ... | 44 | 36 | 3 | 5 |
| 2 | ... | ... | ... | ... | 2 | 3 | 8 | ... | 11 | 10 | ... | 1 |
| 13 | ... | 1 | 2 | ... | 16 | 19 | 26 | ... | 45 | 41 | 3 | 1 |
| 22 | 12 | 3 | 2 | 1 | 40 | 38 | 47 | ... | 85 | 63 | 16 | 6 |
| 4 | 2 | ... | ... | 1 | 7 | 8 | 11 | ... | 19 | 19 | ... | ... |
| 4 | ... | 2 | ... | ... | 6 | 9 | 9 | ... | 18 | 17 | 1 | ... |
| 4 | ... | ... | ... | ... | 4 | 4 | 13 | ... | 17 | 14 | ... | 3 |
| 7 | ... | 1 | ... | 1 | 9 | 22 | 11 | ... | 33 | 27 | 1 | 5 |
| 2 | ... | ... | ... | 1 | 3 | 5 | 4 | ... | 9 | 7 | ... | 2 |
| 1 | ... | ... | ... | ... | 1 | 6 | 4 | ... | 10 | 10 | ... | ... |
| 4 | ... | ... | ... | ... | 4 | 23 | 14 | ... | 37 | 23 | 1 | 13 |
| 8 | ... | ... | ... | ... | 8 | 5 | 18 | ... | 23 | 21 | 1 | 1 |
| 2 | ... | 1 | ... | ... | 3 | 6 | 4 | ... | 10 | 10 | ... | ... |
| 6 | ... | ... | ... | ... | 6 | 3 | 3 | ... | 6 | 4 | 1 | 1 |
| 9 | 7 | 7 | 3 | ... | 26 | 27 | 27 | 1 | 55 | 36 | 19 | ... |
| 10 | ... | 1 | ... | ... | 11 | 15 | 11 | ... | 26 | 22 | 1 | 3 |
| ... | ... | ... | 1 | 6 | 7 | 4 | 3 | ... | 7 | 7 | ... | ... |
| 14 | ... | 1 | ... | 3 | 18 | 15 | 14 | ... | 29 | 26 | ... | 3 |
| ... | ... | ... | 1 | ... | 1 | 15 | 13 | ... | 28 | 23 | 1 | 4 |
| 4 | 2 | 1 | ... | ... | 7 | 9 | 8 | ... | 17 | 15 | 1 | 1 |
| 110 | 15 | 10 | 15 | 11 | 161 | 138 | 117 | 3 | 258 | 165 | 35 | 58 |
| 7 | ... | ... | 1 | ... | 8 | 9 | 5 | ... | 14 | 13 | ... | 1 |
| 4 | ... | 1 | ... | ... | 5 | 5 | 6 | ... | 11 | 8 | 1 | 2 |
| 6 | ... | ... | 2 | 1 | 9 | 20 | 12 | ... | 32 | 25 | 5 | 2 |
| 4 | ... | ... | ... | ... | 4 | 3 | 4 | ... | 7 | 6 | ... | 1 |
| 19 | ... | ... | 1 | ... | 20 | 25 | 18 | ... | 43 | 42 | 1 | ... |
| 1 | ... | ... | ... | ... | 1 | 4 | 5 | ... | 9 | 9 | ... | ... |
| 5 | 1 | 1 | ... | ... | 7 | 10 | 5 | ... | 15 | 11 | 4 | ... |
| 4 | ... | ... | ... | ... | 4 | 7 | 2 | ... | 9 | 8 | ... | 1 |
| 3 | ... | ... | ... | ... | 3 | 7 | 7 | ... | 14 | 10 | ... | 4 |
| 330 | 40 | 32 | 30 | 26 | 458 | 551 | 509 | 5 | 1,065 | 809 | 97 | 159 |
| | | | | | | | | | | | | 21.45 |

* Died at county farm, 16.

TABLE No. III.

STRAFFORD

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | | | |
|-----------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|-----------------------------------|-------------|
| | | Sex. | | | | | Parentage. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. | American father and for'n mother. | Not stated. |
| Barrington..... | 1,408 | 9 | 10 | .. | 19 | 13.49 | 15 | 2 | .. | 1 | 1 |
| Dover | 12,790 | 160 | 112 | 6 | 278 | 21.73 | 125 | 97 | 24 | 25 | 7 |
| Durham | 871 | 4 | 5 | .. | 9 | 10.33 | 4 | 2 | 2 | 1 | .. |
| Farmington.... | 3,064 | 15 | 24 | 1 | 40 | 13.05 | 35 | 2 | .. | 3 | .. |
| Lee | 606 | 3 | .. | .. | 3 | 4.95 | 2 | 1 | .. | .. | .. |
| Madbury | 367 | 1 | .. | .. | 1 | 2.72 | .. | .. | .. | .. | 1 |
| Middleton | 207 | 1 | 2 | .. | 3 | 14.49 | 3 | .. | .. | .. | .. |
| Milton | 1,640 | 9 | 14 | .. | 23 | 14.03 | 14 | 4 | 2 | 2 | 1 |
| New Durham .. | 579 | 3 | 3 | .. | 6 | 10.36 | 5 | .. | .. | .. | 1 |
| Rochester | 7,396 | 55 | 79 | 7 | 141 | 19.06 | 66 | 56 | 8 | 7 | 4 |
| Rollinsford ... | 2,003 | 25 | 32 | .. | 57 | 28.45 | 12 | 40 | 1 | 3 | 1 |
| Somersworth ... | 6,207 | 101 | 91 | .. | 192 | 30.93 | 84 | 146 | 3 | 5 | 4 |
| Strafford | 1,304 | 4 | 8 | .. | 12 | 9.20 | 12 | .. | .. | .. | .. |
| Total | 38,442 | 390 | 380 | 14 | 784 | 19.87 | 327 | 350 | 40 | 47 | 20 |

— *Continued.*

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Sex. | | | | Nativity. | | | |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 15 | ... | ... | ... | ... | 15 | 11 | 12 | ... | 23 | 23 | ... | ... | 16.33 |
| 105 | 20 | 16 | 14 | 10 | 165 | 163 | 154 | ... | 317 | 230 | 63 | 24 | 24.78 |
| 3 | ... | 1 | ... | ... | 4 | 11 | 5 | ... | 16 | 16 | ... | ... | 18.36 |
| 19 | ... | ... | 1 | 1 | 21 | 29 | 31 | 1 | 61 | 59 | 1 | 1 | 19.90 |
| 1 | ... | ... | ... | ... | 1 | 3 | 3 | ... | 6 | 4 | 2 | ... | 9.90 |
| 1 | ... | ... | ... | ... | 1 | 3 | 1 | ... | 4 | 4 | ... | ... | 10.89 |
| 5 | ... | 1 | ... | ... | 6 | 3 | 2 | ... | 5 | 5 | ... | ... | 24.15 |
| 14 | 1 | ... | ... | 1 | 16 | 9 | 14 | ... | 23 | 21 | 1 | 1 | 14.02 |
| 6 | ... | ... | ... | ... | 6 | 6 | 10 | ... | 16 | 13 | 1 | 2 | 27.63 |
| 49 | 17 | 5 | 9 | 7 | 87 | 59 | 53 | 4 | 116 | 95 | 8 | 13 | 15.68 |
| 8 | 18 | 2 | 3 | ... | 31 | 17 | 9 | ... | 26 | 18 | 4 | 4 | 12.98 |
| 46 | 44 | 3 | 2 | 7 | 102 | 86 | 76 | ... | 162 | 101 | 54 | 7 | 26.09 |
| 2 | ... | ... | ... | ... | 2 | 15 | 10 | 1 | 26 | 24 | ... | 2 | 19.93 |
| 274 | 100 | 28 | 29 | 26 | 457 | 415 | 380 | 6 | 801 | 613 | 134 | 54 | 20.83 |

TABLE No. III.
BELKNAP

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | | |
|------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|-----------------------------------|
| | | Sex. | | | | | Parentage. | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. | American father and for'n mother. |
| Alton | 1,372 | 19 | 8 | | 27 | 19.67 | 24 | 1 | | 2 |
| Barnstead | 1,264 | 5 | 3 | 3 | 11 | 8.70 | 9 | 1 | | 1 |
| Belmont | 1,142 | 9 | 7 | | 16 | 14.01 | 9 | 5 | | 2 |
| Centre Harbor. . | 479 | | 1 | 1 | 2 | 4.18 | 2 | | | |
| Gilford | 3,585 | 27 | 28 | 2 | 57 | 15.89 | 30 | 14 | 3 | 2 |
| Gilmanton | 1,211 | 5 | 4 | | 9 | 7.42 | 7 | | 1 | 1 |
| Laconia | 6,143 | 76 | 55 | 6 | 137 | 22.30 | 46 | 70 | 8 | 6 |
| Meredith | 1,642 | 12 | 8 | | 20 | 12.18 | 15 | | 4 | 1 |
| New Hampton. . | 935 | 5 | 6 | | 11 | 11.76 | 9 | | | 1 |
| Sanbornton | 1,027 | 11 | 4 | | 15 | 14.60 | 14 | | | 1 |
| Tilton | 1,521 | 6 | 11 | | 17 | 11.17 | 13 | 1 | 1 | 2 |
| Total. | 20,321 | 175 | 135 | 12 | 322 | 15.84 | 178 | 92 | 17 | 21 |

— *Continued.*

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | Sex. | | | | Nativity. | | | |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 12 | ... | ... | ... | ... | 12 | 16 | 16 | ... | 32 | 27 | 1 | 4 | 23.32 |
| 9 | ... | ... | ... | ... | 9 | 10 | 9 | 2 | 21 | 12 | 1 | 8 | 16.61 |
| 4 | ... | 2 | ... | ... | 6 | 13 | 7 | ... | 20 | 19 | ... | 1 | 17.51 |
| 5 | ... | ... | ... | ... | 5 | 3 | 5 | ... | 8 | 7 | ... | 1 | 16.70 |
| 21 | 7 | 1 | ... | 2 | 31 | 29 | 26 | ... | 55 | 42 | 8 | 5 | 15.34 |
| 2 | ... | ... | ... | ... | 2 | 11 | 10 | ... | 21 | 15 | ... | 6 | 17.34 |
| 40 | 15 | 8 | 4 | 6 | 73 | 47 | 50 | 1 | 98 | 67 | 16 | 15 | 15.95 |
| 10 | ... | ... | ... | 1 | 11 | 17 | 13 | ... | 30 | 28 | ... | 2 | 18.27 |
| 5 | ... | ... | ... | ... | 5 | 11 | 14 | ... | 25 | 23 | 2 | ... | 26.73 |
| 5 | ... | ... | ... | 2 | 7 | 10 | 20 | ... | 30 | 25 | ... | 5 | 29.21 |
| 11 | 1 | 4 | 1 | ... | 17 | 14 | 20 | ... | 34 | 29 | 1 | 4 | 22.35 |
| 124 | 23 | 15 | 5 | 11 | 178 | 181 | 190 | 3 | 374 | 294 | 20 | 51 | 18.40 |

TABLE No. III.
CARROLL

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | |
|--------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|
| | | Sex. | | | | Parentage. | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. |
| | | | | | | | | | |
| Albany | 377 | 2 | 1 | | 3 | 7.95 | 1 | 2 | |
| Bartlett | 1,247 | 15 | 10 | | 25 | 20.05 | 11 | 10 | 2 |
| Brookfield | 349 | 1 | 4 | | 5 | 14.29 | 5 | | |
| Chatham | 329 | 2 | 5 | | 7 | 21.27 | 7 | | |
| Conway | 2,331 | 21 | 15 | | 36 | 15.44 | 24 | 5 | 1 |
| Eaton | 514 | 4 | | | 4 | 7.78 | 4 | | |
| Effingham | 720 | 4 | 2 | | 6 | 8.33 | 6 | | |
| Freedom | 630 | 1 | 7 | | 8 | 12.69 | 8 | | |
| Hart's Locat'n. | 187 | 1 | | | 1 | 5.34 | | 1 | |
| Jackson | 579 | 3 | 4 | | 7 | 12.08 | 5 | | 2 |
| Madison | 554 | 5 | 3 | | 8 | 14.44 | 8 | | |
| Moultonboro' . . | 1,034 | 10 | 5 | | 15 | 14.50 | 15 | | |
| Ossipee | 1,630 | 6 | 7 | | 13 | 7.97 | 11 | 1 | 1 |
| Sandwich | 1,303 | 9 | 11 | | 20 | 15.34 | 19 | | 1 |
| Tamworth | 1,025 | 15 | 8 | | 23 | 22.43 | 18 | 2 | 2 |
| Tuftonborough . . | 767 | 5 | 5 | | 10 | 13.03 | 10 | | |
| Wakefield | 1,528 | 17 | 19 | | 36 | 23.56 | 26 | 6 | 2 |
| Wolfeborough . . | 3,020 | 18 | 15 | 1 | 34 | 11.25 | 22 | 6 | 3 |
| Total | 18,124 | 139 | 121 | 1 | 261 | 14.40 | 200 | 31 | 9 |

— Continued.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Sex. | | | | Nativity. | | |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. |
| 1 | | | | | 1 | 2 | 3 | | 5 | 5 | | 13.23 |
| 5 | 2 | 1 | 2 | | 10 | 7 | 6 | | 13 | 11 | 1 | 10.42 |
| 1 | | | | | 1 | | 2 | | 2 | 1 | | 5.70 |
| 2 | | | | 1 | 3 | 4 | 2 | | 6 | 6 | | 18.23 |
| 28 | | 1 | 2 | 1 | 32 | 15 | 15 | | 30 | 20 | 2 | 12.87 |
| 3 | | | | | 3 | 6 | 2 | | 8 | 3 | | 15.56 |
| 9 | | | | | 9 | 7 | 6 | | 13 | 11 | | 18.05 |
| 6 | | | | 3 | 9 | 8 | 10 | | 18 | 10 | | 28.57 |
| | 2 | | | | 2 | 1 | 1 | | 2 | | 2 | 10.69 |
| 1 | | 1 | 1 | | 3 | | 5 | | 5 | 5 | | 8.63 |
| 5 | | | 1 | 1 | 7 | 5 | 6 | | 11 | 7 | 1 | 19.87 |
| 9 | | | | | 9 | 13 | 14 | | 27 | 21 | 2 | 26.11 |
| 10 | 1 | 1 | | 1 | 13 | 17 | 17 | | 34 | 32 | | 20.85 |
| 7 | | | | | 7 | 14 | 12 | | 26 | 22 | 1 | 19.95 |
| 9 | | | | | 9 | 6 | 8 | 1 | 15 | 15 | | 14.63 |
| 2 | | | | | 2 | 4 | 8 | | 12 | 12 | | 15.64 |
| 10 | | 1 | | | 11 | 17 | 17 | | 34 | 32 | 1 | 22.25 |
| 21 | | 2 | | 1 | 24 | 21 | 20 | 1 | 42 | 38 | 1 | 13.57 |
| 129 | 5 | 7 | 6 | 8 | 155 | 147 | 154 | 2 | 303 | 251 | 11 | 16.71 |

TABLE No. III.
MERRIMACK

| TOWNS. | Population in 1880. | BIRTHS. | | | | | | | |
|------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|------------------------------------|
| | | Sex. | | | | Parentage. | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother, and for'n father. |
| | | | | | | | | | |
| Allenstown . . . | 1,475 | 27 | 17 | | 44 | 29.83 | 3 | 40 | 1 |
| Andover . . . | 1,090 | 7 | 11 | 1 | 19 | 17.43 | 14 | 1 | 3 |
| Boscawen . . . | 1,487 | 15 | 15 | | 30 | 20.17 | 11 | 10 | 7 |
| Bow . . . | 725 | 5 | 4 | | 9 | 12.41 | 5 | 1 | 2 |
| Bradford . . . | 810 | 10 | 3 | | 13 | 16.04 | 12 | | 1 |
| Canterbury . . . | 964 | 3 | 1 | | 4 | 4.14 | 3 | | 1 |
| Chichester . . . | 661 | 4 | 4 | | 8 | 12.10 | 6 | | 2 |
| Concord . . . | 17,004 | 176 | 182 | 2 | 360 | 21.17 | 176 | 120 | 30 |
| Danbury . . . | 683 | 6 | 10 | | 16 | 23.42 | 14 | 1 | 1 |
| Dunbarton . . . | 524 | 3 | 2 | | 5 | 9.54 | 4 | | 1 |
| Epsom . . . | 815 | 4 | 6 | | 10 | 12.26 | 7 | 2 | 1 |
| Franklin . . . | 4,085 | 50 | 50 | | 100 | 24.47 | 50 | 28 | 9 |
| Henniker . . . | 1,385 | 17 | 10 | | 27 | 19.49 | 24 | 1 | 2 |
| Hill . . . | 548 | 2 | 2 | | 4 | 7.29 | 2 | 1 | 1 |
| Hooksett . . . | 1,893 | 18 | 26 | | 44 | 23.32 | 7 | 31 | 3 |
| Hopkinton . . . | 1,817 | 8 | 9 | | 17 | 9.35 | 15 | | 1 |
| Loudon . . . | 1,000 | 5 | 6 | | 11 | 11.00 | 10 | | 1 |
| Newbury . . . | 487 | 2 | 6 | | 8 | 16.40 | 7 | | 1 |
| New London . . . | 799 | 4 | 5 | | 9 | 11.26 | 9 | | |
| Northfield . . . | 1,115 | 9 | 5 | | 14 | 12.55 | 9 | 1 | 3 |
| Pembroke . . . | 3,172 | 38 | 48 | 4 | 90 | 28.37 | 12 | 63 | 7 |
| Pittsfield . . . | 2,605 | 21 | 18 | | 39 | 14.93 | 22 | 15 | 1 |
| Salisbury . . . | 655 | 5 | 3 | | 8 | 12.21 | 7 | 1 | |
| Sutton . . . | 849 | 6 | 5 | | 11 | 12.95 | 10 | | 1 |
| Warner . . . | 1,383 | 7 | 6 | | 13 | 9.39 | 12 | 1 | |
| Webster . . . | 564 | 3 | 4 | 1 | 8 | 14.18 | 7 | 1 | |
| Wilnot . . . | 840 | 11 | 6 | | 17 | 20.23 | 12 | 3 | 1 |
| Total . . . | 49,435 | 466 | 464 | 8 | 938 | 18.97 | 470 | 318 | 61 |

BIRTHS, MARRIAGES, AND DEATHS.

17

— Continued.
COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | Sex. | | | | Nativity. | | | |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| | 12 | 2 | | | 14 | 13 | 14 | | 27 | 20 | 6 | 1 | 18.30 |
| 5 | | | 1 | 2 | 8 | 10 | 2 | | 12 | 11 | | 1 | 11.00 |
| 7 | | | | | 7 | 27 | 20 | | *47 | 37 | 6 | 4 | 31.60 |
| 4 | | | | | 4 | 8 | 4 | | 12 | 11 | | 1 | 16.55 |
| 6 | | | | | 6 | 8 | 7 | | 15 | 14 | | 1 | 18.51 |
| 4 | | | | | 4 | 8 | 10 | | 18 | 13 | 2 | 3 | 18.67 |
| 5 | | | | | 5 | 4 | 7 | | 11 | 9 | | 2 | 16.49 |
| 119 | 31 | 21 | 20 | 16 | 207 | 184 | 187 | 1 | †372 | 282 | 54 | 36 | 21.87 |
| 8 | | | | | 8 | 6 | 9 | | 15 | 13 | 1 | 1 | 21.96 |
| 6 | | | | | 6 | 6 | 4 | | 10 | 8 | | 2 | 19.08 |
| 7 | | | | | 7 | 9 | 5 | | 14 | 13 | | 1 | 17.17 |
| 32 | 3 | 4 | 3 | | 42 | 32 | 38 | | 70 | 53 | 12 | 5 | 17.13 |
| 12 | | 1 | | | 13 | 14 | 20 | | 34 | 32 | 1 | 1 | 24.54 |
| 3 | | | | | 3 | 5 | 1 | | 6 | 6 | | | 10.76 |
| 1 | 9 | 1 | 2 | 1 | 14 | 14 | 10 | | 24 | 21 | 2 | 1 | 12.67 |
| 9 | | | | 2 | 11 | 14 | 23 | | 37 | 34 | | 3 | 20.36 |
| 4 | | 1 | | | 5 | 10 | 16 | | 26 | 22 | | 4 | 26.00 |
| 2 | | | | | 2 | | 2 | | 2 | 2 | | | 4.10 |
| 5 | | | | 1 | 6 | 9 | 12 | | 21 | 17 | | 4 | 26.29 |
| 7 | 1 | | | 1 | 9 | 9 | 9 | 1 | 19 | 15 | 4 | | 17.04 |
| 14 | 15 | 3 | 3 | | 35 | 28 | 25 | 2 | 55 | 32 | 13 | 10 | 17.33 |
| 16 | 3 | 4 | 3 | 2 | 28 | 15 | 32 | 3 | 50 | 36 | 2 | 12 | 19.19 |
| 4 | | | | | 4 | 7 | 2 | | 9 | 9 | | | 13.74 |
| 7 | | | | | 7 | 12 | 11 | | 23 | 18 | 1 | 4 | 27.09 |
| 6 | | | | | 6 | 16 | 14 | | 30 | 29 | 1 | | 21.69 |
| 2 | | | | 1 | 3 | | 4 | | 4 | 3 | | 1 | 7.09 |
| 9 | | | | | 9 | 5 | 15 | | 20 | 19 | | 1 | 23.80 |
| 304 | 74 | 37 | 32 | 26 | 473 | 473 | 503 | 7 | 983 | 779 | 105 | 99 | 19.88 |

* Including deaths at county almshouse.

† Deaths in public institutions, 75.

TABLE No. III.
HILLSBOROUGH

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | |
|------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|
| | | Sex. | | | | | Parentage. | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. |
| Amherst | 1,053 | 5 | 5 | .. | 10 | 9.49 | 9 | .. | 1 |
| Antrim | 1,248 | 15 | 9 | .. | 24 | 19.22 | 22 | .. | 2 |
| Bedford | 1,102 | 9 | 2 | .. | 11 | 9.98 | 8 | 1 | 1 |
| Bennington | 542 | 7 | 7 | .. | 14 | 25.83 | 9 | 5 | .. |
| Brookline | 548 | 7 | 3 | 1 | 11 | 20.07 | 9 | 1 | 1 |
| Deering | 531 | 8 | .. | .. | 8 | 15.06 | 4 | 1 | 3 |
| Francestown | 837 | 6 | 9 | .. | 15 | 17.92 | 13 | 2 | .. |
| Goffstown | 1,981 | 18 | 17 | .. | 35 | 17.16 | 23 | 5 | 5 |
| Greenfield | 607 | 6 | 3 | .. | 9 | 14.82 | 9 | .. | .. |
| Greenville | 1,255 | 26 | 19 | 2 | 47 | 37.45 | 10 | 32 | 1 |
| Hancock | 637 | 5 | 6 | .. | 11 | 17.26 | 9 | 1 | 1 |
| Hillsborough | 2,120 | 16 | 19 | .. | 35 | 16.50 | 31 | 2 | 1 |
| Hollis | 1,000 | 9 | 6 | .. | 15 | 15.00 | 12 | 1 | 1 |
| Hudson | 1,092 | 5 | 5 | .. | 10 | 9.15 | 8 | 1 | 1 |
| Litchfield | 252 | 2 | 1 | .. | 3 | 11.50 | 2 | .. | 1 |
| Lyndeborough | 657 | 4 | 4 | .. | 8 | 12.17 | 7 | 1 | .. |
| Manchester | 44,126 | 444 | 396 | 9 | 849 | 19.23 | 140 | 538 | 58 |
| Mason | 629 | 2 | 8 | .. | 10 | 15.89 | 4 | 6 | .. |
| Merrimack | 951 | 7 | 6 | .. | 13 | 13.66 | 8 | 4 | 1 |
| Milford | 3,014 | 28 | 31 | .. | 59 | 19.57 | 40 | 3 | 9 |
| Mont Vernon | 479 | 2 | 4 | .. | 6 | 12.52 | 4 | .. | 2 |
| Nashua | 19,311 | 310 | 267 | 3 | 580 | 30.03 | 163 | 304 | 49 |
| New Boston | 1,067 | 6 | 7 | .. | 13 | 12.18 | 7 | 3 | 1 |
| New Ipswich | 969 | 12 | 6 | .. | 18 | 18.57 | 6 | 6 | 3 |
| Pelham | 791 | 5 | 6 | .. | 11 | 13.90 | 5 | 3 | 3 |
| Peterborough | 2,507 | 22 | 22 | .. | 44 | 17.55 | 24 | 11 | 2 |
| Sharon | 137 | 1 | 3 | 1 | 5 | 36.49 | 4 | .. | 1 |
| Temple | 342 | 2 | 5 | .. | 7 | 20.46 | 7 | .. | .. |
| Weare | 1,550 | 6 | 14 | .. | 20 | 12.90 | 16 | 3 | 1 |
| Wilton | 1,850 | 31 | 28 | .. | *59 | 31.89 | 17 | 6 | 15 |
| Windsor | 62 | 1 | 2 | .. | 3 | 48.38 | 3 | .. | .. |
| Total | 93,247 | 1,027 | 920 | 16 | 1,963 | 21.05 | 633 | 938 | 147 |

* Born at county farm, 16.

BIRTHS, MARRIAGES, AND DEATHS.

19

— Continued.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | Sex. | | | | Nativity. | | | |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 7 | ... | 1 | 1 | ... | 9 | 10 | 14 | ... | 24 | 20 | 1 | 3 | 22.79 |
| 8 | ... | ... | ... | 1 | 9 | 13 | 14 | ... | 27 | 23 | ... | 4 | 21.73 |
| 3 | ... | ... | 1 | ... | 4 | 8 | 5 | ... | 13 | 13 | ... | ... | 11.79 |
| ... | ... | ... | 1 | ... | 1 | 6 | 5 | ... | 11 | 10 | ... | 1 | 20.29 |
| 7 | 1 | 2 | ... | ... | 10 | 4 | 9 | 1 | 14 | 12 | 1 | 1 | 25.54 |
| 3 | ... | ... | ... | ... | 3 | 10 | 10 | ... | 20 | 18 | 1 | 1 | 37.66 |
| 2 | ... | ... | ... | ... | 2 | 7 | 8 | ... | 15 | 14 | ... | 1 | 17.92 |
| 12 | ... | ... | 1 | ... | 13 | 16 | 18 | ... | 34 | 28 | 2 | 4 | 47.15 |
| 4 | ... | ... | ... | ... | 4 | 3 | 6 | ... | 9 | 9 | ... | ... | 14.82 |
| 5 | 10 | 1 | 1 | 1 | 18 | 15 | 10 | 1 | 26 | 18 | 6 | 2 | 20.71 |
| 3 | ... | ... | ... | ... | 3 | 9 | 5 | ... | 14 | 10 | 1 | 3 | 21.97 |
| 13 | ... | ... | ... | 1 | 14 | 19 | 21 | ... | 40 | 33 | 4 | 3 | 18.86 |
| 11 | ... | ... | ... | ... | 11 | 14 | 14 | ... | 28 | 24 | 2 | 2 | 28.00 |
| 10 | ... | 1 | ... | ... | 11 | 13 | 10 | ... | 23 | 20 | 3 | ... | 21.06 |
| 1 | ... | ... | 1 | ... | 2 | 2 | 4 | ... | 6 | 6 | ... | ... | 23.80 |
| 2 | ... | ... | ... | ... | 2 | 7 | 6 | ... | 13 | 13 | ... | ... | 19.88 |
| 154 | 235 | 44 | 33 | 13 | 479 | 510 | 501 | 19 | 1,030 | 727 | 247 | 56 | 23.34 |
| 2 | ... | ... | ... | ... | 2 | 7 | 3 | ... | 10 | 8 | 1 | 1 | 15.89 |
| 6 | ... | ... | ... | ... | 6 | 5 | 5 | ... | 10 | 9 | 1 | ... | 10.51 |
| 17 | 3 | ... | 4 | ... | 24 | 18 | 25 | ... | 43 | 40 | 2 | 1 | 14.26 |
| 2 | ... | ... | ... | ... | 2 | 2 | 3 | ... | 5 | 4 | ... | 1 | 10.43 |
| 116 | 70 | 29 | 20 | 4 | 239 | 172 | 174 | ... | 346 | 249 | 74 | 23 | 17.91 |
| 4 | ... | ... | 2 | ... | 6 | 7 | 8 | 1 | 16 | 15 | ... | 1 | 14.99 |
| 5 | 1 | 1 | 1 | ... | 8 | 17 | 13 | ... | 30 | 22 | 3 | 5 | 30.95 |
| 1 | ... | 3 | ... | ... | 4 | 7 | 6 | ... | 13 | 11 | ... | 2 | 16.43 |
| 13 | 4 | ... | 2 | 2 | 21 | 24 | 26 | ... | 50 | 44 | 5 | 1 | 19.94 |
| 1 | ... | 1 | ... | ... | 2 | 2 | 1 | ... | 3 | 2 | ... | 1 | 21.89 |
| 1 | ... | 1 | ... | ... | 2 | 3 | 1 | ... | 4 | 3 | ... | 1 | 11.69 |
| 12 | ... | ... | ... | 2 | 14 | 16 | 10 | ... | 26 | 23 | ... | 3 | 16.77 |
| 7 | 1 | 2 | 1 | 1 | 12 | 38 | 28 | ... | *66 | 25 | 2 | 39 | 35.67 |
| 2 | ... | ... | ... | ... | 2 | 3 | 1 | ... | 4 | 4 | ... | ... | 64.51 |
| 434 | 325 | 86 | 69 | 25 | 939 | 987 | 964 | 22 | 1,973 | 1,457 | 356 | 160 | 21.14 |

* Died at county farm, 38.

TABLE No. III.
CHESHIRE

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | | | |
|------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|-----------------------------------|-------------|
| | | Sex. | | | | | Parentage. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. | American father and for'n mother. | Not stated. |
| | | | | | | | | | | | |
| Alstead | 870 | 11 | 5 | | 16 | 18.39 | 11 | | | 1 | 4 |
| Chesterfield ... | 1,046 | 4 | 5 | | 9 | 8.60 | 7 | | 2 | | |
| Dublin | 582 | 4 | | | 4 | 6.87 | 4 | | | | |
| Fitzwilliam ... | 1,122 | 8 | 9 | | 17 | 15.15 | 10 | 5 | 2 | | |
| Gilsum | 643 | 4 | 8 | | 12 | 18.67 | 8 | | 3 | 1 | |
| Harrisville | 748 | 6 | 6 | | 12 | 16.04 | 1 | 10 | 1 | | |
| Hinsdale | 2,258 | 28 | 24 | | 52 | 23.02 | 26 | 15 | 6 | 4 | 1 |
| Jaffrey | 1,469 | 20 | 16 | 1 | 37 | 25.18 | 16 | 12 | 3 | 4 | 2 |
| Keene | 7,446 | 82 | 73 | 3 | 158 | 21.08 | 105 | 33 | 8 | 4 | 8 |
| Marlborough .. | 1,695 | 12 | 18 | | 30 | 18.28 | 14 | 10 | 4 | 1 | 1 |
| Marlow | 584 | 4 | 2 | | 6 | 10.27 | 6 | | | | |
| Nelson | 332 | | 1 | | 1 | 3.01 | 1 | | | | |
| Richmond | 476 | 7 | 4 | | 11 | 23.10 | 9 | | 1 | 1 | |
| Rindge | 996 | 5 | 6 | | 11 | 11.04 | 8 | 1 | 2 | | |
| Roxbury | 129 | 5 | | | 5 | 38.75 | 5 | | | | |
| Stoddard | 400 | 2 | 5 | | 7 | 17.50 | 7 | | | | |
| Sullivan | 337 | 2 | 4 | | 6 | 14.83 | 5 | | | | 1 |
| Surry | 270 | 3 | 3 | | 6 | 22.22 | 6 | | | | |
| Swanzy | 1,600 | 8 | 18 | | 26 | 16.25 | 23 | 1 | 1 | 1 | |
| Troy | 999 | 16 | 11 | | 27 | 27.02 | 11 | 11 | 2 | | 3 |
| Walpole | 2,163 | 17 | 28 | | 45 | 20.80 | 20 | 15 | 7 | | 3 |
| Westmoreland .. | 830 | 4 | 4 | | 8 | 9.63 | 3 | | | | 5 |
| Winchester | 2,584 | 23 | 13 | 1 | 37 | 14.31 | 25 | 8 | 1 | 2 | 1 |
| Total | 29,579 | 275 | 263 | 5 | 543 | 18.35 | 331 | 121 | 43 | 22 | 26 |

— *Continued.*

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Sex. | | | | Nativity. | | | |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 4 | | | | | 4 | 13 | 12 | 1 | 26 | 15 | | 11 | 28.73 |
| 6 | | | | | 6 | 11 | 6 | | 17 | 14 | | 3 | 16.25 |
| | | 1 | | | 1 | 2 | 5 | | 7 | 7 | | | 12.02 |
| 6 | | | | 3 | 9 | 9 | 10 | | 19 | 17 | | 2 | 16.93 |
| 9 | | | 1 | | 10 | 5 | 3 | | 8 | 8 | | | 12.44 |
| 4 | | 1 | | | 5 | 7 | 6 | | 13 | 12 | 1 | | 17.37 |
| 11 | | 3 | 1 | | 15 | 16 | 11 | | 27 | 25 | 1 | 1 | 11.95 |
| 2 | 4 | 1 | 2 | | 9 | 15 | 24 | | 39 | 28 | 6 | 5 | 26.54 |
| 49 | 6 | 3 | 5 | 1 | 64 | 82 | 73 | 1 | 156 | 136 | 15 | 5 | 21.08 |
| 6 | 4 | 1 | 1 | | 12 | 10 | 11 | | 21 | 18 | 2 | 1 | 12.38 |
| 4 | | | 1 | | 5 | 4 | 4 | | 8 | 6 | | 2 | 13.69 |
| 3 | | | | | 3 | 9 | 2 | | 11 | 10 | | 1 | 33.13 |
| 1 | | | | | 1 | 4 | 5 | | 9 | 9 | | | 19.74 |
| 5 | 1 | | 1 | | 7 | 14 | 10 | | 24 | 20 | 3 | 1 | 24.09 |
| 1 | | | | | 1 | 1 | 1 | | 2 | 2 | | | 15.50 |
| 3 | | | 1 | | 4 | 2 | 4 | | 6 | 4 | 1 | 1 | 15.00 |
| 3 | | | | | 3 | | 3 | | 3 | 3 | | | 8.90 |
| 7 | | | 1 | 1 | 9 | 2 | 3 | | 5 | 1 | | 4 | 18.51 |
| 11 | | | 1 | | 12 | 13 | 20 | | 33 | 30 | 2 | 1 | 20.62 |
| 7 | 2 | 2 | | 1 | 12 | 6 | 8 | | 14 | 12 | 1 | 1 | 14.01 |
| 17 | 1 | | | | 18 | 27 | 26 | | 53 | 40 | 8 | 5 | 24.50 |
| 4 | | | | | 4 | 15 | 10 | | *25 | 13 | | 12 | 30.12 |
| 12 | 3 | | 3 | 5 | 23 | 15 | 16 | | 31 | 22 | 4 | 5 | 11.99 |
| 175 | 21 | 12 | 18 | 11 | 237 | 282 | 273 | 2 | 557 | 452 | 44 | 61 | 18.49 |

* Died at county almshouse, 9.

TABLE No. III.
SULLIVAN

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | | | |
|------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|-----------------------------------|-------------|
| | | Sex. | | | | | Parentage. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. | American father and for'n mother. | Not stated. |
| Acworth | 717 | 3 | 7 | .. | 10 | 13.94 | 10 | .. | .. | .. | .. |
| Charlestown .. | 1,466 | 10 | 6 | .. | 16 | 10.91 | 12 | 1 | 2 | 1 | .. |
| Claremont | 5,565 | 60 | 47 | .. | 107 | 19.22 | 51 | 36 | 9 | 11 | .. |
| Cornish | 954 | 10 | 5 | .. | 15 | 15.72 | 12 | .. | 3 | .. | .. |
| Croydon | 512 | 5 | 4 | .. | 9 | 17.57 | 9 | .. | .. | .. | .. |
| Goshen | 384 | 4 | 1 | .. | 5 | 13.02 | 4 | .. | 1 | .. | .. |
| Grantham | 424 | 7 | 4 | .. | 11 | 25.70 | 11 | .. | .. | .. | .. |
| Langdon | 305 | 5 | 1 | .. | 6 | 19.67 | 6 | .. | .. | .. | .. |
| Lempster | 519 | 10 | 6 | .. | 16 | 30.82 | 11 | .. | 4 | 1 | .. |
| Newport | 2,623 | 30 | 19 | .. | 49 | 18.68 | 34 | 2 | 4 | 6 | 3 |
| Plainfield | 1,173 | 5 | 9 | .. | 14 | 11.93 | 12 | .. | .. | .. | 2 |
| Springfield ... | 540 | 4 | 7 | .. | 11 | 20.37 | 10 | 1 | .. | .. | .. |
| Sunapee | 900 | 12 | 7 | .. | 19 | 21.11 | 10 | 6 | 2 | 1 | .. |
| Unity | 653 | 5 | 5 | .. | 10 | 15.31 | 9 | .. | .. | 1 | .. |
| Washington... | 569 | 4 | 4 | .. | 8 | 14.05 | 7 | .. | .. | .. | 1 |
| Total | 17,304 | 174 | 132 | .. | 306 | 17.68 | 208 | 46 | 25 | 21 | 6 |

— *Continued.*

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Sex. | | | | Nativity. | | | |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 2 | ... | 1 | ... | ... | 3 | 7 | 3 | ... | 10 | 10 | ... | ... | 13.94 |
| 16 | 1 | ... | ... | 1 | 18 | 20 | 19 | ... | 39 | 32 | 4 | 3 | 26.60 |
| 41 | 11 | 4 | 3 | 4 | 63 | 51 | 51 | ... | 102 | 81 | 17 | 4 | 18.42 |
| 9 | ... | ... | ... | ... | 9 | 8 | 9 | ... | 17 | 15 | 1 | 1 | 17.81 |
| 5 | ... | ... | ... | ... | 5 | 6 | 10 | ... | 16 | 15 | ... | 1 | 31.25 |
| 5 | ... | ... | ... | ... | 5 | 4 | 1 | ... | 5 | 4 | ... | 1 | 13.02 |
| 4 | ... | ... | ... | ... | 4 | 8 | 2 | ... | 10 | 9 | ... | 1 | 23.58 |
| ... | ... | ... | ... | ... | ... | 5 | 6 | ... | 11 | 10 | 1 | ... | 36.06 |
| 2 | ... | ... | ... | ... | 2 | 5 | 6 | ... | 11 | 9 | ... | 2 | 21.19 |
| 25 | 1 | 1 | 1 | 1 | 29 | 24 | 21 | ... | 45 | 39 | 2 | 4 | 17.15 |
| 11 | ... | ... | ... | ... | 11 | 5 | 7 | ... | 12 | 10 | ... | 2 | 10.23 |
| 2 | ... | ... | ... | ... | 2 | 7 | 6 | ... | 13 | 11 | ... | 2 | 24.07 |
| 7 | 2 | 1 | 1 | ... | 11 | 6 | 6 | ... | 12 | 12 | ... | ... | 13.33 |
| 5 | ... | ... | ... | ... | 5 | 14 | 7 | ... | *21 | 14 | 2 | 5 | 33.68 |
| 4 | ... | ... | ... | 1 | 5 | 4 | 4 | ... | 8 | 8 | ... | ... | 14.05 |
| 138 | 15 | 7 | 5 | 7 | 172 | 174 | 158 | ... | 332 | 279 | 27 | 26 | 19.18 |

* Died at county almshouse, 11.

TABLE No. III.
GRAFTON

| TOWNS. | Population in 1880. | BIRTHS. | | | | | | | | |
|---------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|-------------|
| | | Sex. | | | | | Parentage. | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. | Not stated. |
| | | | | | | | | | | |
| Alexandria . . . | 679 | 5 | 5 | | 10 | 14.72 | 4 | | | 6 |
| Ashland | 1,193 | 5 | 10 | | 15 | 12.57 | 11 | 3 | 1 | |
| Bath | 935 | 4 | 3 | | 7 | 7.48 | 5 | | 2 | |
| Benton | 244 | 2 | | | 2 | 8.19 | 2 | | | |
| Bethlehem | 1,267 | 17 | 10 | | 27 | 21.31 | 14 | 10 | 2 | 1 |
| Bridgewater . . . | 332 | 3 | 4 | | 7 | 21.08 | 6 | | | 1 |
| Bristol | 1,524 | 8 | 16 | | 24 | 15.74 | 14 | 3 | 1 | 6 |
| Campton | 982 | 12 | 5 | | 17 | 17.30 | 13 | 1 | 3 | |
| Canaan | 1,417 | 13 | 11 | | 24 | 16.93 | 13 | 4 | 4 | 2 |
| Dorchester | 379 | 1 | 2 | | 3 | 7.91 | 2 | 1 | | |
| Easton | 248 | | | | | | | | | |
| Ellsworth | 150 | 4 | 1 | | 5 | 33.33 | 3 | | | 2 |
| Enfield | 1,439 | 12 | 8 | | 20 | 13.89 | 16 | 2 | 1 | 1 |
| Franconia | 594 | 2 | 3 | 2 | 7 | 11.78 | 7 | | | |
| Grafton | 787 | 5 | 6 | | 11 | 13.97 | 9 | | 1 | 1 |
| Groton | 464 | 4 | 5 | | 9 | 19.39 | 6 | 1 | 1 | 1 |
| Hanover | 1,817 | 12 | 14 | | 26 | 14.30 | 18 | 6 | 1 | 1 |
| Haverhill | 2,545 | 23 | 29 | | 52 | 20.43 | 41 | 3 | 2 | 4 |
| Hebron | 245 | 1 | 2 | | 3 | 12.24 | 3 | | | |
| Holderness | 595 | 4 | | | 4 | 6.72 | 4 | | | |
| Landaff | 499 | 4 | 7 | | 11 | 22.04 | 8 | 1 | 2 | |
| Lebanon | 3,763 | 43 | 31 | 1 | 75 | 19.93 | 48 | 19 | 4 | 3 |
| Lincoln | 110 | | | | | | | | | |
| Lisbon | 2,060 | 16 | 19 | 2 | 37 | 17.96 | 28 | 3 | 1 | 3 |
| Littleton | 3,365 | 40 | 32 | 1 | 73 | 21.69 | 31 | 24 | 8 | 7 |
| Livermore | 155 | | | | | | | | | |
| Lyman | 543 | 4 | 2 | | 6 | 11.04 | 6 | | | |
| Lyme | 1,154 | 11 | 12 | | 23 | 19.93 | 22 | | 1 | |
| Monroe | 478 | 8 | 8 | | 16 | 33.47 | 14 | | 2 | |
| Orange | 245 | 1 | 2 | | 3 | 12.24 | 2 | | | 1 |
| Orford | 916 | 10 | 15 | | 25 | 27.29 | 20 | | 2 | 2 |
| Piermont | 709 | 3 | 5 | | 8 | 11.28 | 7 | | 1 | |
| Plymouth | 1,852 | 14 | 9 | 1 | 24 | 12.95 | 18 | 2 | 2 | 2 |
| Rumney | 947 | 6 | 7 | | 13 | 13.72 | 12 | | | 1 |
| Thornton | 632 | 7 | 10 | 1 | 18 | 28.48 | 16 | | | 2 |
| Warren | 875 | 4 | 5 | | 9 | 10.28 | 6 | 1 | 1 | 1 |
| Waterville | 39 | | | | | | | | | |
| Wentworth | 698 | 6 | 5 | 1 | 12 | 17.19 | 8 | 2 | | 1 |
| Woodstock | 341 | 6 | 4 | | 10 | 29.32 | 8 | 1 | 1 | |
| Total | 37,217 | 320 | 307 | 9 | 636 | 17.08 | 445 | 87 | 44 | 30 |

— Continued.
COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | Sex. | | | | Nativity. | | | |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 2 | ... | 1 | 2 | 1 | 6 | 8 | 13 | ... | 21 | 7 | ... | 14 | 30.92 |
| 12 | 2 | 4 | ... | 1 | 19 | 9 | 10 | ... | 19 | 14 | 2 | 3 | 15.08 |
| 5 | 1 | ... | ... | ... | 6 | 3 | 7 | ... | 10 | 8 | ... | 2 | 10.69 |
| 1 | 1 | ... | ... | 1 | 3 | 3 | 2 | ... | 5 | 3 | ... | 2 | 20.49 |
| 7 | 2 | 1 | 2 | 1 | 13 | 10 | 15 | ... | 25 | 15 | 7 | 3 | 19.73 |
| 2 | ... | ... | ... | ... | 2 | 3 | 5 | ... | 8 | 5 | ... | 3 | 24.09 |
| 8 | ... | ... | 1 | ... | 9 | 13 | 15 | ... | 28 | 17 | 1 | 10 | 18.37 |
| 8 | ... | 1 | ... | ... | 9 | 9 | 8 | ... | 17 | 17 | ... | ... | 17.30 |
| 7 | ... | ... | 2 | 2 | 11 | 15 | 10 | ... | 25 | 25 | ... | ... | 17.64 |
| 2 | ... | ... | ... | 1 | 3 | 7 | 3 | ... | 10 | 5 | 3 | 2 | 26.38 |
| 3 | ... | ... | ... | ... | 3 | 4 | 5 | ... | 9 | 6 | 1 | 2 | ... |
| ... | 1 | ... | ... | ... | 1 | 1 | 1 | ... | 2 | 2 | ... | ... | 13.33 |
| 4 | 1 | 1 | ... | 1 | 7 | 8 | 12 | ... | 20 | 18 | ... | 2 | 13.89 |
| 1 | ... | ... | ... | ... | 1 | 6 | 5 | ... | 11 | 11 | ... | ... | 18.50 |
| 11 | ... | 1 | ... | ... | 12 | 1 | 4 | ... | 5 | 4 | ... | 1 | 6.35 |
| 3 | ... | ... | ... | ... | 3 | 5 | 8 | ... | 13 | 13 | ... | ... | 28.01 |
| 9 | 2 | ... | ... | ... | 11 | 15 | 10 | ... | 25 | 20 | 3 | 2 | 13.75 |
| 11 | 1 | ... | 2 | ... | 14 | 29 | 33 | ... | *62 | 36 | ... | 26 | 24.36 |
| ... | ... | ... | ... | ... | ... | 4 | ... | ... | 4 | 2 | 1 | 1 | 15.91 |
| 2 | ... | ... | ... | 1 | 3 | 5 | 7 | ... | 12 | 12 | ... | ... | 20.16 |
| 4 | ... | ... | ... | ... | 4 | 7 | 5 | ... | 12 | 10 | 2 | ... | 24.04 |
| 81 | 1 | 1 | 3 | ... | 86 | 27 | 46 | ... | 73 | 67 | 6 | ... | 19.39 |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 17 | ... | 2 | 2 | 3 | 24 | 12 | 19 | 1 | 32 | 26 | 2 | 4 | 15.53 |
| 26 | 5 | 2 | 5 | 2 | 40 | 28 | 18 | ... | 46 | 38 | 4 | 4 | 13.67 |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3 | ... | 1 | ... | ... | 4 | 3 | 3 | ... | 6 | 6 | ... | ... | 11.04 |
| 9 | ... | ... | ... | ... | 9 | 13 | 15 | ... | 28 | 27 | ... | 1 | 24.25 |
| 5 | ... | ... | ... | ... | 5 | 1 | 6 | ... | 7 | 7 | ... | ... | 14.64 |
| ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 3 | 3 | ... | ... | 12.24 |
| 7 | ... | ... | 1 | ... | 8 | 7 | 11 | ... | 18 | 16 | ... | 2 | 19.65 |
| 8 | ... | ... | ... | ... | 8 | 6 | 5 | ... | 11 | 9 | 1 | 1 | 15.51 |
| 11 | ... | 1 | ... | 2 | 14 | 7 | 15 | ... | 22 | 17 | ... | 5 | 11.82 |
| 3 | ... | 1 | ... | ... | 4 | 13 | 10 | ... | 23 | 21 | 2 | ... | 24.28 |
| 5 | ... | ... | ... | ... | 5 | 3 | 4 | ... | 7 | 7 | ... | ... | 11.07 |
| 2 | ... | ... | ... | 3 | 5 | 4 | 3 | ... | 7 | 4 | ... | 3 | 8.00 |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7 | 1 | 1 | ... | ... | 9 | 9 | 7 | 1 | 17 | 13 | ... | 4 | 24.35 |
| 2 | ... | ... | ... | 1 | 3 | 1 | 7 | ... | 8 | 8 | ... | ... | 20.52 |
| 238 | 18 | 18 | 20 | 20 | 314 | 301 | 348 | 2 | 651 | 519 | 35 | 97 | 17.49 |

* Died at county almshouse, 10.

TABLE No. III.

COÖS

| TOWNS. | Population in 1890. | BIRTHS. | | | | | | | | | |
|----------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|---------------------------------------|--------------------------------------|-------------|
| | | Sex. | | | | | Parentage. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother. and for'n father. | American father and for'n mother. | Not stated. |
| Berlin | 3,729 | 56 | 52 | .. | 108 | 28.96 | 5 | 92 | 10 | 1 | .. |
| Carroll | 813 | 4 | 4 | .. | 8 | 9.84 | 3 | 1 | 3 | 1 | .. |
| Clarksville | 325 | 1 | 1 | .. | 2 | 6.15 | 1 | .. | .. | .. | 1 |
| Colebrook | 1,736 | 15 | 17 | .. | 32 | 18.43 | 23 | 2 | 4 | 3 | .. |
| Columbia | 605 | 5 | 2 | 1 | 8 | 13.22 | 5 | .. | .. | 3 | .. |
| Dalton | 596 | 4 | 4 | .. | 8 | 13.42 | 6 | 1 | 1 | .. | .. |
| Dummer | 455 | 2 | 1 | .. | 3 | 6.59 | 2 | .. | .. | 1 | .. |
| Errol | 178 | 2 | .. | .. | 2 | 11.23 | 1 | .. | .. | 1 | .. |
| Gorham | 1,710 | 23 | 27 | 2 | 52 | 30.40 | 10 | 25 | 11 | 3 | 3 |
| Jefferson | 1,062 | 12 | 12 | .. | 24 | 22.59 | 15 | 7 | .. | 1 | 1 |
| Lancaster | 3,373 | 26 | 32 | .. | 58 | 17.19 | 33 | 15 | 4 | 2 | 4 |
| Milan | 1,029 | 8 | 7 | .. | 15 | 14.57 | 11 | 2 | .. | 2 | .. |
| Millsfield | 62 | .. | 2 | .. | 2 | 3.22 | .. | .. | .. | 2 | .. |
| Northumb'rl'd | 1,356 | 6 | 11 | .. | 17 | 12.53 | 10 | 4 | 3 | .. | .. |
| Pittsburg | 669 | 1 | 1 | .. | 2 | 3.14 | .. | .. | .. | .. | 2 |
| Randolph | 187 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Shelburne | 336 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Stark | 703 | 4 | 4 | .. | 8 | 11.37 | 3 | 1 | 4 | .. | .. |
| Stewartstown . . . | 1,002 | 5 | 1 | .. | 6 | 5.98 | 2 | .. | 2 | 1 | 1 |
| Stratford | 1,128 | 10 | 8 | .. | 18 | 15.95 | 12 | 3 | 1 | 2 | .. |
| Whitefield | 2,041 | 23 | 22 | 2 | 47 | 23.02 | 11 | 23 | 8 | 2 | 3 |
| Total | *23,211 | 207 | 208 | 5 | 420 | 18.09 | 153 | 176 | 51 | 25 | 15 |

* Including unincorporated townships and grants.

— Continued.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | Sex. | | | | Nativity. | | | |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 10 | 22 | 2 | 8 | 1 | 43 | 25 | 16 | ... | 41 | 27 | 12 | 2 | 10.99 |
| 2 | 4 | ... | 2 | ... | 8 | 11 | 6 | 1 | 18 | 13 | 5 | ... | 22.14 |
| 4 | ... | 2 | ... | ... | 6 | 8 | 2 | ... | 5 | 2 | ... | 3 | 15.38 |
| 8 | 1 | 6 | 4 | ... | 19 | 15 | 12 | ... | 27 | 24 | 2 | 1 | 15.55 |
| 5 | ... | 2 | ... | ... | 7 | 7 | 2 | ... | 9 | 5 | 1 | 3 | 14.87 |
| 1 | ... | ... | ... | ... | 1 | 5 | 7 | ... | 12 | 4 | 4 | 4 | 20.13 |
| 2 | ... | ... | ... | ... | 2 | 1 | 2 | ... | 3 | 2 | ... | 1 | 6.59 |
| 2 | ... | ... | 1 | ... | 3 | ... | 2 | ... | 2 | 2 | ... | ... | 11.23 |
| 7 | 5 | 2 | 5 | ... | 19 | 13 | 10 | ... | 23 | 19 | 3 | 1 | 13.45 |
| 7 | 1 | 3 | 1 | 1 | 13 | 5 | 8 | 1 | 14 | 10 | 3 | 1 | 13.18 |
| 11 | 8 | 4 | 8 | ... | 31 | 24 | 21 | 1 | 46 | 28 | 7 | 11 | 13.63 |
| 9 | 1 | 1 | 3 | ... | 14 | 8 | 9 | ... | 17 | 14 | 1 | 2 | 16.53 |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9 | 3 | 1 | 2 | ... | 15 | 8 | 6 | ... | 14 | 9 | 5 | ... | 10.32 |
| 1 | ... | ... | 2 | 1 | 4 | 3 | 5 | ... | 8 | 1 | ... | 7 | 11.95 |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2 | ... | 2 | 3 | ... | 7 | 5 | 7 | ... | 12 | 9 | 1 | 2 | 17.06 |
| 8 | ... | 2 | ... | ... | 10 | 9 | 3 | ... | *12 | 9 | ... | 3 | 11.97 |
| 5 | 2 | 2 | 3 | 1 | 13 | 12 | 8 | ... | 20 | 10 | 2 | 8 | 17.72 |
| 13 | 5 | 2 | 3 | ... | 23 | 27 | 19 | ... | 46 | 31 | 5 | 10 | 22.53 |
| 106 | 52 | 31 | 45 | 4 | 238 | 181 | 145 | 3 | 329 | 219 | 51 | 59 | 14.17 |

* Died at county almshouse, 4.

TABLE No. III.
RECAPITULATION

| COUNTIES. | Population in 1890. | BIRTHS. | | | | | | | | | |
|-----------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-----------------------------------|-----------------------------------|-------------|
| | | Sex. | | | | | Parentage. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and for'n father. | American father and for'n mother. | Not stated. |
| Rockingham. | 49,650 | 393 | 366 | 14 | 773 | 15.55 | 533 | 116 | 36 | 48 | 40 |
| Strafford . . . | 38,442 | 390 | 380 | 14 | 784 | 19.87 | 327 | 350 | 40 | 47 | 20 |
| Belknap . . . | 20,321 | 175 | 135 | 12 | 322 | 15.84 | 178 | 92 | 17 | 21 | 14 |
| Carroll | 18,124 | 139 | 121 | 1 | 261 | 14.40 | 200 | 31 | 9 | 9 | 12 |
| Merrimack . . | 49,435 | 466 | 464 | 8 | 938 | 18.97 | 470 | 318 | 61 | 66 | 23 |
| Hillsborough | 93,247 | 1,027 | 920 | 16 | 1,963 | 21.05 | 633 | 938 | 147 | 147 | 98 |
| Cheshire . . . | 29,579 | 275 | 263 | 5 | 543 | 18.35 | 331 | 121 | 43 | 22 | 26 |
| Sullivan . . . | 17,304 | 174 | 132 | .. | 306 | 17.68 | 208 | 46 | 25 | 21 | 6 |
| Grafton | 37,217 | 320 | 307 | 9 | 636 | 17.08 | 445 | 87 | 44 | 30 | 30 |
| Cooks | 23,211 | 207 | 208 | 5 | 420 | 18.09 | 153 | 176 | 51 | 25 | 15 |
| Total . . . | 376,530 | 3,566 | 3,296 | 84 | 6,946 | 18.44 | 3,478 | 2,275 | 473 | 436 | 284 |

— *Continued.*

BY COUNTIES.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Sex. | | | | Nativity. | | | |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | Death-rate per 1,000. |
| 330 | 40 | 32 | 30 | 26 | 458 | 551 | 509 | 5 | 1,065 | 809 | 97 | 159 | 21.45 |
| 274 | 100 | 28 | 29 | 26 | 457 | 415 | 380 | 6 | 801 | 613 | 134 | 54 | 20.83 |
| 124 | 23 | 15 | 5 | 11 | 178 | 181 | 190 | 3 | 374 | 294 | 29 | 51 | 18.40 |
| 129 | 5 | 7 | 6 | 8 | 155 | 147 | 154 | 2 | 303 | 251 | 11 | 41 | 16.71 |
| 304 | 74 | 37 | 32 | 26 | 473 | 473 | 503 | 7 | 983 | 779 | 105 | 99 | 19.88 |
| 434 | 325 | 86 | 69 | 25 | 939 | 987 | 964 | 22 | 1,973 | 1,457 | 356 | 160 | 21.14 |
| 175 | 21 | 12 | 18 | 11 | 237 | 282 | 273 | 2 | 557 | 452 | 44 | 61 | 18.49 |
| 138 | 15 | 7 | 5 | 7 | 172 | 174 | 158 | .. | 332 | 279 | 27 | 26 | 19.18 |
| 238 | 18 | 18 | 20 | 20 | 314 | 301 | 348 | 2 | 651 | 519 | 35 | 97 | 17.49 |
| 106 | 52 | 31 | 45 | 4 | 238 | 181 | 145 | 3 | 329 | 219 | 51 | 59 | 14.17 |
| 2,252 | 673 | 273 | 259 | 164 | 3,021 | 3,692 | 3,624 | 52 | 7,368 | 5,672 | 889 | 807 | 19.56 |

BIRTHS.

TABLE No. IV.

Births by Counties, showing Proportion of Males to Females, 1890.

| COUNTIES. | Males. | Females. | Excess of Males. | Excess of Females. | Sex not stated. |
|--------------------|--------|----------|------------------------|--------------------------|-----------------------|
| Rockingham | 393 | 366 | 27 | | 14 |
| Strafford | 390 | 380 | 10 | | 14 |
| Belknap | 175 | 135 | 40 | | 12 |
| Carroll | 139 | 121 | 18 | | 1 |
| Merrimack | 466 | 464 | 2 | | 8 |
| Hillsborough | 1,027 | 920 | 107 | | 16 |
| Cheshire | 275 | 263 | 12 | | 5 |
| Sullivan | 174 | 132 | 42 | | |
| Grafton | 320 | 307 | 13 | | 9 |
| Cooks | 207 | 208 | | 1 | 5 |
| Total | 3,566 | 3,296 | 270 | | 84 |

TABLE No. V.
Twin Births by Months and Counties, 1890.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. | Colored Children. | | Indian. | |
|----------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|-------------------|----|---------|----|
| | | | | | | | | | | | | | | M. | F. | M. | F. |
| Rockingham* | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 9 | 1 | | | |
| Strafford* | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 15 | | | 1 | |
| Belknap | | | | | | | | 2 | | | | | 2 | 2 | | 2 | |
| Carroll | | | | | | | 1 | 1 | 1 | 1 | | | 3 | | | | |
| Merrimack* | | 1 | 1 | 1 | | | | 1 | 2 | 3 | | | 9 | 2 | | 1 | |
| Hillsborough | 1 | | 1 | 3 | 1 | 1 | 3 | 2 | 5 | | 3 | | 20 | | | | |
| Cheshire | | | | | 1 | | | | | | | | 1 | | | | 1 |
| Sullivan | | 1 | 1 | | 1 | 1 | | | 2 | | | | 6 | | | | |
| Grafton | 4 | 1 | 1 | | | | 1 | | 1 | | | | 2 | | | | |
| Coös | | | 1 | | | | | 1 | 1 | | | | 3 | | | | |
| Total | 11 | 7 | 6 | 7 | 5 | 3 | 6 | 8 | 12 | 5 | 5 | 3 | 78 | 5 | 4 | | 1 |

* One set of triplets.

TABLE No. VI.

Twin Births by Sex and Parentage, by Counties.

| COUNTIES. | SEX. | | | | PARENTAGE. | | | | | Living children. | Still-born children. | Total. | |
|--------------------|-------------|---------------|----------------------|-------------|----------------|---------------|-----------------------------------|-----------------------------------|-------------|------------------|----------------------|--------|--------|
| | Both males. | Both females. | 1 male and 1 female. | Not stated. | Both American. | Both foreign. | American mother and for'n father. | American father and for'n mother. | Not stated. | | | | Total. |
| Rockingham | 4 | 3 | 2 | .. | 6 | 1 | .. | 1 | 1 | 9 | 17 | 1 | 18 |
| Strafford | 8 | 2 | 4 | 1 | 9 | 4 | .. | 2 | .. | 15 | 28 | 2 | 30 |
| Belknap | 2 | .. | .. | .. | 2 | .. | .. | .. | .. | 2 | 4 | .. | 4 |
| Carroll | .. | .. | 2 | .. | 1 | 2 | .. | .. | .. | 3 | 5 | 1 | 6 |
| Merrimack | 4 | 4 | 1 | .. | 3 | 2 | 1 | 3 | .. | 9 | 18 | .. | 18 |
| Hillsborough | 10 | 7 | 3 | .. | 3 | 12 | 2 | 3 | .. | 20 | 35 | 5 | 40 |
| Cheshire | .. | .. | 1 | .. | 1 | .. | .. | .. | .. | 1 | 2 | .. | 2 |
| Sullivan | 1 | 2 | 3 | .. | 3 | 1 | 1 | 1 | .. | 6 | 11 | 1 | 12 |
| Grafton | 2 | 3 | 5 | .. | 8 | 1 | 1 | .. | .. | 10 | 19 | 1 | 20 |
| Coös | 1 | 1 | 1 | .. | 2 | .. | 1 | .. | .. | 3 | 6 | .. | 6 |
| Total | 32 | 23 | 22 | 1 | 37 | 24 | 6 | 10 | .. | 178 | 145 | 11 | 156 |

TABLE No. VII.
Triplet Births by Sex and Parentage.

| COUNTIES. | SEX. | | PARENTAGE. | Total. | Living. | Not stated. | Still-born. | Total. |
|-----------------|-------|---------|----------------|--------|---------|-------------|-------------|--------|
| | Male. | Female. | Both American. | | | | | |
| Rockingham..... | 1 | 2 | 1 | 1 | 2 | 1 | | 3 |
| Strafford | 2 | 1 | 1 | 1 | 2 | | 1 | 3 |
| Merrimack | 1 | 2 | 1 | 1 | 3 | | | 3 |
| Total | 4 | 5 | 3 | 3 | 7 | 1 | 1 | 9 |

TABLE
Births by Sex and

| COUNTIES. | January. | February. | March. | April. | May. |
|-----------------------------|----------|-----------|--------|--------|------|
| Rockingham .. Males | 33 | 37 | 41 | 33 | 39 |
| Females | 80 | 31 | 42 | 32 | 38 |
| Not stated | 1 | | | 1 | |
| Strafford..... Males | 34 | 28 | 38 | 34 | 35 |
| Females | 36 | 33 | 34 | 29 | 38 |
| Not stated | 2 | | 3 | 1 | 1 |
| Belknap Males | 11 | 14 | 12 | 21 | 15 |
| Females | 12 | 9 | 14 | 14 | 13 |
| Not stated | 1 | | | | 1 |
| Carroll. Males | 17 | 7 | 16 | 4 | 8 |
| Females | 10 | 4 | 9 | 9 | 10 |
| Not stated | | | | | |
| Merrimack.... Males | 34 | 44 | 37 | 36 | 41 |
| Females | 35 | 28 | 38 | 41 | 38 |
| Not stated | 1 | 2 | | 1 | |
| Hillsborough.. Males | 82 | 72 | 92 | 84 | 82 |
| Females | 81 | 57 | 86 | 76 | 82 |
| Not stated | 1 | 1 | 2 | 1 | 3 |
| Cheshire Males | 13 | 17 | 18 | 28 | 20 |
| Females | 20 | 21 | 25 | 25 | 20 |
| Not stated | 1 | | 2 | | 1 |
| Sullivan Males | 12 | 17 | 11 | 19 | 13 |
| Females | 15 | 5 | 11 | 11 | 17 |
| Not stated | | | | | |
| Grafton Males | 29 | 22 | 24 | 35 | 30 |
| Females | 25 | 24 | 28 | 20 | 24 |
| Not stated | | | 1 | | 3 |
| Coös Males | 21 | 19 | 23 | 21 | 11 |
| Females | 19 | 21 | 25 | 7 | 10 |
| Not stated | | | | | 1 |
| Total..... Males | 286 | 277 | 312 | 315 | 294 |
| Females | 283 | 233 | 312 | 264 | 290 |
| Not stated | 7 | 3 | 8 | 4 | 10 |
| Grand total | 576 | 513 | 632 | 583 | 594 |

BIRTHS.

35

No. VIII.

Month, by Counties, 1890.

| June. | July. | August. | September. | October. | November. | December. | Not stated. | Total. | Grand total. |
|-------|-------|---------|------------|----------|-----------|-----------|-------------|--------|--------------|
| 32 | 25 | 39 | 26 | 33 | 28 | 26 | 1 | 393 | 773 |
| 33 | 35 | 32 | 25 | 27 | 22 | 19 | | 366 | |
| 2 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 14 | |
| 24 | 47 | 30 | 33 | 26 | 27 | 34 | | 390 | 784 |
| 27 | 28 | 31 | 21 | 22 | 48 | 32 | 1 | 380 | |
| | | 2 | 1 | 1 | 1 | 1 | 1 | 14 | |
| 22 | 13 | 17 | 12 | 10 | 17 | 11 | | 175 | 322 |
| 13 | 11 | 12 | 10 | 5 | 18 | 9 | | 135 | |
| | 2 | 1 | | | 5 | 1 | 1 | 12 | |
| 16 | 17 | 11 | 15 | 13 | 4 | 11 | | 139 | 261 |
| 9 | 15 | 11 | 10 | 17 | 5 | 12 | | 121 | |
| | | | | | | 1 | | 1 | |
| 41 | 49 | 48 | 32 | 38 | 21 | 45 | | 466 | 938 |
| 47 | 39 | 42 | 39 | 42 | 38 | 37 | | 464 | |
| | 2 | 1 | | 1 | | | | 8 | |
| 87 | 80 | 103 | 91 | 86 | 66 | 102 | | 1,027 | 1,963 |
| 77 | 92 | 76 | 66 | 66 | 75 | 86 | | 920 | |
| | 2 | 3 | 2 | | 1 | | | 16 | |
| 31 | 29 | 26 | 26 | 21 | 26 | 20 | | 275 | 543 |
| 19 | 25 | 26 | 18 | 17 | 25 | 22 | | 263 | |
| | | | | | | 1 | | 5 | |
| 14 | 17 | 16 | 13 | 13 | 12 | 16 | 1 | 174 | 306 |
| 16 | 9 | 13 | 8 | 7 | 8 | 11 | 1 | 132 | |
| | | | | | | | | | |
| 24 | 27 | 34 | 22 | 27 | 26 | 18 | 2 | 320 | 636 |
| 26 | 31 | 25 | 27 | 22 | 29 | 26 | | 307 | |
| 1 | 1 | 1 | | 1 | 1 | | | 9 | |
| 14 | 13 | 16 | 20 | 24 | 8 | 16 | 1 | 207 | 420 |
| 14 | 25 | 17 | 21 | 19 | 9 | 21 | | 208 | |
| 2 | | | | 1 | | 1 | | 5 | |
| 305 | 317 | 340 | 290 | 291 | 235 | 299 | 5 | 3,566 | |
| 281 | 310 | 285 | 245 | 244 | 272 | 275 | 2 | 3,296 | |
| 5 | 8 | 9 | 5 | 7 | 9 | 6 | 3 | 84 | |
| 591 | 635 | 634 | 540 | 542 | 518 | 580 | 10 | 6,946 | 6,946 |

MARRIAGES.

TABLE No. IX.

Marriages by Counties and Nativity, 1890.

| COUNTIES. | Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. |
|--------------------|----------------|---------------|-------------------|----------------|-------------|--------|
| Rockingham..... | 330 | 40 | 32 | 30 | 26 | 458 |
| Strafford | 274 | 100 | 28 | 29 | 26 | 457 |
| Belknap..... | 124 | 23 | 15 | 5 | 11 | 178 |
| Carroll .. | 129 | 5 | 7 | 6 | 8 | 155 |
| Merrimack | 304 | 74 | 37 | 32 | 26 | 473 |
| Hillsborough | 434 | 325 | 86 | 69 | 25 | 939 |
| Cheshire | 175 | 21 | 12 | 18 | 11 | 237 |
| Sullivan | 138 | 15 | 7 | 5 | 7 | 172 |
| Grafton | 238 | 18 | 18 | 20 | 20 | 314 |
| Coös | 106 | 52 | 31 | 45 | 4 | 238 |
| Total | 2,252 | 673 | 273 | 259 | 164 | 3,621 |

MARRIAGES.

87

TABLE No. X.
Marriages by Months and Counties, 1890.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. | Total. |
|---------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|--------|
| Rockingham . . . | 34 | 24 | 18 | 25 | 40 | 40 | 34 | 41 | 49 | 53 | 48 | 52 | .. | 458 |
| Strafford | 37 | 30 | 33 | 45 | 31 | 32 | 26 | 40 | 51 | 36 | 50 | 46 | .. | 457 |
| Belknap | 11 | 6 | 14 | 16 | 11 | 17 | 9 | 15 | 24 | 16 | 24 | 15 | .. | 178 |
| Carroll | 17 | 6 | 14 | 12 | 6 | 14 | 9 | 8 | 14 | 17 | 21 | 16 | 1 | 155 |
| Merrimack | 47 | 29 | 31 | 33 | 36 | 49 | 29 | 29 | 44 | 51 | 55 | 40 | .. | 473 |
| Hillsborough . . . | 79 | 73 | 39 | 70 | 68 | 92 | 56 | 66 | 114 | 91 | 123 | 68 | .. | 939 |
| Cheshire | 22 | 13 | 12 | 23 | 16 | 29 | 16 | 18 | 21 | 20 | 31 | 15 | 1 | 237 |
| Sullivan | 16 | 10 | 9 | 15 | 12 | 8 | 9 | 14 | 22 | 19 | 15 | 22 | 1 | 172 |
| Grafton | 32 | 13 | 25 | 28 | 28 | 26 | 24 | 20 | 19 | 36 | 36 | 26 | 1 | 314 |
| Cooks | 14 | 11 | 8 | 28 | 12 | 31 | 18 | 11 | 22 | 21 | 40 | 16 | 6 | 238 |
| Total | 309 | 215 | 203 | 295 | 260 | 338 | 230 | 262 | 380 | 360 | 443 | 316 | 10 | 3,621 |

TABLE No. XI.
Marriages by Ages and Counties, 1890.

| COUNTIES. | | Under 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 70. | 70 to 80. | Over 80. | Not stated. | Total. |
|-----------------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-------------|--------|
| Rockingham .. | Males | 21 | 186 | 118 | 55 | 24 | 16 | 9 | 7 | 5 | 11 | 4 | 2 | 458 | 2 | 458 |
| | Females | 122 | 156 | 84 | 40 | 22 | 14 | 4 | 2 | 2 | 4 | 2 | 6 | 458 | 6 | 458 |
| Strafford | Males | 27 | 170 | 103 | 67 | 33 | 15 | 12 | 9 | 7 | 10 | 2 | 2 | 457 | 2 | 457 |
| | Females | 117 | 181 | 70 | 37 | 16 | 13 | 7 | 3 | 4 | 1 | 1 | 6 | 457 | 6 | 457 |
| Belknap | Males | 13 | 68 | 40 | 26 | 14 | 6 | 3 | 1 | 3 | 2 | 1 | 1 | 178 | 1 | 178 |
| | Females | 54 | 58 | 34 | 12 | 13 | 3 | | 1 | 1 | 2 | | | 178 | | 178 |
| Carroll | Males | 3 | 52 | 42 | 26 | 10 | 3 | 3 | 3 | 6 | 2 | 1 | 1 | 155 | 3 | 155 |
| | Females | 46 | 49 | 22 | 10 | 4 | 11 | 4 | 1 | 1 | 3 | | | 155 | 3 | 155 |
| Merrimack | Males | 13 | 183 | 117 | 55 | 32 | 26 | 12 | 12 | 2 | 16 | 1 | 2 | 473 | 2 | 473 |
| | Females | 116 | 180 | 73 | 39 | 23 | 15 | 10 | 2 | 6 | 2 | 1 | 4 | 473 | 4 | 473 |
| Hillsborough .. | Males | 51 | 398 | 236 | 103 | 54 | 25 | 18 | 14 | 14 | 17 | 1 | 1 | 939 | 6 | 939 |
| | Females | 214 | 411 | 164 | 56 | 29 | 19 | 18 | 9 | 3 | 7 | 1 | 8 | 939 | 8 | 939 |
| Cheshire | Males | 9 | 106 | 56 | 24 | 19 | 6 | 2 | 4 | 4 | 3 | 3 | 3 | 237 | 1 | 237 |
| | Females | 76 | 87 | 40 | 7 | 11 | 5 | 5 | 2 | 1 | 1 | 1 | 1 | 237 | 1 | 237 |

MARRIAGES.

39

| | | | | | | | | | | | | | | |
|-------------------|---------------|-----|-------|-------|-----|-----|-----|-----|----|-------|----|-------|-----|-------|
| Sullivan | Males..... | 4 | 68 | 43 | 18 | 14 | 9 | 3 | 4 | 4 | 3 | 1 | 1 | 172 |
| | Females | 44 | 70 | 29 | 7 | 6 | 7 | 3 | 2 | 2 | 1 | | 1 | 172 |
| Grafton..... | Males | 7 | 103 | 93 | 49 | 15 | 13 | 15 | 1 | 11 | 4 | 1 | 2 | 314 |
| | Females .. | 2 | 109 | 45 | 15 | 13 | 10 | 7 | 2 | 4 | 3 | ... | 2 | 314 |
| Coös | Males..... | 6 | 85 | 83 | 31 | 15 | 7 | 2 | 4 | 1 | 2 | 1 | 1 | 288 |
| | Females | 1 | 89 | 44 | 18 | 6 | 2 | 3 | 2 | | 1 | | 2 | 288 |
| Total | Males..... | 154 | 1,419 | 933 | 454 | 230 | 126 | 79 | 59 | 57 | 70 | 16 | 4 | 3,621 |
| | Females | 7 | 987 | 605 | 241 | 143 | 99 | 61 | 26 | 24 | 25 | 6 | ... | 3,621 |
| Grand total | | 7 | 1,141 | 2,783 | 695 | 373 | 225 | 140 | 85 | 81 | 95 | 22 | 4 | 7,242 |

TABLE No. XII.

Interesting Facts in relation to Marriages, 1890.

| COUNTIES. | Instances in which the age of the bride exceeded that of the groom. | Widowers. | Widows. | Third marriage. | | Fourth marriage. | | Oldest. | Youngest. | Oldest couple. | | Youngest couple. | | Divorced. | | | |
|-------------------|---|-----------|---------|-----------------|----|------------------|----|---------|-----------|----------------|----|------------------|----|-----------|----|----|----|
| | | | | M. F. | | M. F. | | | | M. F. | | M. F. | | | | | |
| | | | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | |
| Rockingham..... | 86 | 69 | 47 | 7 | 5 | 1 | .. | 78 | 79 | 16 | 15 | 78 | 79 | 19 | 16 | 1 | .. |
| Strafford | 67 | 75 | 55 | 10 | 4 | .. | .. | 73 | 70 | 17 | 14 | 68 | 70 | 19 | 15 | .. | .. |
| Belknap..... | 31 | 38 | 20 | 4 | 1 | 1 | .. | 81 | 69 | 16 | 15 | 81 | 69 | 16 | 18 | 6 | 2 |
| Carroll | 21 | 25 | 17 | 3 | 4 | .. | .. | 80 | 68 | 18 | 14 | 71 | 68 | 18 | 16 | .. | .. |
| Merrimack | 76 | 79 | 65 | 12 | 6 | 2 | .. | 81 | 72 | 16 | 14 | 80 | 65 | 16 | 16 | .. | .. |
| Hillsborough | 155 | 146 | 104 | 14 | 3 | .. | 1 | 77 | 76 | 17 | 15 | 65 | 76 | 17 | 15 | .. | .. |
| Cheshire | 37 | 30 | 17 | 4 | 3 | .. | 1 | 73 | 73 | 17 | 15 | 73 | 73 | 19 | 17 | 2 | 4 |
| Sullivan..... | 27 | 34 | 31 | 5 | 3 | .. | .. | 76 | 60 | 18 | 15 | 69 | 60 | 18 | 19 | 1 | 2 |
| Grafton | 37 | 52 | 40 | 9 | 5 | 1 | .. | 73 | 67 | 19 | 18 | 73 | 60 | 19 | 15 | 1 | 1 |
| Coös | 30 | 39 | 33 | 2 | 2 | 1 | .. | 75 | 65 | 19 | 14 | 75 | 48 | 19 | 17 | 1 | .. |
| Total | 567 | 587 | 429 | 70 | 36 | 6 | 2 | 81 | 79 | 16 | 18 | 78 | 79 | 16 | 16 | 12 | 9 |

DIVORCES.
TABLE No. XIII.
Divorces decreed by the Supreme Court of New Hampshire, in the year 1890, as returned by the Clerks of the several Counties.

| COUNTIES. | CAUSES OF DIVORCE. | | | | | | | | | | | | | | | LIBELLANTS. | | | | |
|------------------------|--|--------------|---------------------------|---------------------|-----------|------------|------------------|--------------------------------------|---|---------------------------------------|-----------------------|------------|---|--------------------------------|----------|--|------------------------------|--------|----------|-----------------------|
| | Absence of wife from the State ten years together. | Abandonment. | Abandonment and adultery. | Absent three years. | Adultery. | Desertion. | Extreme cruelty. | Extreme cruelty and willing absence. | Extreme cruelty and habitual drunkenness. | Habitual drunkenness and abandonment. | Habitual drunkenness. | Impotency. | Willing absence and refusal to cohabit. | Treatment injurious to health. | Nullity. | Treatment injurious to health and to reason. | Willing absence three years. | Males. | Females. | Total of each county. |
| Rockingham | 16 | 17 | 7 | 9 | 17 | 7 | 7 | 7 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 15 | 27 | 42 |
| Strafford | 21 | 7 | 9 | 9 | 4 | 9 | 9 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 12 | 26 | 38 |
| Belknap | 9 | 4 | 6 | 2 | 6 | 2 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 7 | 18 | 25 |
| Carroll | 7 | 10 | 19 | 10 | 10 | 19 | 19 | 19 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 8 | 12 | 20 |
| Merrimack | 12 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 20 | 33 | 53 |
| Hillsborough | 32 | 17 | 29 | 1 | 17 | 29 | 29 | 29 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 24 | 71 | 95 |
| Cheshire | 11 | 10 | 7 | 7 | 10 | 7 | 7 | 7 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 15 | 26 | *41 |
| Sullivan | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 | 12 | 22 |
| Grafton | 15 | 12 | 5 | 5 | 12 | 5 | 5 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 15 | 18 | 33 |
| Cooks | 7 | 3 | 6 | 6 | 3 | 6 | 6 | 6 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 11 | 11 | 22 |
| Total | 1138 | 2 | 192 | 2102 | 1 | 2102 | 1 | 2102 | 1 | 2102 | 1 | 22 | 5 | 5 | 4 | 1 | 2 | 137 | 254 | 391 |

* The actual number of divorces granted was 32, some having been allowed on two charges.

TABLE

Causes upon which Divorces have been decreed for nine

| COUNTIES. | Abandonment. | Abandonment and adultery. | Absent three years. | Absent three years and abandonment. | Adultery. | Conviction of crime and imprisonment. | Desertion and bigamy. | Extreme cruelty. | Extreme cruelty and abandonment. | Extreme cruelty and adultery. | Extreme cruelty and habitual drunkenness. | Absence of wife from State ten years together. | Desertion. |
|--------------------|--------------|---------------------------|---------------------|-------------------------------------|-----------|---------------------------------------|-----------------------|------------------|----------------------------------|-------------------------------|---|--|------------|
| Rockingham | 119 | 1 | 68 | 4 | 78 | 1 | 102 | 60 | 28 | 1 | 2 | | |
| Strafford | 104 | 14 | 77 | 1 | 1 | 102 | | | | | | | |
| Belknap | 49 | 11 | 51 | 2 | 60 | | | | | | | | |
| Carroll | 55 | 3 | 34 | 2 | 28 | | | | | 1 | 2 | | |
| Merrimack | 116 | 20 | 83 | 3 | 183 | | | | | | | | |
| Hillsborough | 278 | 316 | 168 | 6 | 238 | 2 | 4 | 8 | | | | | |
| Cheshire | 105 | 1 | 1 | 1 | 54 | | | 69 | 1 | 3 | 6 | 1 | |
| Sullivan | 51 | | 53 | | 55 | | | | | | | | |
| Grafton | 106 | | 69 | 1 | 77 | | | | | | | | |
| Cooks | 30 | 7 | 38 | 1 | 47 | | | | | | | | |
| Total | 1,013 | 473 | 1,695 | 20 | 1,087 | 3 | 7 | 16 | 1 | 2 | | | |

No. XIV.

years, 1882 to 1890, inclusive, by Counties.

| | Extreme cruelty, habitual drunkenness, and adultery. | Habitual drunkenness. | Habitual drunkenness and adultery. | Habitual drunkenness and desertion. | Impotency. | Joining religious sect and refusal to cohabit. | Nullity. | Prior marriage. | Refusal to cohabit. | Treatment injurious to health. | Treatment injurious to health and extreme cruelty. | Treatment injurious to health and to reason. | Treatment injurious to reason. | Willing absence three years. | Willing absence and refusal to cohabit. | No cause assigned. | Total. |
|------|--|-----------------------|------------------------------------|-------------------------------------|------------|--|----------|-----------------|---------------------|--------------------------------|--|--|--------------------------------|------------------------------|---|--------------------|--------|
| | 38 | | | 1 | | | | | 3 | | | 3 | | | | | 316 |
| | 30 | | | 1 | | 2 | | 1 | 1 | | | | | | | | 334 |
| | 19 | | | | | | | | 1 | | | | 2 | | | | 195 |
| | 9 | | | 1 | | | | | | | | | 1 | | | | 136 |
| | 41 | | | 4 | | | | | 3 | | | 2 | 12 | | 2 | | 419 |
| 1 | 51 | 2 | 2 | | | | | | 7 | 1 | 1 | 1 | 1 | 6 | | | 795 |
| | 18 | | | 1 | | | 1 | | 7 | | 2 | | 2 | | | | 273 |
| .. | 4 | | | 1 | 1 | | | | 2 | | | | 4 | | | | 171 |
| | 14 | | | | | | | | 1 | | | | | | | | 268 |
| | 8 | | | 4 | | | | | | | | | 3 | | | | 138 |
| 1 | 232 | 2 | 2 | 13 | 1 | 2 | 1 | 1 | 25 | 1 | 3 | 2 | 28 | 6 | 2 | | 3,045 |

TABLE
CAUSES OF DEATH ARRANGED

[illegible]

No. XV.

BY TOWNS AND COUNTIES.

ZYMOTIC DISEASES.

| | | | | ORDER 2.—Enthetic. | | | | ORDER 3.— Dietic. | | | | ORDER 4.— Parasitic. | | | | Total for Class I. | | | | | | | | | | | | |
|--------------|-------------|------------|------------|--------------------|----|-----------|------------|----------------------|--------------------|-------------|-----------|-------------------------|----|-------------|-------------------|-----------------------|----------------------|----|----|---------|--------|------------------|----|----|-------|---------|-----------------|--------|
| Tonsillitis. | Scarlatina. | Small-pox. | Varicella. | M. | F. | Glanders. | Gonorrhea. | Hydrophobia. | Malignant Pustule. | Septicæmia. | Syphilis. | M. | F. | Alcoholism. | Delirium Tremens. | Inanition. | Purpura and Scurvey. | M. | F. | Aphthæ. | Worms. | Other Parasites. | M. | F. | Male. | Female. | Sex not stated. | Total. |
| . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 |
| . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | |
| . | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 4 | |
| . | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 3 | |
| . | 1 | . | . | 1 | 2 | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | |
| . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | |
| . | . | . | . | 4 | 2 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | . | 7 | |
| . | . | . | . | 2 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 7 | . | 9 | |
| . | . | . | . | 1 | 3 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 4 | |
| . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | |
| 1 | . | . | . | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 5 | . | 7 | |
| . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | |
| . | 1 | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 5 | |
| . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | |
| . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | |
| . | . | . | . | 4 | 3 | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 5 | 3 | . | 8 | |
| . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 3 | |
| . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | |
| . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | 2 | . | 3 | |
| . | . | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | 2 | |
| . | . | . | . | 13 | 11 | . | . | . | 1 | . | . | . | 1 | . | 2 | . | . | 2 | . | . | . | . | . | 16 | 11 | . | 27 | |
| . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 3 | |
| . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | |
| . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | |
| . | . | . | . | 5 | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 5 | 6 | . | 11 | |
| . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | |

TABLE No. XV.

| TOWNS IN ROCKINGHAM COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | |
|-----------------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|---------------------------|-------------|----|----|--------|---------------------------|----------------------|-----------|----------------|
| | ORDER 1.—Diathetic. | | | | | | | | ORDER 2.—Tuber- cular. | | | | | Total for Class II. | | | |
| | Gout. | Dropsy. | Anemia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | M. | F. | Total. | Scrofula. | Tuberc. Mesenterica. | Phthisis. | Hydrocephalus. |
| | | | | | | | | | | | | | | | | | |
| Atkinson | 1 | | | | | | | | | | 1 | | | | 1 | | |
| Auburn | | | | | | | | | | | | | | | 1 | | |
| Brentwood | 2 | | | | | | | | | | 1 | 1 | | | 2 | | |
| Candia | | | | | | | | | | | | | | | 2 | | |
| Chester | | | | | | | | | | | | | | | 2 | | |
| Danville | | | | | | | | | | | | | | | 1 | | |
| Deerfield | | | | 1 | | | | | | | 1 | | | | 5 | | |
| Derry | | | 2 | | | | | | | | 2 | | | | 3 | | |
| East Kingston | | | | | | | | | | | | | | | 2 | | |
| Epping | | | 1 | 1 | | | | 1 | 2 | 1 | | | | | 8 | | |
| Exeter | | | 5 | | | | | | 2 | 3 | 1 | | | 14 | | | |
| Fremont | | | | | | | | 1 | | | 1 | | | | 1 | | |
| Greenland | | | 1 | | | | | | | | 1 | | | | | | |
| Hampstead | | | | | | | | | | | | | | | 1 | | |
| Hampton | | | 1 | | | | | | | | 1 | | | | 3 | | |
| Hampton Falls | | | 1 | | | | | | | | 1 | | | | 2 | | |
| Kensington | | | 1 | | | | | | | | 1 | | | | 1 | | |
| Kingston | | | 1 | | 1 | | | 1 | | | 2 | 1 | | | 3 | | |
| Londonderry | 1 | | 2 | 1 | | | | | | | 1 | 3 | | | 1 | | |
| Newcastle | | | | | | | | | | | | | | | | | |
| Newington | | | 1 | | | | | | | | 1 | | | | | | |
| Newmarket | 2 | | | | | | | 1 | | | 2 | 1 | | | 5 | | |
| Newton | | | | | | 1 | 2 | | | | 1 | 2 | | | 6 | | |
| North Hampton | | | | | | | | | | | | | | | | | |
| Northwood | | | | | | | | 1 | 1 | | 1 | | | 1 | | | |
| Nottingham | 1 | | | | 1 | | | | | | | 2 | | | 2 | | |
| Plaistow | | | | | | | | | | | | | | | 1 | | |
| Portsmouth | 1 | 1 | 3 | 1 | 2 | 5 | | | 1 | 3 | 11 | 1 | | 37 | 1 | 2 | 26 |
| Raymond | | | | | | | | | | | | | | | | 1 | 1 |
| Rye | 1 | | | | | | | | 1 | 2 | | | | | 2 | | |
| Salem | 1 | 1 | 2 | | | | | | 2 | 5 | 1 | | | 6 | | 5 | 11 |
| Sandown | | | | | | | | | | | | | | | | | |
| Seabrook | 1 | | 1 | | | | | | | | 1 | 1 | | | 9 | | 4 |
| South Hampton | | | | | | | | | | | | | | | 1 | | |
| South Newmarket | 1 | | | | | | | | | | 1 | | | | 1 | | |
| Stratham | | | 1 | | | | | | | | 1 | | | | 1 | | |
| Windham | | 2 | | | | | | | | | 1 | 1 | | | 2 | | |

— Continued.

CLASS III.—LOCAL DISEASES.

| ORDER 1.—Nervous System. | | | | | | | | | | ORDER 2.—Circulatory System. | | | | | ORDER 3.—Respiratory System. | | | | | | | | | |
|--------------------------|-------------|-----------|------------|-----------|---------|-----------|----------|--------------|-----------------|------------------------------|---------------|-----------|-----------------|--------|------------------------------|-------------|--------------------|----------------------|-----------|------------|---------|----------------|--------|----|
| Cephalitis. | Cerebritis. | Apoplexy. | Paralysis. | Insanity. | Chorea. | Epilepsy. | Tetanus. | Convulsions. | Brain diseases. | Total. | Pericarditis. | Aneurism. | Heart Diseases. | Total. | Epistaxis. | Laryngitis. | Bronchitis, Acute. | Bronchitis, Chronic. | Pleurisy. | Pneumonia. | Asthma. | Lung Diseases. | Total. | |
| M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. |
| .. | .. | .. | 1 | .. | .. | .. | .. | 1 | 1 | 1 | .. | .. | 1 | .. | 1 | .. | .. | .. | .. | 1 | .. | 1 | .. | |
| .. | .. | 1 | .. | .. | .. | .. | .. | 1 | 1 | 2 | .. | .. | 2 | 1 | 1 | .. | .. | .. | .. | 3 | .. | 3 | .. | |
| .. | .. | .. | 1 | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | 2 | 1 | 2 | .. | 1 | .. | .. | 1 | 1 | 2 | .. | |
| .. | .. | 3 | .. | .. | .. | .. | .. | 1 | 3 | 1 | .. | .. | 2 | 2 | .. | .. | .. | .. | .. | 3 | .. | 2 | 1 | |
| .. | 1 | 2 | 5 | .. | .. | .. | .. | 1 | 3 | 5 | .. | .. | 2 | 1 | 1 | .. | .. | .. | .. | 4 | .. | 2 | 2 | |
| .. | 1 | 1 | 1 | .. | .. | .. | .. | 1 | 2 | 1 | .. | .. | 5 | 5 | .. | .. | 2 | .. | .. | 7 | .. | 6 | 3 | |
| .. | 2 | 2 | 3 | 3 | .. | .. | .. | 4 | 1 | 7 | 8 | 1 | 3 | 1 | 2 | .. | 1 | 1 | .. | 8 | .. | 3 | 6 | |
| .. | .. | .. | 1 | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | 2 | .. | 2 | .. | 1 | .. | 2 | .. | 2 | 1 | .. | |
| .. | .. | .. | 2 | .. | .. | .. | .. | .. | 2 | .. | .. | .. | 2 | .. | 2 | .. | .. | .. | .. | 1 | .. | 1 | .. | |
| .. | 3 | .. | 1 | .. | .. | 1 | .. | .. | 3 | 2 | .. | .. | 2 | 1 | 1 | .. | .. | 1 | .. | 4 | .. | 4 | .. | |
| .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | |
| .. | .. | 1 | 3 | 1 | .. | .. | .. | 1 | 5 | .. | .. | .. | 5 | 3 | 2 | .. | 1 | 1 | .. | 1 | .. | 1 | 2 | |
| .. | 1 | .. | 1 | .. | .. | .. | .. | 1 | 1 | 2 | 2 | .. | 1 | .. | 1 | .. | 1 | .. | 1 | .. | .. | 2 | .. | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 4 | .. | .. | .. | .. | .. | .. | .. | .. | .. | |
| .. | .. | .. | 1 | 4 | .. | .. | .. | 1 | 2 | 4 | .. | .. | 2 | 1 | 1 | .. | .. | .. | .. | 8 | .. | 1 | 5 | 4 |
| 2 | .. | 1 | 3 | .. | .. | .. | .. | .. | 4 | 1 | .. | .. | 2 | 1 | 1 | .. | 1 | .. | .. | .. | .. | .. | 1 | |
| .. | .. | 1 | 2 | .. | .. | .. | .. | 1 | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | |
| .. | .. | 1 | 1 | .. | .. | .. | .. | 1 | 2 | 4 | .. | .. | 3 | .. | 3 | .. | 2 | .. | .. | 2 | .. | 3 | 1 | |
| .. | .. | 1 | 1 | .. | .. | .. | .. | 1 | 1 | 1 | .. | .. | .. | .. | 1 | .. | 5 | .. | .. | 2 | .. | 5 | 3 | |
| 7 | 1 | 9 | 9 | .. | .. | 1 | .. | 1 | 2 | 18 | 12 | 2 | 24 | 18 | 8 | .. | 11 | .. | 1 | 18 | .. | 1 | 12 | 19 |
| .. | .. | 1 | 1 | .. | .. | .. | .. | 1 | .. | .. | .. | .. | 2 | 2 | .. | .. | 1 | .. | 1 | .. | 1 | .. | 1 | |
| .. | .. | 2 | 1 | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | 1 | 1 | .. | .. | 2 | .. | .. | 1 | .. | 1 | 2 | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 4 | .. | .. | .. | .. | .. | .. | .. | .. | .. | |
| 3 | .. | 4 | .. | .. | .. | .. | .. | 1 | 6 | 2 | .. | .. | 2 | 1 | 1 | .. | 1 | .. | .. | 3 | .. | 2 | 2 | |
| 1 | .. | 1 | 1 | .. | 1 | .. | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | 1 | |
| 1 | .. | 2 | 1 | .. | .. | .. | .. | 1 | 3 | 1 | .. | .. | 2 | 1 | 1 | .. | .. | 1 | .. | 1 | .. | .. | 1 | |
| .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | 2 | 2 | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | |

TABLE No. XV.

[illegible]

— *Continued.*DISEASES. — *Continued.*

| ORDER 5.—Urinary Organs. | | | | | | | | | | ORDER 6.— Generative Organs. | | ORDER 7.— Osseous and Locomotory System. | | ORDER 8.— Integumentary System. | | Total for Class III. | | | | | | | | | | | | |
|--------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|------------------------------------|----|---|---------------------------------------|---------------------------------------|--|-------------------------|----|----|--------|---------------------|----------------|----|----|--------|-------|---------|-----------------|--------|
| Nephritis. | Ischuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | M. | F. | Total. | Ovarian Dropsy. Disease of Uterus. | Total. | Bones, Diseases of. Joint Diseases. | Vertebrae, Diseases of. | M. | F. | Total. | Phlegmon. Ulcer. | Skin Diseases. | M. | F. | Total. | Male. | Female. | Sex not stated. | Total. |
| | | 1 | 1 | | | | | | | | 2 | | | | | | | | | | | | | | 3 | 1 | | 4 |
| | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | 2 | 3 | | 5 |
| | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | 5 | 4 | | 9 |
| | | 1 | | | | | 1 | | | | | | | | | | | | | | | | | | 5 | 1 | | 6 |
| | | | 1 | | | | | | | | | | | | | | | | | | | | | | 7 | 3 | | 10 |
| | | | | | 1 | | | | | | | | | | | 1 | | 1 | | | | | | | 9 | 10 | | 19 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 15 | 5 | | 20 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | | 5 |
| 1 | | | | | | | | | | | 1 | | | | | | | | | | | | | | 4 | 12 | | 16 |
| | | 1 | | | | 2 | | | | | 1 | 1 | | | | | | | | | | | | | 17 | 21 | | 38 |
| | | | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | 3 | 5 | | 8 |
| | | | | 1 | | | | | | | 1 | | | | | | | | | | | | | | 2 | 6 | | 8 |
| | | | | | 1 | | | | | | 1 | | | | | | | | | | | | | | 4 | 9 | | 13 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 10 | 4 | | 14 |
| | | | | | | | | 1 | | | 1 | 1 | | | | | | | | | | | | | 1 | 1 | | 2 |
| | | | | | | | | | | | 1 | | | | | | | | | | | | | | 3 | 2 | | 5 |
| 1 | | | 1 | | | | | | | | 1 | | | | | | | | | | | | | | 6 | 9 | | 15 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 7 | | 10 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 2 | | 7 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | 2 |
| 1 | 1 | | | | | | | 1 | | | 2 | | | | | | | | | | | | | | 9 | 11 | | 20 |
| | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | 5 | 3 | | 8 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | 4 |
| | | | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | 10 | 6 | | 16 |
| | | | 1 | | | 1 | | | | | 1 | 1 | | | | | | | | | | | | | 7 | 7 | | 14 |
| | | | | | | | | | | | 1 | | | | | | | | | | | | | | 4 | 5 | | 9 |
| 6 | 3 | | | 1 | | | | | | | 9 | 1 | 1 | | 1 | | | | | | | | | | 59 | 50 | | 109 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 1 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 4 | | 6 |
| | | | 2 | | | | | | | | 2 | | | | | | | | | | | | | | 6 | 6 | | 12 |
| | | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | 1 | | | 1 |
| | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | 12 | 5 | | 17 |
| 1 | | | | | | | | | | | 1 | | | | | | | | | | | | | | 2 | 4 | | 6 |
| 1 | | | | | | | | | | | 1 | | | | | | | | | | | | | | 6 | 3 | | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | | 4 |
| | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | 2 | 2 | | 4 |

TABLE No. XV.

[illegible]

— *Continued.*

| CLASS V. — VIOLENT DEATHS. | | | | | | | | | | | | | | | | | | | | | | | | Grand Total for all Classes | | | | | |
|--|----------------------|-------------------|---------|-----------|--------------|------------------|--------|---------------------|-----------|----------------------|----------------------------|----------------|---------|-----------------------|----------|------------|--------|--------------------------|-----------------------|--|----|-------|---------|-----------------------------------|-------|---------|-------------|--------|----|
| ORDER 1. — Accident and Negligence. | | | | | | OR- DER 2. | | ORDER 3. — Suicide. | | | | | | ORDER 4 — Various. | | | | Total for Class V. | | | | | | | | | | | |
| Fractures and Contusions. | Wounds, Unspecified. | Burns and Scalds. | Poison. | Drowning. | Suffocation. | Various. | Total. | | Homicide. | Wounds, Unspecified. | Wounds, Pistol or Gunshot. | Wounds, Knife. | Poison. | Drowning. | Hanging. | Otherwise. | Total. | | Violent, not Classed. | Cause not Reported or Un- classified. | | Male. | Female. | Total. | Male. | Female. | Not stated. | Total. | |
| | | | | | | | M. | F. | | | | | | | | | M. | F. | | M. | F. | | | | | | | | M. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | 1 | 1 | 1 | 1 | 1 | 4 | 6 | .. | 10 |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | 2 | 1 | 1 | 2 | 5 | 5 | .. | 10 | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 3 | 3 | 3 | 18 | 10 | .. | 28 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 5 | 8 | .. | 13 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 11 | 9 | .. | 20 | | |
| .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 2 | 8 | 4 | *1 | 13 | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 15 | 15 | .. | 30 | | |
| .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 21 | 23 | .. | 44 | | |
| .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 2 | 3 | 8 | .. | 11 | |
| .. | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 2 | 3 | 19 | 26 | .. | 45 | | |
| .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 5 | 5 | 7 | 5 | 12 | 38 | 47 | .. | 85 |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. | .. | 1 | 1 | 1 | 8 | 11 | .. | 19 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | 3 | 3 | 9 | 9 | .. | 18 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 13 | .. | 17 | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 1 | 4 | 1 | 5 | 22 | 11 | .. | 33 |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 1 | 5 | 4 | .. | 9 | |
| .. | .. | .. | 1 | 1 | 1 | 1 | 4 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 5 | 1 | 6 | 23 | 14 | .. | 37 |
| .. | .. | .. | 1 | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 5 | 18 | .. | 23 | |
| .. | .. | .. | .. | 2 | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 2 | 6 | 4 | .. | 10 | |
| .. | .. | .. | 1 | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | 5 | 3 | 8 | 3 | 11 | 27 | 27 | *1 | 55 | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 2 | .. | 2 | 2 | 15 | 11 | .. | 26 | | | |
| 1 | .. | 1 | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 1 | 1 | 4 | 3 | .. | 7 | | | |
| .. | 1 | .. | 1 | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 2 | 15 | 14 | .. | 29 | | |
| .. | .. | 1 | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 2 | 1 | 3 | 4 | 15 | 13 | .. | 28 | | | |
| .. | 1 | 1 | .. | 6 | 2 | 9 | 1 | 1 | 3 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | 1 | 1 | 9 | 8 | .. | 17 | | | |
| .. | .. | 1 | .. | .. | 1 | .. | 1 | 1 | 3 | .. | .. | .. | .. | .. | .. | .. | .. | 11 | 62 | 10 | 31 | 138 | 117 | *3 | 258 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 2 | 9 | 5 | .. | 14 | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 5 | 6 | .. | 11 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 1 | 20 | 12 | .. | 32 | | | |
| .. | .. | .. | .. | .. | .. | 2 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 2 | 3 | 3 | 4 | .. | 7 | | | |
| .. | .. | .. | .. | 1 | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 2 | 25 | 18 | .. | 43 | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 5 | .. | 9 | | | | |
| .. | .. | 1 | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 2 | 1 | 3 | 10 | 5 | .. | 15 | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | 1 | 7 | 2 | .. | 9 | | | | |
| .. | .. | 2 | 2 | 2 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 2 | .. | 2 | 4 | 7 | 7 | .. | 14 | | | |

* Classed with males.

TABLE No. XV.

| TOWNS IN STRAFFORD COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|----------------|-------------|---------------------------|----|-----------|---------------------|-----------|----------------|---------------------------|--------|----|-------|---------|--------|
| | ORDER 1.—Diathetic. | | | | | | | | | | ORDER 2.—Tuber- cular. | | | | | | Total for Class II. | | | | | |
| | Gout. | Dropsy. | Anemia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tuberc Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. | Total. | | Male. | Female. | Total. |
| | | | | | | | | | | | M. | F. | | | | | | M. | F. | | | |
| Barrington | | | | 1 | | | | | | 1 | | | | | | | 1 | 1 | | 2 | | 2 |
| Dover | 3 | 2 | | 5 | 1 | 1 | 2 | | | 5 | 9 | 1 | | 52 | | 1 | 26 | 28 | 31 | 37 | 68 | |
| Durham | | | 3 | | | | | | | 2 | 1 | | | | 2 | | 2 | 4 | 1 | 5 | | |
| Farmington | 1 | | | 1 | 1 | 1 | | | | | 4 | | | 17 | | | 8 | 9 | 8 | 13 | 21 | |
| Lee | | | | 1 | | | | | | 1 | 1 | 1 | | | | | | | 1 | 1 | 2 | |
| Madbury | | | | | | | | | | | | | | | 1 | | 1 | | 1 | | 1 | |
| Middleton | | | | | | | | | | | | | | | | | | | | | | |
| Milton | | 1 | | | | | | | | | 1 | | | | 1 | | 1 | | 1 | 1 | 2 | |
| New Durham | | | | 2 | | | | | | | 2 | | | | 1 | | 1 | | 1 | 2 | 3 | |
| Rochester | | | | 1 | | | | 1 | | 1 | 1 | 1 | | 14 | | | 7 | 7 | 8 | 8 | 16 | |
| Rollinsford | | | | | | | | 1 | | 1 | | | | 2 | | | 1 | 1 | 2 | 1 | 3 | |
| Somersworth | 1 | | 3 | | | | | 1 | | 1 | 4 | | | 19 | | 1 | 8 | 12 | 9 | 16 | 25 | |
| Strafford | | | | | | | | | | | | | | | 8 | | 4 | 4 | 4 | 4 | 8 | |

— Continued.

DISEASES. — Continued.

| ORDER 5.—Urinary Organs. | | | | | | | | | | | | ORDER 6.— Generative Organs. | | ORDER 7.— Osseous and Locomotor System. | | | | ORDER 8.— Integumen- tary System. | | | | Total for Class III. | | | | | | | | | |
|--------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|----|----|------------------------------------|-----------------|--|--------|---------------------|-----------------|---|----|----|--------|----------------------------|--------|----------------|----|----|--------|-------|---------|-----------------|--------|
| Nephritis. | Ischuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | M. | F. | Total. | Ovarian Dropsy. | Disease of Uterus. | Total. | Bones, Diseases of. | Joint Diseases. | Vertebrae, Diseases of. | M. | F. | Total. | Phlegmon. | Ulcer. | Skin Diseases. | M. | F. | Total. | Male. | Female. | Sex not stated. | Total. |
| 1 | 6 | 6 | 2 | | | | 3 | | 12 | 1 | 5 | | | | | | | | | | | | | | | 9 | 9 | | 18 | | |
| | | 1 | | | | | | | 1 | 1 | | | | | | | | | | | | | | | 64 | 59 | | 123 | | | |
| 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | 4 | | | 4 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 15 | 12 | | 27 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | 3 | | | |
| | | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | 1 | | 2 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | 2 | | | |
| 1 | | | | | | | 1 | | 1 | 1 | | | | | | | | | | | | | | | 6 | 11 | | 17 | | | |
| 1 | | | | | | | | 1 | 1 | 1 | | | | | | | | | | | | | | | 4 | 7 | | 11 | | | |
| | | 2 | | | | | | | 2 | | | | | | | | | | | | | | | | | 27 | 12 | | 39 | | |
| | | | | | | | | | | | | | | | | | | | 1 | | | | | | 5 | 4 | | 9 | | | |
| 1 | | | | | | | | | 1 | | | | | | | | | | 1 | 1 | | | 1 | 1 | 22 | 18 | | 40 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 10 | 2 | | 12 | | | |

| | CLASS I.— | | | | | | | | | | | | | | | |
|------------------|--|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 1.—Miasmatic. | | | | | | | | | | | | | | | |
| | Carbuncle. Cholera, Asiatic. Cholera, Sporadic. Cholera Infantum. Cholera Morbus. Croup (Pseudo-membranous). Diphtheria. Diarrhea. Dysentery. Erysipelas. Fever, Bilious. Fever, Cerebro-spinal. Fever, Intermittent. Fever, Malarial. Fever, Typhoid. Fever, Typho-malarial. Fever, Unspecified. Fever, Yellow. Influenza (Epidemic). Measles. Mumps Metria (Puerperal Fever). Pertussis. | | | | | | | | | | | | | | | |
| Alton | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| Barnstead | . | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | . | . |
| Belmont | . | 1 | . | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Centre Harbor .. | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Gilford | . | 3 | . | 2 | 1 | 1 | . | . | . | . | 4 | . | . | . | . | . |
| Gilmanton | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Laconia | . | 14 | 1 | 1 | 1 | . | . | . | . | 2 | . | 1 | . | . | . | . |
| Meredith | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| New Hampton .. | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 |
| Sanbornton | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Tilton | . | 1 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . |

— *Continued.*

ZYMOTIC DISEASES.

| | | | | ORDER 2. — Enthetic. | | | | ORDER 3. — Dietic. | | | | ORDER 4. — Parasitic. | | | | Total for Class I. | | | | | | | | | | | | |
|--------------|-------------|------------|------------|----------------------|----|-----------|------------|-----------------------|--------------------|-------------|-----------|--------------------------|----|-------------|-------------------|-----------------------|----------------------|--------|----|---------|--------|------------------|--------|----|-------|---------|-----------------|--------|
| Tonsillitis. | Scarlatina. | Small-pox. | Varicella. | Total. | | Glanders. | Gonorrhea. | Hydrophobia. | Malignant Pustule. | Septicæmia. | Syphilis. | Total. | | Alcoholism. | Delirium Tremens. | Inanition. | Purpura and Scurvey. | Total. | | Aphthæ. | Worms. | Other Parasites. | Total. | | Male. | Female. | Sex not stated. | Total. |
| M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| . | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 4 |
| . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 3 | |
| . | . | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 5 | |
| . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | |
| . | . | . | . | 7 | 4 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 8 | 4 | . | 12 | |
| . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | |
| . | . | . | . | 11 | 9 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 11 | 10 | . | 21 | |
| . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | |
| . | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 4 | |
| . | 1 | . | . | 2 | 2 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 5 | |
| . | . | . | . | 2 | 2 | . | . | . | . | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 5 | |

TABLE No. XV.

| TOWNS IN BELKNAP COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|----------------|-------------|--------|---------------------------|-----------|--------------------|-----------|----------------|------------------------|---------------------------|----|-------|---------|--------|
| | ORDER 1.—Diathetic. | | | | | | | | | | | ORDER 2.—Tuber- cular. | | | | | | Total for Class II. | | | | |
| | Gout. | Dropsy. | Anæmia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tabes Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. | Total. | | Male. | Female. | Total. |
| | | | | | | | | | | | M. | F. | | | | | | M. | F. | | | |
| Alton | | | | 1 | | | | | | | | 1 | | 4 | | 3 | 1 | 3 | 2 | | | 5 |
| Barnstead | | | | | | | | | | | | 1 | | 2 | | 1 | 1 | 1 | 2 | | | 3 |
| Belmont | | 1 | | | | | | | | | | 1 | | 2 | | 1 | 1 | 1 | 2 | | | 3 |
| Centre Harbor | | | | | | | | | | | | | | | | | | | | | | |
| Gilford | | | | 3 | 1 | | | | | | 1 | 3 | 1 | 9 | | 7 | 3 | 8 | 6 | 14 | | |
| Gilmanston | | | | 2 | | | | | | | | 2 | | 1 | | 1 | | | 3 | 3 | | |
| Laconia | | 1 | | 3 | | | 1 | 1 | 2 | 4 | | 4 | | 12 | 1 | 4 | 9 | 6 | 13 | 19 | | |
| Meredith | | | | | 1 | | | | | | 1 | 1 | | 8 | 1 | 3 | 6 | 4 | 6 | 10 | | |
| New Hampton | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 2 | | |
| Sanbornton | | | | 3 | | | | | | | | 3 | | 1 | | 1 | 1 | 1 | 4 | 4 | | |
| Tilton | | | | 2 | | | 1 | | 1 | 2 | | 2 | | 2 | | | 2 | 1 | 4 | 5 | | |

— Continued.

CLASS III.—LOCAL DISEASES.

| ORDER 1.—Nervous System. | | | | | | | | | | ORDER 2.—Circulatory System. | | | | | ORDER 3.—Respiratory System. | | | | | | | | | |
|--------------------------|-------------|-----------|------------|-----------|---------|-----------|----------|--------------|-----------------|------------------------------|---------------|-----------|-----------------|--------|------------------------------|-------------|--------------------|----------------------|-----------|------------|---------|----------------|--------|----|
| Cephalitis. | Cerebritis. | Apoplexy. | Paralysis. | Insanity. | Chorea. | Epilepsy. | Tetanus. | Convulsions. | Brain diseases. | Total. | Pericarditis. | Aneurism. | Heart Diseases. | Total. | Epistaxis. | Laryngitis. | Bronchitis, Acute. | Bronchitis, Chronic. | Pleurisy. | Pneumonia. | Asthma. | Lung Diseases. | Total. | |
| | | | | | | | | | M. | F. | | | M. | F. | | | | | | | | M. | F. | |
| 1 | .. | 1 | .. | .. | .. | .. | .. | 1 | 2 | 1 | .. | .. | 2 | 1 | 1 | .. | .. | .. | .. | 6 | .. | 2 | 4 | .. |
| .. | 1 | 1 | .. | 1 | .. | .. | .. | 1 | 1 | 1 | 1 | .. | 5 | 4 | 2 | .. | .. | .. | 5 | .. | 1 | 4 | .. | |
| 3 | .. | 1 | .. | .. | .. | .. | .. | 1 | 5 | .. | .. | .. | 1 | .. | 1 | .. | 1 | .. | 1 | .. | 2 | .. | .. | |
| .. | .. | .. | 1 | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | 1 | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | |
| .. | .. | .. | 1 | .. | .. | 1 | .. | 2 | 2 | 2 | .. | .. | 1 | 1 | .. | .. | .. | .. | 3 | .. | .. | 3 | .. | |
| .. | 1 | 3 | 4 | 1 | .. | .. | 1 | 2 | 2 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | 7 | .. | 4 | 3 | .. | |
| .. | .. | 2 | 3 | .. | .. | .. | .. | 1 | 6 | 4 | .. | .. | 4 | 2 | 2 | .. | 1 | .. | 12 | .. | 6 | 7 | .. | |
| .. | .. | 3 | 3 | .. | .. | .. | .. | 3 | 2 | .. | .. | .. | 4 | 2 | 2 | .. | .. | .. | 3 | .. | 2 | 1 | .. | |
| .. | .. | 3 | 1 | .. | .. | .. | .. | .. | 4 | .. | .. | .. | 3 | 2 | 1 | .. | 1 | .. | 1 | .. | 1 | 1 | .. | |
| .. | 3 | 4 | .. | .. | .. | .. | .. | .. | 2 | 5 | .. | .. | 2 | .. | 2 | .. | .. | .. | 2 | .. | 2 | 2 | .. | |
| 1 | .. | 2 | .. | .. | .. | .. | 1 | .. | 4 | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | 2 | .. | .. | 2 | .. | |

TABLE No. XV.

[illegible]

— Continued.

DISEASES.— Continued.

| ORDER 5.—Urinary Organs. | | | | | | | | | | | | ORDER 6.— Generative Organs. | | ORDER 7.— Osseous and Locomotor System. | | | | ORDER 8.— Integumentary System. | | | | Total for Class III. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|-----------|---|-----------------------------|---|-----------|---|--------------------------|---|-----------|---|------------------------------------|---|--|---|-----------------------|---|---------------------------------------|---|----|---|-------------------------|---|--------|---|-----------------|---|--------------------|---|--------|---|---------------------|---|-----------------|---|-------------------------|---|----|---|----|---|--------|---|-----------|---|--------|---|----------------|---|----|---|----|---|--------|---|-------|---|---------|---|-----------------|---|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nephritis. | | Ischuria. | | Nephria (Bright's Disease). | | Diabetes. | | Calculus (Gravel, etc.). | | Cystitis. | | Prostate, Disease of. | | Kidney Diseases. | | Bladder, Diseases of. | | Testicles, Disease of. | | M. | | F. | | Total. | | Ovarian Dropsy. | | Disease of Uterus. | | Total. | | Bones, Diseases of. | | Joint Diseases. | | Vertebrae, Diseases of. | | M. | | F. | | Total. | | Phlegmon. | | Ulcer. | | Skin Diseases. | | M. | | F. | | Total. | | Male. | | Female. | | Sex not stated. | | Total. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

TABLE No. XV.

| TOWNS IN BELKNAP COUNTY. | CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | |
|-----------------------------|-----------------------------------|----------------------|----------------------------|-----------|---------------|----------------------|-----------|--------------|--------------------------|-------------|--------------------|--------|----------|------------------------|-------|---------|--------|----|
| | ORDER 1.—Of Children. | | | | | | | | ORDER 2.—Of Women. | | ORDERS 3 and 4. | | | Total for Class IV. | | | | |
| | Still-born. | Debility, Infantile. | Debility, Premature Birth. | Cyanosis. | Spina Bifida. | Other Malformations. | Teething. | Innutrition. | Total. | Childbirth. | Paramenia. | Total. | Old Age. | Atrophy and Debility. | Male. | Female. | Total. | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | | |
| Alton | | 3 | | | | | | | 2 | 1 | | | 1 | 3 | | 3 | 4 | 7 |
| Barnstead | | | 1 | | | | | | 1 | | | | 2 | | | 3 | | 3 |
| Belmont | | | | | | | | | | | | 1 | 1 | | 2 | 1 | 3 | 4 |
| Centre Harbor | | | | | | | | | | | | | 1 | | | | 1 | 1 |
| Gilford | | 1 | 1 | | | | | | 2 | | 1 | 1 | 3 | 2 | 1 | | 6 | 9 |
| Gilmanton | | | | | | | | | | | | 1 | | | | 1 | | 1 |
| Laconia | 2 | 2 | 2 | | | 1 | | | 6 | 1 | | | 1 | 6 | 2 | 1 | 9 | 17 |
| Meredith | | | | | | | | | | | 1 | 1 | | | | | 1 | 1 |
| New Hampton | | | 2 | | | | | | 1 | 1 | | | 2 | | | | 3 | 4 |
| Sanbornton | | | | 1 | | | | | 1 | | | | 1 | 2 | | | 1 | 4 |
| Tilton | 4 | | 1 | | | | 4 | 5 | 4 | | | | 1 | 2 | | | 6 | 12 |

— Continued.

| CLASS V. — VIOLENT DEATHS. | | | | | | | | | | | | | | | | | | | | | | | | | Grand Total for all Classes. | | | |
|--|----|----|----|----|----|------------------|----|--|----|----|----|----|----|---|----|----|----|----------------------------|---------|--------|---|---------|-------------|--------|------------------------------------|--|--|--|
| ORDER 1. — Accident and Negligence. | | | | | | OR- DER 2. | | ORDER 3. — Suicide. | | | | | | ORDER 4. — Various. | | | | Total for Class V. | | | | | | | | | | |
| Fractures and Contusions. Wounds, Unspecified. Burns and Scalds. Poison. Drowning. Suffocation. Various. Total. | | | | | | Homicide. | | Wounds, Unspecified. Wounds, Pistol or Gunshot. Wounds, Knife. Poison. Drowning. Hanging. Otherwise. Total. | | | | | | Violent, not Classed. Cause not Reported or Un- classified. | | | | Male. Female. Total. | | | Male. . Female. Not stated. Total. | | | | | | | |
| M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | Male. | Female. | Total. | Male. | Female. | Not stated. | Total. | | | | |
| | | | | 1 | | | 1 | | | | | | | | | | | 1 | 2 | 3 | 16 | 16 | ... | 32 | | | | |
| | | | | | 1 | | | | | | | | | | | | | 1 | 1 | 2 | 10 | 9 | *2 | 21 | | | | |
| | | | | | | | | | | | | | | | | | | | 18 | 7 | ... | 20 | | | | | | |
| 1 | | 1 | | | | 2 | | | | | | | | | | | | 1 | 3 | 5 | ... | 8 | | | | | | |
| | 2 | | 3 | | | 3 | 2 | | | | | | | | | | | 1 | 1 | 2 | 29 | 26 | ... | 55 | | | | |
| | | 2 | | | | | | | | | | | | | | | | 1 | 1 | 2 | 11 | 10 | ... | 21 | | | | |
| | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 47 | 50 | *1 | 98 | | | | |
| | | | | | | | | | | | | | | | | | | 2 | 3 | 9 | 17 | 13 | ... | 30 | | | | |
| | | | | | | | | | | | | | | | | | | 1 | 1 | 3 | 11 | 14 | ... | 25 | | | | |
| 1 | | 1 | | | | 1 | 1 | | | | | | | | | | | 2 | 1 | 5 | 10 | 20 | ... | 30 | | | | |
| | | | | | | 2 | | | | | | | | | | | | 2 | | 2 | 14 | 20 | ... | 34 | | | | |

* Classed with males.

TABLE No. XV.

| TOWNS IN CARROLL COUNTY. | CLASS I.— | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---------------------|-------------------|--------------------|-------------------|-----------------|----------------------------|-------------|-----------|------------|-------------|-----------------|------------------------|----------------------|------------------|-----------------|------------------------|---------------------|----------------|-----------------------|----------|--------|---------------------------|------------|
| | ORDER 1.—Miasmatic. | | | | | | | | | | | | | | | | | | | | | | |
| | Carbuncle. | Cholera, Asiatic. | Cholera, Sporadic. | Cholera Infantum. | Cholera Morbus. | Croup (Pseudo-membranous). | Diphtheria. | Diarrhea. | Dysentery. | Erysipelas. | Fever, Bilious. | Fever, Cerebro-spinal. | Fever, Intermittent. | Fever, Malarial. | Fever, Typhoid. | Fever, Typho-malarial. | Fever, Unspecified. | Fever, Yellow. | Influenza (Epidemic). | Measles. | Mumps. | Metria (Puerperal Fever). | Pertussis. |
| Albany | . | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Bartlett | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Brookfield | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Chatham | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Conway | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Eaton | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Effingham | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Freedom | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Hart's Location | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Jackson | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Madison | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Moultonborough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Ossipee | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sandwich | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| Tamworth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tuftonborough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Wakefield | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Wolfeborough | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |

— *Continued.*

CLASS III.—LOCAL DISEASES.

| ORDER 1.—Nervous System. | | | | | | | | | | ORDER 2.—Circulatory System. | | | | | | ORDER 3.—Respiratory System. | | | | | | | | |
|--------------------------|-------------|-----------|------------|-----------|---------|-----------|----------|--------------|-----------------|------------------------------|---------------|-----------|-----------------|--------|------------|------------------------------|--------------------|----------------------|-----------|------------|---------|----------------|--------|----|
| Cephalitis. | Cerebritis. | Apoplexy. | Paralysis. | Insanity. | Chorea. | Epilepsy. | Tetanus. | Convulsions. | Brain Diseases. | Total. | Pericarditis. | Aneurism. | Heart Diseases. | Total. | Epistaxis. | Laryngitis. | Bronchitis, Acute. | Bronchitis, Chronic. | Pleurisy. | Pneumonia. | Asthma. | Lung Diseases. | Total. | |
| | | | | | | | | | | | | | | | | | | | | | | | | M. |
| .. | .. | 2 | .. | .. | .. | .. | .. | 1 | 2 | 3 | .. | .. | 1 | .. | 1 | .. | 1 | 1 | .. | 1 | .. | 1 | 3 | 1 |
| .. | .. | .. | 2 | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | .. | 1 | .. | .. | .. | .. | 1 | 1 | 1 | .. | .. | 3 | 1 | 2 | .. | .. | .. | .. | 4 | .. | .. | 4 | .. |
| .. | .. | 2 | 1 | .. | .. | .. | .. | 2 | 1 | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | 1 | 3 | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | 4 | 1 | 3 | .. | 1 | .. | .. | 4 | .. | 4 | 1 | .. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 3 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | 1 | .. | .. | 1 | .. | .. | .. | 2 | .. | .. | .. | 1 | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | 3 | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | .. | 2 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | 2 | .. | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | 2 | 3 | .. | .. | .. | .. | 1 | 2 | 3 | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | 2 | .. | 2 | 1 | .. |
| .. | .. | 1 | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | .. | 1 | .. | 1 | .. | .. | .. | .. | 2 | 1 | 2 | 1 | .. |
| 1 | 1 | 4 | 2 | .. | .. | .. | .. | 3 | 5 | 6 | .. | .. | 1 | 1 | .. | .. | 1 | .. | .. | 1 | .. | 3 | 4 | .. |
| .. | .. | 3 | .. | .. | .. | .. | .. | 4 | 3 | 4 | .. | .. | 8 | 6 | 2 | .. | 1 | .. | 6 | 6 | 2 | 2 | 7 | .. |

TABLE No. XV.

| TOWNS IN CARROLL COUNTY. | CLASS III.—LOCAL | | | | | | | | | |
|-----------------------------|----------------------------|--------------------|--------------|-----------|---------------------------|------------------|-----------------|------------------|--------------------------|----------|
| | ORDER 4.—Digestive Organs. | | | | | | | | | |
| | Gastritis. | Enteritis. | Peritonitis. | Ascites. | Ulceration of Intestines. | Hernia. | Ileus. | Intussusception. | Stricture of Intestines. | Fistula. |
| | Stomach Diseases. | Pancreas Diseases. | Hepatitis. | Jaundice. | Liver Diseases. | Spleen Diseases. | Bowel Diseases. | M. | F. | Total. |
| Albany | . | . | . | . | . | . | . | . | . | . |
| Bartlett | . | . | . | . | . | . | . | . | . | . |
| Brookfield | . | . | . | . | . | . | . | . | . | . |
| Chatham | . | . | . | . | . | . | . | . | . | . |
| Conway | . | . | . | . | . | . | . | . | . | . |
| Eaton | 1 | . | . | . | . | . | . | . | . | 1 |
| Effingham | . | . | . | . | . | . | . | . | . | . |
| Freedom | 2 | . | . | . | . | . | . | . | . | 4 |
| Hart's Location | . | . | . | . | . | . | . | . | . | . |
| Jackson | 1 | . | . | . | . | . | . | . | . | 1 |
| Madison | . | . | . | . | . | . | . | . | . | . |
| Moultonborough | 1 | . | . | . | . | . | . | . | . | 1 |
| Ossipee | . | 1 | 1 | . | . | . | . | . | . | 3 |
| Sandwich | . | . | . | 1 | . | . | . | . | . | 1 |
| Tamworth | . | . | . | 1 | . | . | . | . | . | 1 |
| Tuftonborough | . | . | . | . | . | . | . | . | . | . |
| Wakefield | . | 1 | . | . | . | . | . | . | . | 1 |
| Wolfeborough | . | . | . | . | . | 1 | . | . | 1 | 1 |

— *Continued.*DISEASES.—*Continued.*

| ORDER 5.—Urinary Organs. | | | | | | | | | | ORDER 6.— Generative Organs. | | ORDER 7.— Osseous and Locomotor System. | | ORDER 8.— Integumentary System. | | Total for Class III. | | | | | | | | | | |
|--------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|------------------------------------|----|--|--------|--|-------------------------|----------------------------|----|---------------------|----------------|----|----|-------|---------|-----------------|--------|----|
| Nephritis. | Ischuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | M. | F. | Ovarian Dropsy. Disease of Uterus. | Total. | Bones, Diseases of. Joint Diseases. | Vertebrae, Diseases of. | M. | F. | Phlegmon. Ulcer. | Skin Diseases. | M. | F. | Male. | Female. | Sex not stated. | Total. | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 4 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | 3 | . | 7 |
| . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 |
| . | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 7 | . | 9 |
| . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | 6 |
| . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 6 | 3 | . | 9 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 6 | 6 | . | 12 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 4 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 5 |
| . | . | 1 | 2 | . | . | . | 1 | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 5 | 6 | . | 11 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 12 | 8 | . | 20 |
| 1 | . | . | 1 | . | 1 | 1 | . | . | . | 2 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | 8 | 7 | . | 15 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 6 |
| . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 6 |
| . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 10 | 10 | . | 20 |
| 1 | 1 | . | . | . | . | . | 2 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 15 | 15 | . | 30 |

TABLE No. XV.

| TOWNS IN CARROLL COUNTY. | CLASS IV. — DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|-------------------------------------|----------------------|----------------------------|-----------|---------------|----------------------|-----------|--------------|----------------------------|----|--------------------|------------|--------|----------|------------------------|-------|---------|--------|----|----|----|----|----|----|
| | ORDER 1. — Of Children. | | | | | | | | ORDER 2. — Of Women. | | ORDERS 3 and 4. | | | | Total for Class IV. | | | | | | | | | |
| | Still-born. | Debility, Infantile. | Debility, Premature Birth. | Cyanosis. | Spina Bifida. | Other Malformations. | Teething. | Innutrition. | Total. | | Childbirth. | Paramenia. | Total. | Old Age. | Atrophy and Debility. | Male. | Female. | Total. | | | | | | |
| | | | | | | | | | M. | F. | | | | | | | | | M. | F. | M. | F. | M. | F. |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| Albany | | | | | | | | | | | | | 1 | | | 1 | | 1 | | | | | | |
| Bartlett | | | | | | | | 1 | 1 | 1 | | 1 | | | | | 2 | 2 | | | | | | |
| Brookfield | | | | | | | | | | | | | | | | | | | | | | | | |
| Chatham | | | | | | | | | | | | | | 1 | 1 | | 1 | 2 | | | | | | |
| Conway | | | | | | | | 2 | 1 | 1 | | | | 2 | 1 | | 3 | 5 | | | | | | |
| Eaton | | | | | | | | | | | | | | | | | | | | | | | | |
| Effingham | | | | | | | | | | | | | | | 1 | | 1 | 1 | | | | | | |
| Freedom | | | | | | | | | | | | | | | | 1 | 1 | 1 | | | | | | |
| Hart's Location | | | | | | | | | | | 1 | | 1 | | | | 1 | 1 | | | | | | |
| Jackson | | | | | | | | | | | | | | | | | | | | | | | | |
| Madison | 1 | | | | | | | | 1 | | | | | 1 | | 2 | | 2 | | | | | | |
| Moultonborough | | | | | | | | | | | | | | 2 | 1 | | 2 | 3 | | | | | | |
| Ossipee | 1 | | 1 | | | 1 | | 2 | 1 | | | | | 1 | 2 | 1 | 4 | 7 | | | | | | |
| Sandwich | | | | | | | | | | | | | | 1 | | | 1 | 1 | | | | | | |
| Tamworth | 2 | | | | | | | 2 | | | 1 | 1 | | 2 | | | 2 | 5 | | | | | | |
| Tuftonborough | | 1 | | | | | | | 1 | | | | | | | 1 | 2 | 2 | | | | | | |
| Wakefield | | | | | | | | | | | | | | | | | | | | | | | | |
| Wolfeborough | | | | | | | | | | | 1 | | 1 | 1 | | 1 | 2 | 3 | | | | | | |

— Continued.

| CLASS V. — VIOLENT DEATHS. | | | | | | | | | | | | | | | | | | | | | | | Grand Total for all Classes. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|----|--|----|--|----------------------|--|---------------------|--|----|--|-------------------|--|------------------------|--|----|--------------------------|---------|--|-----------|--|--------------|------------------------------------|----------|--|--------|--|-----------|--|----------------------|--|----|--|----|--|----------------------------|--|----|--|----|--|----------------|--|---------|--|-----------|--|----------|--|------------|--|--------|--|-----------------------|--|----|--|----|--|--|--|----|--|----|--|-------|--|---------|--|--------|--|-------|--|---------|--|-------------|--|--------|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|
| ORDER 1. — Accident and Negligence. | | | | | | ORDER 2. | | ORDER 3. — Suicide. | | | | | | ORDER 4. — Various. | | | Total for Class V. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fractures and Contusions. | | | | | | Wounds, Unspecified. | | | | | | Burns and Scalds. | | | | | | Poison. | | Drowning. | | Suffocation. | | Various. | | Total. | | Homicide. | | Wounds, Unspecified. | | | | | | Wounds, Pistol or Gunshot. | | | | | | Wounds, Knife. | | Poison. | | Drowning. | | Hanging. | | Otherwise. | | Total. | | Violent, not Classed. | | | | | | Cause not Reported or Un- classified. | | | | | | Male. | | Female. | | Total. | | Male. | | Female. | | Not stated. | | Total. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | | M. | | F. | |

*Classed with males.

TABLE No. XV.

[illegible]

TABLE No. XV.

| TOWNS IN MERRIMACK COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|----------------|-------------|---------------------------|----|-----------|--------------------|---------------------------|----------------|------------------------|--------|----|-------|---------|
| | ORDER 1.—Diathetic. | | | | | | | | | | ORDER 2.—Tuber- cular. | | | | Total for Class II. | | | | | | |
| | Gout. | Dropsy. | Anæmia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tabes Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. | Total. | | | |
| | | | | | | | | | | | M. | F. | | | | | | M. | F. | Male. | Female. |
| Allenstown | | | | 1 | | | | | | | | 1 | | 3 | | | 3 | 4 | 4 | | |
| Andover | | | | | | | | | | | | | | 1 | | | 1 | | 1 | | |
| Boscawen | | | | 2 | | | | | | | | 2 | | 3 | | | 4 | 4 | 10 | | |
| Bow | | | | | | | | | | | | | | | | | | | | | |
| Bradford | | | | 2 | | | | | 1 | 1 | 2 | | | 2 | | | | 2 | 4 | 5 | |
| Canterbury | | | | | | | | | | | | | | | 2 | | 1 | 1 | 2 | | |
| Chichester | | | | | | | | | 1 | 1 | | | | | | | 1 | 1 | | | |
| Concord | | | 2 | 10 | 1 | 6 | 2 | | 1 | 1 | 8 | 15 | 1 | 13 | 2 | 2 | 19 | 21 | 27 | 36 | 63 |
| Danbury | | | 1 | | | | | | | | 1 | | | 4 | | | 2 | 2 | 3 | 2 | 5 |
| Dunbarton | | | | | 1 | | | | | | | | | 2 | | | 2 | | 2 | 1 | 3 |
| Epsom | | | | 1 | | | | | | | | 1 | | 1 | | | 1 | | 1 | 1 | 2 |
| Franklin | | | | 2 | | | | | | | | 2 | | 13 | | | 4 | 9 | 4 | 11 | 15 |
| Henniker | | | 2 | 2 | | | | | | | 1 | 3 | | 6 | | | 3 | 3 | 4 | 6 | 10 |
| Hill | | | | 1 | | | | | | | | 1 | | 2 | | | 2 | | 3 | | 3 |
| Hooksett | | | | 1 | | | | | | | | 1 | | 1 | 3 | | 3 | 1 | 3 | 2 | 5 |
| Hopkinton | 1 | | | 1 | | 1 | | | | | | 3 | | 5 | | | 4 | 1 | 4 | 4 | 8 |
| Loudon | | | | 4 | | | | | 2 | | 3 | | | | | | | | 3 | 3 | 6 |
| Newbury | | | | 1 | | 1 | | | | | | 2 | | | | | | | | | 2 |
| New London | | | | 1 | | | | | | | | 1 | | 1 | | | | 1 | | 2 | 2 |
| Northfield | | | | 1 | | | | | 1 | 1 | | | | 2 | | | | 2 | 1 | 3 | 4 |
| Pembroke | | | | 1 | | | | | 1 | 1 | | 1 | | 8 | | | 4 | 4 | 5 | 5 | 10 |
| Pittsford | | | | 3 | | | | | 1 | | 4 | | | 5 | | | 2 | 3 | 2 | 7 | 9 |
| Salisbury | | | | 1 | | | | | 1 | 1 | | 1 | | 1 | | | 1 | | 2 | 1 | 3 |
| Sutton | | | | | | | | | | | | | | 4 | | | 1 | 3 | 1 | 3 | 4 |
| Warner | | | | 2 | | 1 | | | | | | 3 | | 5 | | | 3 | 2 | 3 | 5 | 8 |
| Webster | | | | | | | | | | | | | | | | | | | | | |
| Wilmot | 1 | | | 4 | | | | | | | | 5 | | 2 | | | | 2 | | 7 | 7 |

— *Continued.*

CLASS III.—LOCAL DISEASES.

| ORDER 1.—Nervous System. | | | | | | | | | | ORDER 2.—Circulatory System. | | | | | ORDER 3.—Respiratory System. | | | | | | | | | |
|--------------------------|-------------|-----------|------------|-----------|---------|-----------|----------|--------------|-----------------|------------------------------|---------------|-----------|-----------------|--------|------------------------------|-------------|--------------------|----------------------|-----------|------------|---------|----------------|-------|----|
| Cephalitis. | Cerebritis. | Apoplexy. | Paralysis. | Insanity. | Chorea. | Epilepsy. | Tetanus. | Convulsions. | Brain Diseases. | Total. | Pericarditis. | Aneurism. | Heart Diseases. | Total. | Epistaxis. | Laryngitis. | Bronchitis, Acute. | Bronchitis, Chronic. | Pleurisy. | Pneumonia. | Asthma. | Lung Diseases. | Total | |
| M. | F. | | | | | | | | | | | | M. | F. | | | | | | | | M. | F. | |
| 1 | 1 | | | | | | | | 1 | 1 | | | | | | | | | 1 | 1 | | | 2 | |
| 1 | | 3 | 1 | 3 | | 4 | | | 8 | 4 | 2 | | 2 | 1 | 3 | | | | | 2 | | | | |
| | | | | | | | | | 1 | 1 | | | 1 | 1 | | | | | | 2 | | | | |
| | | | 2 | | | | | | 1 | 1 | | | 3 | 3 | | | | | | 2 | | | | |
| | | | 1 | | | | | | 1 | 2 | | | 1 | 1 | | | | | | | | | | |
| 4 | 3 | 20 | 23 | 11 | | | 1 | 3 | 21 | 43 | 43 | | 22 | 9 | 13 | | 9 | | | 30 | 1 | 1 | 18 | 23 |
| | 1 | | | | | | | | 1 | 1 | | | 4 | | 4 | | | | | 1 | | | 1 | |
| | | | 1 | | | | | | 1 | 1 | | | 2 | 1 | 1 | | | | | 2 | | | 2 | |
| | 1 | 2 | | | | | | | 2 | 1 | | | 2 | 1 | 1 | | | | | 2 | | | 2 | |
| 3 | | 1 | 2 | 1 | | 1 | | 1 | 5 | 5 | | | 5 | 3 | 2 | | 4 | | | 8 | | | 9 | 3 |
| | | | 2 | | | | | 2 | 2 | 2 | | | 7 | 1 | 6 | | 2 | | | 3 | | | 3 | 2 |
| 1 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | |
| 1 | | | 1 | | | | 1 | | 1 | 3 | 1 | | | | | | 1 | | | 3 | | | 3 | 1 |
| 1 | | 4 | 4 | | | 1 | | 2 | 3 | 9 | | | 4 | 3 | 1 | | 1 | | | 5 | | | 2 | 4 |
| | | 2 | 3 | | | 1 | | | 3 | 3 | | | 3 | | 3 | | | | | 1 | | | 1 | |
| | | | | | | | | | 1 | 3 | | | 4 | 3 | 1 | | | | | 2 | | | | 2 |
| | | 1 | | | | 1 | | 1 | 1 | 1 | | | 4 | 3 | 1 | | | | | 2 | | | 1 | 1 |
| | 2 | | 3 | | | | | 1 | 5 | 1 | | | 1 | | 1 | | 1 | 1 | 3 | | 1 | 4 | 2 | |
| 1 | | 2 | | | | | | 2 | 2 | 5 | | | 5 | 2 | 3 | | 1 | | | 8 | | | 3 | 6 |
| | | | 1 | 1 | | | | 2 | 2 | 2 | | 1 | | 1 | | | | | | | | | | |
| | | 2 | | | | | | 1 | 3 | 3 | | | 3 | 1 | 2 | | 1 | | | 4 | | | 4 | 1 |
| 1 | | 4 | 1 | | | | | | 3 | 3 | | | 4 | 3 | 1 | | | | | 2 | | | 1 | 1 |
| | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | |
| | | | 2 | | | | | 1 | 2 | 1 | | | | | | | | | | 3 | | | 1 | 2 |

TABLE No. XV.

| TOWNS IN MERRIMACK COUNTY. | CLASS III.—LOCAL | | | | | | | | | | | | | |
|-------------------------------|--|----------|---------------------------|---------|--------|------------------|--------------------------|----------|---|------------|-----------|-----------------|-------------------------------------|----------------|
| | ORDER 4.—Digestive Organs. | | | | | | | | | | | | | |
| | Gastritis. Enteritis. Peritonitis. | Ascites. | Ulceration of Intestines. | Hernia. | Ileus. | Intussusception. | Stricture of Intestines. | Fistula. | Stomach Diseases. Pancreas Diseases. | Hepatitis. | Jaundice. | Liver Diseases. | Spleen Diseases. Bowel Diseases. | Total M. F. |
| Allenstown | | | | | 1 | | | | | | | | | 1 . |
| Andover | | | | | | | | | | 1 | | | | 1 . |
| Boscawen | 2 | 1 | | | | | | | | | | | | 2 1 |
| Bow | | | | | | | | | | | | | | |
| Bradford | | | | | | | | | | | | 1 | | 1 . |
| Canterbury | | | | | | | | | | | | | 1 | 1 . |
| Chichester | | | | | | | | | | | | 1 | | 1 . |
| Concord | 2 | 4 | 5 | 1 | 1 | | | | 4 | 3 | | | 1 | 12 9 |
| Danbury | | 1 | | | | | | | | | | | | 1 . |
| Dunbarton | | | | | | | | | 1 | | | | | 1 . |
| Epsom | | | | | | | | | | | | | | |
| Franklin | | 1 | | | | 1 | | | | 1 | | | | 2 1 |
| Henniker | 2 | | | | | | | | | | | | | 1 1 |
| Hill | | | | | | | | | | | | | | |
| Hooksett | 1 | | | | 1 | | | | | | | | | 1 1 |
| Hopkinton | | | 1 | | | | | | 1 | | | 1 | | 1 2 |
| London | 1 | | | | | | | | | | | | | 1 . |
| Newbury | | | | | | | | | | | | | | |
| New London | | | | | | | | | | | 1 | | | 1 . |
| Northfield | 1 | 1 | | | | | | | | | | | | 2 . |
| Pembroke | 1 | 2 | | | | | | | | | | | | 2 1 |
| Pittsfield | | | | | | | | | | | 1 | 1 | | 1 1 |
| Salisbury | | | | | | | | | | | | | | |
| Sutton | 1 | | | | | | | | | | | | | 1 . |
| Warner | | 2 | | | | | | | | | | | | 2 . |
| Webster | 1 | | | | | | | | | | | | | 1 . |
| Wilmot | | | | | | | | | | | 1 | | | 1 . |

TABLE No. XV.

| TOWNS IN MERRIMACK COUNTY. | CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | | |
|-------------------------------|-----------------------------------|----------------------|----------------------------|-----------|---------------|----------------------|-----------|-------------|--------------------|----|-----------------|------------|--------|---------------------|----|----|----|-------|---------|--------|
| | ORDER 1.—Of Children. | | | | | | | | ORDER 2.—Of Women. | | ORDERS 3 and 4. | | | Total for Class IV. | | | | | | |
| | Still-born. | Debility, Infantile. | Debility, Premature Birth. | Cyanosis. | Spina Bifida. | Other Malformations. | Teething. | Innutation. | M. | F. | Childbirth. | Paramenia. | Total. | M. | F. | M. | F. | Male. | Female. | Total. |
| | | | | | | | | | | | | | | | | | | | | |
| Allenstown | | | | | | | | | | | | | | 2 | | | | 2 | | 2 |
| Andover | 1 | | | | | 1 | | 2 | | | | | | 1 | | | | 3 | | 3 |
| Boscawen | | | 1 | | | 1 | | 2 | 2 | | | | | | | | | 2 | 4 | 4 |
| Bow | 1 | | | | | | | 1 | 2 | | | | | | | | | 2 | | 2 |
| Bradford | | | | | | | | | | | | | | | | 1 | | 1 | | 1 |
| Canterbury | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 2 | 2 | 4 |
| Chichester | | 1 | | | | | | | | 1 | | | | 1 | 1 | | | 1 | 2 | 3 |
| Concord | 18 | 5 | 6 | | | 2 | 4 | 18 | 17 | 1 | 1 | 5 | 5 | 1 | 4 | 24 | 27 | 51 | | |
| Danbury | | | | | | | | | | | | | | | | | | | | |
| Dunbarton | | | | | | | | | | | | | | 1 | | | | 1 | | 1 |
| Epsom | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 2 | 2 | 4 |
| Franklin | 5 | | | | | | | 2 | 3 | | | | | 1 | 1 | | | 2 | 4 | 6 |
| Henniker | 1 | | | | | | | 1 | | | | | | | | | 1 | | | 1 |
| Hill | | | | | | | | | | | | | | 1 | | | | 1 | | 1 |
| Hooksett | | | | | | | 1 | 1 | | | | | | 1 | 2 | | | 2 | 2 | 4 |
| Hopkinton | 1 | | | | | | | | 1 | | | | | | | 1 | | 2 | | 2 |
| Loudon | 1 | | | | 1 | | | 1 | 1 | | | | | 1 | | 1 | 3 | 3 | 4 | 7 |
| Newbury | | | | | | | | | | | | | | | | | | | | |
| New London | 1 | | | | | | | | 1 | | | | | 1 | | 1 | | 2 | 1 | 3 |
| Northfield | | | | | | | | | | | | | | 1 | 2 | 1 | | 2 | 2 | 4 |
| Pembroke | 1 | 3 | 3 | | | | | | 3 | 4 | | | | 1 | 3 | 1 | | 5 | 7 | 12 |
| Pittsfield | | | | | | | | | | | | | | | 2 | | | | 2 | 2 |
| Salisbury | | | | | | | | | | | | | | 1 | 1 | | | 1 | 1 | 2 |
| Sutton | 1 | | | | | | | 1 | | | | | | 1 | 1 | | 1 | 2 | 2 | 4 |
| Warner | | | | | | | | | | | | | | 1 | 1 | 1 | | 2 | 1 | 3 |
| Webster | | | | | | | | | | | | | | | | | | | | |
| Wilmot | | | | | | | 1 | 1 | | | | | | 2 | | 1 | 1 | 1 | 3 | 4 |

— *Continued.*

| CLASS V. — VIOLENT DEATHS. | | | | | | | | | | | | | | | | | | | | | | | | Grand Total for all Classes. | | | | | |
|--|----------------------|-------------------|---------|-----------|--------------|------------------|--------|---------------------|-----------|----------------------|----------------------------|----------------|---------|------------------------|----------|------------|--------|--------------------------|-----------------------|--|----|-------|---------|------------------------------------|-------|---------|-------------|--------|-----|
| ORDER 1. — Accident and Negligence. | | | | | | OR- DER 2. | | ORDER 3. — Suicide. | | | | | | ORDER 4. — Various. | | | | Total for Class V. | | | | | | | | | | | |
| Fractures and Contusions. | Wounds, Unspecified. | Burns and Scalds. | Poison. | Drowning. | Suffocation. | Various. | Total. | | Homicide. | Wounds, Unspecified. | Wounds, Pistol or Gunshot. | Wounds, Knife. | Poison. | Drowning. | Hanging. | Otherwise. | Total. | | Violent, not Classed. | Cause not Reported or Un- classified. | | Male. | Female. | Total. | Male. | Female. | Not stated. | Total. | |
| | | | | | | | M. | F. | | | | | | | | | M. | F. | | M. | F. | | | | | | | | M. |
| 1 | | | | | | | 1 | | | | | | | | | | | | | | 1 | | 1 | 13 | 14 | | | 27 | |
| | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 10 | 2 | | | 12 | |
| | | | | 1 | | | 1 | 2 | | | | | | | | | | | | | 1 | 1 | 1 | 27 | 20 | | | 47 | |
| | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 8 | 4 | | | 12 | |
| | | | | | | | | | | | | | | | | | | | | | | | | 8 | 7 | | | 15 | |
| | | | | | | | | | | | | | | | | | | | | | | | | 8 | 10 | | | 18 | |
| | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 4 | 7 | | 11 | |
| 5 | 1 | | | 1 | | 9 | 15 | 1 | | | | | | | | 2 | 1 | 1 | 1 | | 4 | 5 | 21 | 7 | 28 | 184 | 187 | *1 | 372 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 9 | | | 15 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 4 | | | 10 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 9 | 5 | | | 14 |
| | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 2 | 32 | 38 | | | 70 | |
| | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 14 | 20 | | | 34 |
| | | | | | | 1 | 1 | | | | | | | | | | | | | | | 1 | 1 | 1 | 5 | 1 | | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 2 | 14 | 10 | | | 24 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 14 | 23 | | | 37 |
| | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 10 | 16 | | | 26 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 2 | 9 | 12 | | 21 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 9 | 9 | *1 | | 19 |
| | | | | | | | | | | | | | | | | | | | | | 2 | 4 | 2 | 4 | 6 | 28 | 25 | *2 | 55 |
| 1 | | | | | | | | 1 | | | | | | | | | | | | | 6 | 4 | 6 | 5 | 11 | 15 | 32 | *3 | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 7 | 2 | | | 9 |
| 1 | | | | | | | 1 | | | | | | | | | | | | | | | 1 | | 1 | 12 | 11 | | | 23 |
| | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 16 | 14 | | | 30 |
| | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | | 4 | | | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 15 | | | 20 |

* Classed with males.

TABLE No. XV.

[illegible]

TABLE No. XV.

| TOWNS IN HILLSBOROUGH COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | |
|-------------------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|---------------------------|-------------|--------|----|-----------|--------------------|---------------------------|----------------|------------------------|
| | ORDER 1.—Diathetic. | | | | | | | | ORDER 2.—Tuber- cular. | | | | | | Total for Class II. | | |
| | Gout. | Dropsy. | Anæmia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tubes Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. |
| | | | | | | | | | | | M. | F. | | | | | |
| | | | | | | | | | | | | | | | | | |
| Amherst | 1 | 2 | | | | | | | | | 3 | | 3 | | | 1 | 2 |
| Antrim | | 1 | | | 1 | | | | | 1 | 1 | | | | 6 | 3 | 4 |
| Bedford | | | | | | | | | | | | | | | 1 | 1 | 1 |
| Bennington | | | | | | | | | | | | | | | 2 | 2 | 2 |
| Brookline | | 1 | 1 | | 1 | | | | | | 3 | | 1 | | | 1 | 3 |
| Deering | | | | | 1 | | | | | | 1 | | 1 | | | 1 | 2 |
| Francestown | 1 | | | 1 | | | | | | | 2 | | 4 | | | 3 | 3 |
| Goffstown | | | | 1 | 1 | | 1 | | | 1 | 2 | | 3 | | | 2 | 3 |
| Greenfield | | | | 1 | 1 | | | | | | 2 | | 1 | | | 1 | 3 |
| Greenville | 1 | 3 | | | | | | | | 1 | 3 | | 1 | | | 1 | 2 |
| Hancock | | | | | | | | | | | | | | | | | |
| Hillsborough | | 2 | 1 | | | | | | | | 2 | 1 | 3 | | | 1 | 2 |
| Hollis | | | | | | | | 1 | | | 1 | | 5 | | | 2 | 3 |
| Hudson | 1 | | 1 | | | | | | | | 2 | | 1 | | | 1 | 3 |
| Litchfield | | | 1 | | | | | | | | 1 | | | | | | 1 |
| Lyndeborough | | | 1 | | | | | | | | 1 | | 3 | | | 2 | 1 |
| Manchester | 5 | 3 | 18 | 1 | 3 | 1 | | 1 | 4 | 16 | 20 | 1 | 1 | 106 | 1 | 5 | 52 |
| Mason | | | 1 | | | | | | | | 1 | | | | 1 | | 2 |
| Merrimack | | | 1 | | | | | | | | 1 | | | | | | 1 |
| Milford | | 1 | 2 | | | | | | 1 | 1 | 3 | | 5 | | | 2 | 3 |
| Mont Vernon | | | | | | | | | 1 | | 1 | | 1 | | | 1 | 1 |
| Nashua | 3 | 5 | | | 1 | | | 1 | 3 | 7 | | | 37 | | | 13 | 24 |
| New Boston | | | 1 | | 1 | | | 1 | | 3 | | | | | 1 | 1 | 4 |
| New Ipswich | | | | | | | | | | | | | 3 | | | 1 | 2 |
| Pelham | | | 1 | | | | | | | | 1 | | 1 | | | 1 | 2 |
| Peterborough | | | | | 1 | | | | | 1 | | | 7 | | | 3 | 4 |
| Sharon | | | | | | | | | | | | | | | | | |
| Temple | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Weare | | | | | 2 | | | | 1 | | 3 | | 1 | | | 4 | 1 |
| Wilton | 1 | 1 | 3 | | 1 | | | | | | 2 | 4 | | | 4 | 2 | 4 |
| Windsor | | | 1 | | | | | | | | 1 | | | | | | 1 |

— *Continued.*

CLASS III. — LOCAL DISEASES.

| ORDER 1. — Nervous System. | | | | | | | | | | ORDER 2. — Circulatory System. | | | | ORDER 3. — Respiratory System. | | | | | | | | | |
|----------------------------|-------------|-----------|------------|-----------|---------|-----------|----------|--------------|-----------------|--------------------------------|---------------|-----------|-----------------|--------------------------------|------------|-------------|--------------------|----------------------|-----------|------------|---------|----------------|--------|
| Cephalitis. | Cerebritis. | Apoplexy. | Paralysis. | Insanity. | Chorea. | Epilepsy. | Tetanus. | Convulsions. | Brain Diseases. | Total. | Pericarditis. | Aneurism. | Heart Diseases. | Total. | Epistaxis. | Laryngitis. | Bronchitis, Acute. | Bronchitis, Chronic. | Pleurisy. | Pneumonia. | Asthma. | Lung Diseases. | Total. |
| M. | F. | | | | | | | | | | | | M. | F. | | | | | | | | M. | F. |
| .. | .. | 3 | .. | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | 2 | 1 | 1 | .. | .. | .. | 2 | .. | .. | 1 | 2 |
| .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | 2 | 2 | .. | .. | 1 | .. | 3 | .. | .. | 3 | 1 |
| .. | .. | 3 | .. | .. | .. | .. | .. | .. | 3 | .. | .. | .. | 2 | 1 | 1 | .. | .. | 1 | 3 | .. | .. | 1 | 3 |
| 1 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | 1 | 1 | .. | .. | 1 | .. | .. | 3 | .. | .. | .. | 1 | 1 | .. | .. | 1 | .. | 5 | .. | .. | 2 | 4 |
| .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 5 | .. | .. | 2 | 3 |
| .. | .. | 1 | 2 | .. | .. | .. | .. | 1 | 2 | 2 | .. | .. | 5 | 3 | 2 | .. | .. | 3 | 4 | .. | .. | 1 | 3 |
| .. | .. | 1 | 1 | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | 1 | .. |
| .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 2 | .. | 2 | 2 | .. |
| .. | .. | 3 | 3 | 3 | .. | .. | .. | 1 | 1 | 5 | 6 | .. | 2 | 1 | 1 | .. | .. | 4 | 2 | 1 | .. | 2 | 5 |
| .. | .. | 2 | 4 | .. | .. | .. | .. | .. | 2 | 4 | .. | .. | .. | .. | .. | .. | 2 | 2 | 5 | .. | .. | 4 | 3 |
| .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. | 5 | 3 | 2 | .. | .. | 2 | 1 | .. | .. | 1 | 2 |
| .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | 2 | .. | .. | 1 | 1 | .. | .. | 1 | .. | 1 | .. | .. | 1 | 1 |
| .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. | 3 | 2 | 1 | .. | .. | 1 | .. | .. | 1 | 1 | .. |
| 21 | 19 | 18 | 11 | 1 | .. | 2 | .. | 15 | 12 | 52 | 47 | .. | 43 | 26 | 17 | .. | 40 | .. | 83 | 3 | 2 | 60 | 68 |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 1 | 1 | .. | .. | 1 | .. | .. | 1 | .. | .. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | .. | 2 | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | 3 | 1 | .. | .. | .. | .. | .. | 2 | 2 | .. | .. | 2 | 2 | .. | .. | 3 | .. | 4 | .. | .. | 2 | 5 |
| 10 | 3 | 4 | 4 | .. | .. | 1 | 5 | 3 | 15 | 15 | 2 | .. | 21 | 12 | 11 | .. | 19 | .. | 120 | .. | .. | 27 | 18 |
| 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 1 | .. | 2 | 2 | .. | .. | .. | .. | 4 | 6 | 1 | .. | .. | 5 | 2 | 3 | .. | .. | .. | 1 | .. | .. | 1 | .. |
| .. | .. | 2 | 2 | .. | .. | .. | .. | 1 | 3 | 2 | .. | .. | 3 | 3 | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | 1 | 5 | .. | .. | .. | .. | .. | 1 | .. | 2 | 5 | .. | 2 | 1 | 1 | .. | 7 | .. | 2 | .. | 5 | 4 | .. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | 1 | 1 | 9 | 2 | .. | .. | .. | 2 | 10 | 5 | .. | .. | 9 | 4 | 5 | .. | 1 | .. | 4 | .. | 3 | 2 | .. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. |

TABLE No. XV.

[illegible]

— Continued.

DISEASES. — Continued.

| ORDER 5. — Urinary Organs. | | | | | | | | | | | | ORDER 6. — Generative Organs. | | ORDER 7. — Osseous and Locomotory System. | | ORDER 8. — Integumentary System. | | Total for Class III. | | | | | | | | | | | | | |
|----------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|----|----|-------------------------------|-----------------|---|--------|----------------------------------|-----------------|-------------------------|----|----|--------|-----------|--------|----------------|----|----|--------|-------|---------|-----------------|--------|
| Nephritis. | Ischuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | M. | F. | Total. | Ovarian Dropsy. | Disease of Uterus. | Total. | Bones, Diseases of. | Joint Diseases. | Vertebrae, Diseases of. | M. | F. | Total. | Phlegmon. | Ulcer. | Skin Diseases. | M. | F. | Total. | Male. | Female. | Sex not stated. | Total. |
| 1 | | | | | | | | | | 2 | 1 | | | | | | | | | | | | | | | | 5 | 5 | | 10 | |
| 1 | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | 6 | 4 | | 10 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 5 | | 10 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 4 | | 7 | |
| | | | | | | | | 1 | 1 | 2 | | | | | | | | | | | | | | | | | 8 | 5 | | 11 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 8 | 9 | | 17 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 7 | 2 | | 9 | |
| | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | 8 | 13 | | 21 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 8 | 8 | | 16 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 7 | | 12 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | | 5 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | | 5 | |
| 7 | 15 | 5 | 1 | 1 | 1 | 4 | | | | 12 | 22 | | | 1 | 1 | | | 1 | | 1 | | 1 | 1 | 1 | 1 | 1 | 168 | 185 | | 353 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4 | | 5 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 11 | | 17 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | |
| 1 | 3 | | | | 2 | | 1 | | | 4 | 3 | | 1 | 1 | | | | | | | | 1 | | | 1 | 65 | 54 | | 129 | | |
| | 2 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | 2 | 2 | | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 11 | 5 | | 16 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 2 | | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 14 | 11 | | 25 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | | 7 | 2 | | 9 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 18 | 13 | | 31 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | |

TABLE No. XV.

| TOWNS IN HILLSBOROUGH COUNTY. | CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | | |
|----------------------------------|-----------------------------------|----------------------|----------------------------|-----------|---------------|----------------------|-----------|--------------|--------------------------|-------------|--------------------|--------|----------|-----------------------|------------------------|---------|--------|----|----|----|
| | ORDER 1.—Of Children. | | | | | | | | ORDER 2.—Of Women. | | ORDERS 3 and 4. | | | | Total for Class IV. | | | | | |
| | Still-born. | Debility, Infantile. | Debility, Premature Birth. | Cyanosis. | Spina Bifida. | Other Malformations. | Teething. | Innutrition. | Total. | Childbirth. | Paramenia. | Total. | Old Age. | Atrophy and Debility. | Male. | Female. | Total. | | | |
| | | | | | | | | | | | | | | | | | | M. | F. | M. |
| | | | | | | | | M. | F. | | | M. | | | | | | F. | M. | F. |
| Amherst | 1 | 1 | | | | | | 2 | | | | | | 2 | 2 | 2 | 4 | | | |
| Antrim | | | | | | | | 2 | 2 | | | | 1 | 3 | 3 | 3 | 6 | | | |
| Bedford | | | | | | | | | | | | | | | | | | | | |
| Bennington | | | | | | | 1 | 1 | | | | | 1 | | 1 | 1 | 2 | | | |
| Brookline | | | | | | | | | | | | | | 2 | | 2 | 2 | | | |
| Deering | 1 | | | | | | | | 1 | 1 | 1 | | | | | | | | | |
| Francestown | | | | | | | | | | | | | 1 | | | 1 | 1 | | | |
| Goffstown | 2 | | | | | | | 1 | 1 | | | | 2 | 3 | 3 | 4 | 7 | | | |
| Greenfield | | | | | | | | | | | | | 2 | | | 2 | 2 | | | |
| Greenville | 2 | | | | | | 5 | 5 | 2 | | | | 1 | | 2 | 6 | 10 | | | |
| Hancock | | | | | | | | | | | | | 1 | | 1 | 1 | 2 | | | |
| Hillsborough | | | | | | | | | | | | | 1 | 1 | 2 | 3 | 4 | | | |
| Hollis | 1 | 1 | | | | | | 2 | | | | | | 1 | 2 | 1 | 3 | | | |
| Hudson | | | | | | | | | | | | | 1 | | 1 | | 1 | | | |
| Litchfield | | | | | | | | | | | | | | | | | | | | |
| Lyndeborough | | | | | | | | | | | | | 2 | 1 | 1 | 2 | 3 | | | |
| Manchester | 57 | 36 | 12 | | | 10 | 19 | 88 | 46 | | | | 11 | 16 | 9 | 5 | 108 | | | |
| Mason | 1 | | | | | | | 1 | | | | | 3 | | 3 | 1 | 4 | | | |
| Merrimack | | 1 | | | | | | 1 | | | | | 1 | 1 | 1 | 3 | 4 | | | |
| Milford | 2 | 1 | | | | | 1 | 1 | 3 | | | | 1 | 2 | 1 | 4 | 8 | | | |
| Mont Vernon | | | | | | | 1 | 1 | | | | | 1 | | | 2 | 2 | | | |
| Nashua | 19 | 17 | 3 | | | | 6 | 21 | 24 | 1 | 1 | 2 | 8 | 3 | 23 | 36 | 59 | | | |
| New Boston | | 1 | | | | | | 1 | | | | | 5 | | 1 | 5 | 6 | | | |
| New Ipswich | 3 | | | | | | 1 | 2 | 2 | 1 | 1 | | 1 | | 2 | 4 | 6 | | | |
| Pelham | | | | | | | | | | | | | 1 | | | 1 | 1 | | | |
| Peterborough | 2 | 1 | | | | | | 2 | 1 | | | | 1 | 1 | 2 | 3 | 5 | | | |
| Sharon | | | | | | | | | | | | | 1 | | 1 | | 1 | | | |
| Temple | | | | | | | 1 | 1 | | | | | | | 1 | | 1 | | | |
| Weare | | | | | | | | | | | | | 1 | 1 | 4 | 5 | 6 | | | |
| Wilton | 3 | | | | | | 1 | 3 | 1 | | | | 2 | 3 | | 6 | 9 | | | |
| Windsor | | 1 | | | | | | 1 | | | | | 1 | | 1 | 1 | 2 | | | |

— Continued.

| CLASS V.—VIOLENT DEATHS. | | | | | | | | | | | | | | | | | | | | | | | Grand Total for all Classes. | | | | | |
|--------------------------------------|----------------------|-------------------|---------|-----------|--------------|------------------|-------------------|----|-----------|----------------------|----------------------------|----------------|-----------------------|-----------|----------|------------|--------------------------|----|-----------------------|--|----|-------|------------------------------------|--------|-------|---------|-------------|--------|
| ORDER 1.—Accident and Negligence. | | | | | | OR- DER 2. | ORDER 3.—Suicide. | | | | | | ORDER 4.— Various. | | | | Total for Class V. | | | | | | | | | | | |
| Fractures and Contusions. | Wounds, Unspecified. | Burns and Scalds. | Poison. | Drowning. | Suffocation. | Various. | Total. | | Homicide. | Wounds, Unspecified. | Wounds, Pistol or Gunshot. | Wounds, Knife. | Poison. | Drowning. | Hanging. | Otherwise. | Total. | | Violent, not Classed. | Cause not Reported or Un- classified. | | Male. | Female. | Total. | Male. | Female. | Not stated. | Total. |
| | | | | | | | M. | F. | | | | | | | | | M. | F. | | M. | F. | | | | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | 1 | 10 | 14 | .. | 24 | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 13 | 14 | .. | 27 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 8 | 5 | .. | 13 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 6 | 5 | .. | 11 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | 1 | 4 | 9 | *1 | 14 | | |
| 2 | .. | .. | 1 | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | 1 | 2 | 3 | 5 | 10 | 10 | .. | 20 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 7 | 8 | .. | .. | 15 | | |
| 1 | .. | .. | .. | .. | .. | 1 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 2 | 16 | 18 | .. | 34 | | |
| 1 | .. | .. | .. | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 2 | 3 | 6 | .. | .. | 9 | | |
| .. | .. | .. | .. | 1 | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 2 | 15 | 10 | *1 | .. | 26 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 9 | 5 | .. | 14 | | |
| 1 | .. | .. | 1 | .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | 2 | 2 | .. | .. | .. | 2 | 2 | 4 | 19 | 21 | .. | .. | 40 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 2 | 2 | 14 | 14 | .. | 28 | | |
| .. | .. | 1 | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 13 | 10 | .. | 23 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 4 | .. | .. | 6 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 7 | 6 | .. | .. | 13 | | |
| 2 | 2 | 1 | 2 | 6 | 1 | 8 | 15 | 7 | .. | .. | .. | .. | .. | 2 | 1 | 1 | .. | 44 | 33 | 60 | 41 | 101 | 510 | 501 | *19 | 1030 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 7 | 3 | .. | .. | 10 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 5 | 5 | .. | .. | 10 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | 18 | 25 | .. | .. | 43 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 3 | .. | .. | 5 | | |
| 1 | .. | .. | 1 | .. | 6 | 8 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 6 | 12 | 6 | 18 | 172 | 174 | .. | 346 | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 7 | 8 | *1 | .. | 16 | | |
| .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 17 | 13 | .. | 1 | 1 | 1 | 17 | 13 | .. | .. | 30 | | |
| .. | .. | .. | .. | 1 | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | 1 | 7 | 6 | .. | 1 | 1 | 7 | 6 | .. | .. | 13 | | |
| 2 | .. | .. | 1 | .. | .. | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | 1 | 2 | 3 | 24 | 26 | .. | .. | 2 | 3 | 24 | 26 | .. | 50 | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 2 | 1 | .. | .. | 3 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 2 | 1 | .. | 4 | | |
| .. | .. | .. | .. | .. | 1 | 1 | .. | 1 | .. | .. | .. | .. | .. | 1 | 1 | 16 | 10 | .. | 1 | 1 | 16 | 10 | .. | .. | .. | 26 | | |
| .. | .. | .. | .. | .. | 1 | 1 | .. | 1 | .. | .. | .. | .. | .. | 1 | 1 | 38 | 28 | .. | 3 | 38 | 28 | .. | .. | .. | .. | 66 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | 1 | .. | .. | 4 | | |

*Classed with males.

TABLE No. XV.

| TOWNS IN CHESHIRE COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|----------------|-------------|---------------------------|----|-----------|--------------------|-----------|---------------------------|------------------------|--------|----|-------|---------|--------|
| | ORDER 1.—Diathetic. | | | | | | | | | | ORDER 2.—Tuber- cular. | | | | | Total for Class II. | | | | | | |
| | Gout. | Dropsy. | Anemia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tabes Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. | Total. | | Male. | Female. | Total. |
| | | | | | | | | | | | M. | F. | | | | | | M. | F. | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| Alstead | | | | | | | | | | | | | | | 1 | | 1 | | 1 | | | 1 |
| Chesterfield | | | | | | | | | | | | | | | | | | | | | | |
| Dublin | | | | | | | | | | | | | | | | | | | | | | |
| Fitzwilliam | | | | 1 | | | | 1 | | 1 | 1 | | | | 4 | | 2 | 2 | 3 | 3 | 6 | |
| Gilsum | | | | | | | | | | | | | | | 2 | | 2 | | 2 | | 2 | |
| Harrisville | | | | 1 | | | | | | 1 | | | | | 1 | | 1 | 2 | 2 | | 2 | |
| Hinsdale | | | | | | | | | 1 | 1 | | | | | 2 | 1 | 2 | 1 | 3 | 1 | 4 | |
| Jaffrey | 1 | | | | | | | | | | 1 | | | | 3 | | 1 | 2 | 1 | 3 | 4 | |
| Keene | 1 | 1 | 2 | | | | | 1 | 1 | 2 | 4 | | | | 16 | | 6 | 10 | 8 | 14 | 22 | |
| Marlborough | | | | | | | | | | | | | | | 2 | | 1 | 1 | 1 | 1 | 2 | |
| Marlow | | | 1 | 1 | | | | | | 1 | 1 | | | | 2 | | 1 | 1 | 2 | 2 | 4 | |
| Nelson | | | | | | | | | | | | | | | | | | | | | | |
| Richmond | | | | | | | | | | | | | | | | | | | | | | |
| Rindge | 1 | | | | | | | | | | 1 | | | | | | | | | 1 | 1 | |
| Roxbury | | | | | | | | | | | | | | | | | | | | | | |
| Stoddard | | | | | | | | | | | | | | | | | | | | | | |
| Sullivan | | | | | | | | | | | | | | | 2 | | | 2 | | 2 | 2 | |
| Surry | | | | 1 | | | | | | | 1 | | | | | | | | | 1 | 1 | |
| Swanzey | | | | 2 | | | | | 1 | 1 | 2 | | | | 5 | | 1 | 4 | 2 | 6 | 8 | |
| Troy | | | | 2 | | | | | 1 | 1 | 2 | | | | 1 | | 1 | 1 | 2 | 2 | 4 | |
| Walpole | | 2 | | | | 1 | | 1 | | 4 | | | | | 3 | | 1 | 2 | 5 | 2 | 7 | |
| Westmoreland | | | | | | | | | | | | | | | 3 | | 3 | | 3 | | 3 | |
| Winchester | | | | | | | | | | | | | 1 | 4 | | | 1 | 4 | 1 | 4 | 5 | |

TABLE No. XV.

| TOWNS IN CHESHIRE COUNTY. | CLASS III.—LOCAL | | | | | | | | | | | | | | | | | |
|------------------------------|----------------------------|------------|--------------|----------|---------------------------|---------|--------|------------------|--------------------------|----------|-------------------|--------------------|------------|-----------|-----------------|------------------|-----------------|--------|
| | ORDER 4.—Digestive Organs. | | | | | | | | | | | | | | | | | |
| | Gastritis. | Enteritis. | Peritonitis. | Ascites. | Ulceration of Intestines. | Hernia. | Ileus. | Intussusception. | Stricture of Intestines. | Fistula. | Stomach Diseases. | Pancreas Diseases. | Hepatitis. | Jaundice. | Liver Diseases. | Spleen Diseases. | Bowel Diseases. | Total. |
| | | | | | | | | | | | | | | | | | M. | F. |
| Alstead | 1 | | | | | | | | | | | | | | | | | 1 |
| Chesterfield | | | | | | | | | | | 1 | | | | 1 | | 1 | 1 |
| Dublin | | | | | | | | | | | | | | | | | | |
| Fitzwilliam | | | | | | | | | | | | | | | | | | |
| Gilsum | | | | | | | | | | | | | | | | | | |
| Harrisville | | | | | | | | | | | | | | | | | | |
| Hinsdale | | | | | | | | | | | | | | | | 1 | 1 | |
| Jaffrey | | | | | | | | | | | | | | | | | | |
| Keene | 2 | 3 | | | | | | | | | 2 | | | | 2 | | 1 | 8 |
| Marlborough | | | 1 | | | | | | | | | | | | | | | 1 |
| Marlow | | | | | | | | | | | | | | | | | | |
| Nelson | | | | | | | | | | | | | | | | | | |
| Richmond | | | | | | | | | | | | | | | | 1 | 1 | |
| Rindge | | | | | | | | | | | | | | | | | | |
| Roxbury | | | | | | | | | | | | | | | | | | |
| Stoddard | | | | | | | | | | | | | | | | | | |
| Sullivan | | | | | | | | | | | | | | | | | | |
| Surry | | | | | | | | | | | | | | | | | | |
| Swanzey | | | | | | | | | | | | | | | | | | |
| Troy | 1 | | | | | | | | | | | | | | | | 1 | |
| Walpole | | 1 | | | | | | | | | | | | | 1 | | 1 | 1 |
| Westmoreland | | | 1 | | | | | | | | | | | | | | 1 | |
| Winchester | | | | | | 1 | | | | | | | | 1 | | 1 | 2 | 1 |

— *Continued.***DISEASES. — *Continued.***

| ORDER 5. — Urinary Organs. | | | | | | | | | | ORDER 6. — Gener- ative Organs. | ORDER 7. — Osseous and Locomotory System. | ORDER 8. — Integumen- tary System. | Total for Class III. | | | | | | | | | | | | | | | | |
|----------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|--|--|--|-------------------------|--------|---------------------|-----------------|-------------------------|----|----|-----------|--------|----------------|----|----|--------|-------|---------|-----------------|--------|
| Nephritis. | Ischuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | M. | F. | Ovarian Dropsy. | Disease of Uterus. | Total. | Bones, Diseases of. | Joint Diseases. | Vertebrae, Diseases of. | M. | F. | Phlegmon. | Ulcer. | Skin Diseases. | M. | F. | Total. | Male. | Female. | Sex not stated. | Total. |
| .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 6 | 6 | .. | 12 | |
| .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 5 | .. | 9 | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 3 | .. | 7 | | | |
| .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 12 | 1 | .. | 3 | | | |
| .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | 3 | .. | 6 | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 8 | 3 | .. | 11 | | | |
| 1 | .. | 5 | .. | .. | 1 | .. | 1 | .. | .. | 7 | 1 | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | 4 | 5 | .. | 9 | | | |
| .. | 2 | .. | .. | .. | .. | 1 | 1 | .. | .. | 3 | .. | .. | .. | .. | 1 | .. | 1 | .. | .. | .. | .. | 37 | 25 | .. | 62 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | 8 | 4 | .. | 12 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. | .. | .. | 2 | 1 | .. | 3 | | | | |
| .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 1 | .. | 5 | | | | |
| .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | 3 | .. | 6 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 8 | 4 | .. | 12 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | 1 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | .. | 3 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | | | |
| .. | .. | .. | 1 | .. | .. | .. | 1 | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | .. | .. | 2 | | | | |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 4 | 6 | .. | 10 | | | | |
| .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | 1 | .. | 4 | | | | |
| .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 13 | 14 | .. | 27 | | | | |
| .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 10 | 4 | .. | 14 | | | | |
| .. | 1 | .. | .. | .. | 1 | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 7 | 9 | .. | 16 | | | | |

TABLE No. XV.

| TOWNS IN CHESHIRE COUNTY. | CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | |
|------------------------------|-----------------------------------|---|---------------------------------------|-----------|---------------|--------|-------------------------------------|--------------------|----|------------------------|-----------------------|-------|---------|
| | ORDER 1.—Of Children. | | | | | | ORDER 2.—Of Women. | ORDERS 3 and 4. | | Total for Class IV. | | | |
| | Still-born. | Debility, Infantile, Debility, Premature Birth. Cyanosis. | Spina Bifida. Other Malformations. | Teething. | Innuitrition. | Total. | Childbirth. Paramenia. Total. | M. | F. | Old Age. | Atrophy and Debility. | Male. | Female. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Alstead | | | | | | | | | | 1 | 1 | 1 | 2 |
| Chesterfield | | | | | 1 | | | 1 | | | | 2 | 2 |
| Dublin | | | | | | | | 3 | 1 | | | 4 | 4 |
| Fitzwilliam | 3 | | | | | 3 | | | | | | 3 | 3 |
| Gilsum | | | | | | | | 1 | | | | 1 | 1 |
| Harrisville | | | | | | | | 1 | | | | 1 | 1 |
| Hinsdale | | | | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 6 | 8 |
| Jaffrey | | | | | | | 1 | 5 | 4 | 2 | 5 | 7 | 12 |
| Keene | 3 | 1 | | | 3 | 1 | | 5 | 8 | 4 | 8 | 13 | 21 |
| Marlborough | | 1 | | | 1 | | | 3 | | | 1 | 3 | 4 |
| Marlow | | | | | | | | | | | | | |
| Nelson | | | | | | | | 2 | 1 | | 3 | | 3 |
| Richmond | | | | | | | | | | 2 | | 2 | 2 |
| Rindge | | | | | | | | 1 | 1 | | 1 | 1 | 2 |
| Roxbury | | | | | | | | | | | | | |
| Stoddard | 1 | 1 | | | 1 | 1 | | | | | 1 | 1 | 2 |
| Sullivan | | | | | | | | | | | | | |
| Surry | | | | | | | | 2 | | | 2 | | 2 |
| Swanzy | | 1 | | 2 | 1 | 3 | | 1 | 1 | 1 | 3 | 4 | 7 |
| Troy | | | | | | | | | | 1 | | 1 | 1 |
| Walpole | | | | | | | | 3 | 1 | | | 4 | 4 |
| Westmoreland | | | | | | | | 1 | 1 | | 1 | 1 | 2 |
| Winchester | | | | 1 | 1 | | | | 2 | 1 | 2 | 2 | 4 |

— *Continued.*

| CLASS V.—VIOLENT DEATHS. | | | | | | | | | | | | | | | | | Grand Total for all Classes. | | | | | | | | | | | | | | |
|--------------------------------------|----------------------|-------------------|---------|-----------|--------------|----------|------------------|----|-------------------|----------------------|----------------------------|----------------|---------|-----------------------|----------|------------|------------------------------------|----|--------------------------|--|----|-------|---------|--------|-------|---------|-------------|--------|----|-----|----|
| ORDER 1.—Accident and Negligence. | | | | | | | OR- DER 2. | | ORDER 3.—Suicide. | | | | | ORDER 4.— Various. | | | | | Total for Class V. | | | | | | | | | | | | |
| Fractures and Contusions. | Wounds, Unspecified. | Burns and Scalds. | Poison. | Drowning. | Suffocation. | Various. | Total. | | Homicide. | Wounds, Unspecified. | Wounds, Pistol or Gunshot. | Wounds, Knife. | Poison. | Drowning. | Hanging. | Otherwise. | Total. | | Violent, not Classified. | Cause not Reported or Un- classified. | | Male. | Female. | Total. | Male. | Female. | Not stated. | Total. | | | |
| | | | | | | | M. | F. | | | | | | | | | M. | F. | | M. | F. | | | | | | | | M. | F. | M. |
| 1 | 1 | | | | | | 1 | | | | | | | | | | 1 | 1 | | | 1 | 1 | 3 | 1 | 4 | 13 | 12 | *1 | 26 | | |
| | | | | | | | 1 | | | | | | | | | | | | | | | 1 | 1 | 1 | 11 | 6 | | | 17 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 5 | | | 7 | | |
| | | | | 2 | | | 2 | | | | | | | | | | | | | | | 2 | | 2 | 9 | 10 | | | 19 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 3 | | | 8 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 7 | 6 | | | 13 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 16 | 11 | | | 27 | | |
| | | | | | | | | | | | | | | | | | | | | | | 1 | 3 | 4 | 8 | 15 | 24 | | | 39 | |
| | | | | | | | | | | | | | | | | | | | | | | | 11 | 4 | 15 | 82 | 73 | *1 | | 156 | |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 2 | 10 | 11 | | | 21 | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 4 | 4 | | | | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | | 2 | | 2 | 9 | 2 | | | 11 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 5 | | | 9 | | |
| | | 2 | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 3 | 2 | 5 | 14 | 10 | | 24 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1 | 1 | | | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | 3 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | | | 5 | | |
| 1 | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 1 | 3 | 13 | 20 | | | 33 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | 1 | 2 | 6 | | | 14 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 7 | 2 | 9 | 27 | 26 | | 53 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 15 | 10 | | | 25 | |
| | | 2 | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 3 | 15 | 16 | | | | 31 |

• Classed with males.

192147

TABLE No. XV.

| | CLASS I.— | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|
| | ORDER I.—Miasmatic. | | | | | | | | | |
| TOWNS IN SULLIVAN COUNTY. | Carbuncle. Cholera Asiatic. Cholera Sporadic. Cholera Infantum. Cholera Morbus. Croup (Pseudo-membranous). Diphtheria. Diarrhea. Dysentery. Erysipelas. Fever Bilious. Fever Cerebro-spinal. Fever Intermittent. Fever Malarial. Fever Typhoid. Fever Typho-malarial. Fever Unspecified. Fever Yellow. Influenza (Epidemic). Measles. Mumps. Metria (Puerperal Fever). Pertussis. | | | | | | | | | |
| Aceworth | . | . | . | . | . | . | . | . | . | . |
| Charlestown | . | . | . | . | . | . | . | . | . | . |
| Claremont | . | . | 9 | . | 4 | 1 | . | 1 | . | . |
| Cornish | . | . | . | . | 2 | . | . | . | . | 1 |
| Croydon | . | . | . | . | 1 | . | . | . | . | . |
| Goshen | . | . | . | . | . | 1 | . | . | . | . |
| Grantham | . | . | 1 | . | . | 1 | . | . | . | . |
| Langdon | . | . | 1 | . | . | . | . | . | . | . |
| Lempster | . | . | . | . | . | . | . | . | . | . |
| Newport | . | . | 2 | . | . | . | . | 1 | . | . |
| Plainfield | . | . | . | . | . | . | . | 1 | . | . |
| Springfield | . | . | . | . | . | . | . | . | . | . |
| Sunapee | . | . | . | . | . | . | . | . | . | . |
| Unity | . | . | . | . | . | . | . | . | . | . |
| Washington | . | . | . | . | 1 | 1 | . | . | . | . |

TABLE No. XV.

| TOWNS IN SULLIVAN COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | |
|---------------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|----------------|-------------|---------------------------|----|-----------|--------------------|-----------|---------------------------|------------------------|--------|----|
| | ORDER 1.—Diathetic. | | | | | | | | | | ORDER 2.—Tuber- cular. | | | | | Total for Class II. | | | |
| | Gout. | Dropsy. | Anæmia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tubes Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. | Total. | |
| | | | | | | | | | | | M. | F. | | | | | | M. | F. |
| Acworth | | | | | | | | | | | | | | | | | | | |
| Charlestown | | | | 2 | 1 | | | | | 2 | 1 | | | 1 | 2 | | 2 | 1 | 4 |
| Claremont | 1 | 2 | | 4 | 1 | | | 1 | | 5 | 4 | | | 12 | | 2 | 4 | 10 | 9 |
| Cornish | | | | | | | | | | | | | | | | 1 | | 1 | 1 |
| Croydon | | | | | | | | | | | | | | | | | | | |
| Goshen | | | | 1 | | | | | | 1 | | | | | | | | 1 | 1 |
| Grantham | | | | | | | | | | | | | | | | | | | |
| Langdon | | | | 2 | | | | | | | 2 | 1 | | 1 | | | 1 | 1 | 3 |
| Lempster | 1 | | | 1 | | | | | 1 | 1 | 1 | | | 1 | | | | 1 | 2 |
| Newport | | | | 2 | | | | 1 | | 2 | 1 | 1 | | 6 | | | 3 | 4 | 5 |
| Plainfield | | | | | | | | 1 | 1 | 1 | | | | 2 | | | 2 | | 3 |
| Springfield | | | | 1 | | | | 1 | 1 | 1 | 2 | | | 1 | | | | 1 | 1 |
| Sunapee | 1 | | | | 1 | | | | 1 | 1 | 1 | | | 1 | | | 1 | | 2 |
| Unity | | | | | 1 | | | | 1 | | 2 | | | 5 | | 1 | 3 | 3 | 5 |
| Washington | | | | 1 | | | | | | | 1 | | | 1 | | | | 1 | 2 |

TABLE No. XV.

[illegible]

TABLE No. XV.

| TOWNS IN SULLIVAN COUNTY. | CLASS IV. — DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | |
|------------------------------|-------------------------------------|---|---------------------------------------|-----------|--------------|--------|----|-------------|----------------------------|----------|-----------------------|----|-------|---------|------------------------|---|
| | ORDER 1. — Of Children. | | | | | | | | ORDER 2. — Of Women. | | ORDERS 3 and 4. | | | | Total for Class IV. | |
| | Still-born. | Debility, Infantile. Debility, Premature Birth. Cyanosis. | Spina Bifida. Other Malformations. | Teething. | Innutrition. | Total. | | Childbirth. | Paramenia. Total. | Old Age. | Atrophy and Debility. | | Male. | Female. | Total. | |
| | | | | | | | | | | | | | | | | |
| | | | | | | M. | F. | | | | M. | F. | M. | F. | | |
| Acworth | | | | | | | | | | 2 | | | 2 | | | 2 |
| Charlestown | | 1 | | | | 1 | | 1 | | 1 | | 5 | | | 7 | 7 |
| Claremont | 2 | 3 | | | 1 | 3 | 3 | | | 1 | | 2 | 6 | 11 | 17 | |
| Cornish | 1 | | | | | 1 | | | | 1 | | 1 | 3 | 2 | 5 | |
| Croydon | | | | | | | | | | 2 | | | | 2 | 2 | |
| Goshen | | | | 1 | 1 | | | | | | | | 1 | | 1 | |
| Grantham | | 1 | | | | 1 | | | | | | | | 1 | 1 | |
| Langdon | | | | | | | | | | | | | | | | |
| Lempster | | 1 | | | | 1 | | | | 1 | | | 1 | 1 | 2 | |
| Newport | 1 | 1 | | | 2 | | | | | 4 | | | 6 | | 6 | |
| Plainfield | 1 | | | 1 | | 2 | | | | | | | | 2 | 2 | |
| Springfield | | | | | | | | | | | | | | | | |
| Sunapee | | | 1 | | 1 | | | | | | | 1 | 1 | 1 | 2 | |
| Unity | | | 1 | | 1 | | | | | 2 | | 2 | 5 | | 5 | |
| Washington | 1 | | | | 1 | | | | | | | | 1 | | 1 | |

107

[illegible]

TABLE No. XV.

| TOWNS IN GRAFTON COUNTY. | CLASS I.— | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---------------------|-------------------|--------------------|-------------------|-----------------|----------------------------|-------------|-----------|------------|-------------|-----------------|------------------------|----------------------|------------------|-----------------|------------------------|---------------------|----------------|-----------------------|----------|--------|---------------------------|------------|--|
| | ORDER 1.—Miasmatic. | | | | | | | | | | | | | | | | | | | | | | | |
| | Carbuncle. | Cholera, Asiatic. | Cholera, Sporadic. | Cholera Infantum. | Cholera Morbus. | Croup (Pseudo-membranous). | Diphtheria. | Diarrhea. | Dysentery. | Erysipelas. | Fever, Bilious. | Fever, Cerebro-spinal. | Fever, Intermittent. | Fever, Malarial. | Fever, Typhoid. | Fever, Typho-malarial. | Fever, Unspecified. | Fever, Yellow. | Influenza (Epidemic). | Measles. | Mumps. | Metria (Puerperal Fever). | Pertussis. | |
| Alexandria | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Ashland | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Bath | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Benton | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Bethlehem | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Bridgewater | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Bristol | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | |
| Campton | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | |
| Canaan | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Dorchester | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | |
| Easton | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Ellsworth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | |
| Enfield | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Franconia | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Grafton | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | |
| Groton | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Hanover | . | . | 2 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | |
| Haverhill | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | |
| Hebron | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Holderness | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Landaff | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Lebanon | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Lincoln | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Lisbon | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | |
| Littleton | . | . | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Livermore | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Lyman | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Lyme | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Monroe | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | |
| Orange | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Orford | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | |
| Piermont | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Plymouth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | |
| Rumney | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | |
| Thornton | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Warren | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Waterville | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Wentworth | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | |
| Woodstock | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |

— Continued.

ZYMOTIC DISEASES.

[illegible]

| Variable | Mean | SD | Min | Max | Skewness | Kurtosis | Normality |
|---------------------|------|------|-----|------|----------|----------|-----------|
| Age | 35.2 | 12.5 | 18 | 65 | 0.15 | 2.8 | 0.95 |
| Gender | 1.2 | 0.4 | 1 | 2 | 0.05 | 3.2 | 0.98 |
| Education | 12.5 | 2.1 | 9 | 16 | 0.25 | 3.5 | 0.92 |
| Income | 1500 | 500 | 500 | 3000 | 0.35 | 3.8 | 0.88 |
| Marital Status | 1.8 | 0.4 | 1 | 2 | 0.05 | 3.2 | 0.98 |
| Occupation | 2.5 | 1.2 | 1 | 5 | 0.45 | 4.2 | 0.85 |
| Health Status | 1.5 | 0.5 | 1 | 2 | 0.15 | 2.8 | 0.95 |
| Stress Level | 3.2 | 1.5 | 1 | 5 | 0.55 | 4.5 | 0.82 |
| Life Satisfaction | 4.5 | 1.2 | 3 | 6 | 0.25 | 3.5 | 0.92 |
| Resilience | 2.8 | 1.0 | 1 | 4 | 0.35 | 3.8 | 0.88 |
| Optimism | 3.5 | 1.1 | 2 | 5 | 0.25 | 3.5 | 0.92 |
| Emotional Stability | 2.5 | 0.8 | 1 | 3 | 0.15 | 2.8 | 0.95 |
| Self-Esteem | 3.8 | 1.0 | 2 | 5 | 0.35 | 3.8 | 0.88 |
| Life Purpose | 3.0 | 1.2 | 1 | 5 | 0.45 | 4.2 | 0.85 |
| Gratitude | 4.0 | 1.0 | 3 | 5 | 0.25 | 3.5 | 0.92 |
| Forgiveness | 3.5 | 1.1 | 2 | 5 | 0.35 | 3.8 | 0.88 |
| Compassion | 3.2 | 1.0 | 2 | 4 | 0.25 | 3.5 | 0.92 |
| Empathy | 3.8 | 1.0 | 2 | 5 | 0.35 | 3.8 | 0.88 |
| Resilience | 2.8 | 1.0 | 1 | 4 | 0.35 | 3.8 | 0.88 |
| Optimism | 3.5 | 1.1 | 2 | 5 | 0.25 | 3.5 | 0.92 |
| Emotional Stability | 2.5 | 0.8 | 1 | 3 | 0.15 | 2.8 | 0.95 |
| Self-Esteem | 3.8 | 1.0 | 2 | 5 | 0.35 | 3.8 | 0.88 |
| Life Purpose | 3.0 | 1.2 | 1 | 5 | 0.45 | 4.2 | 0.85 |
| Gratitude | 4.0 | 1.0 | 3 | 5 | 0.25 | 3.5 | 0.92 |
| Forgiveness | 3.5 | 1.1 | 2 | 5 | 0.35 | 3.8 | 0.88 |
| Compassion | 3.2 | 1.0 | 2 | 4 | 0.25 | 3.5 | 0.92 |
| Empathy | 3.8 | 1.0 | 2 | 5 | 0.35 | 3.8 | 0.88 |

| | | |
|--------------------------|------------------------------|------------------------------|
| ORDER 1.—Nervous System. | ORDER 2.—Circulatory System. | ORDER 3.—Respiratory System. |
|--------------------------|------------------------------|------------------------------|

[illegible]

TABLE No. XV.

[illegible]

— Continued.

DISEASES. — Continued.

| ORDER 5. — Urinary Organs. | | | | | | | | | | ORDER 6. — Generative Organs. | | ORDER 7. — Osseous and Locomotor System. | | ORDER 8. — Integumentary System. | | Total for Class III. | | | | | | | | | | | | | |
|----------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|-------------------------------------|----|---|--------------------|--|---------------------|-------------------------|-------------------------|--------|----|-----------|--------|----------------|--------|----|-------|---------|-----------------|-------|----|
| Nephritis. | Ischuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | Total. | | Ovarian Dropsy. | Disease of Uterus. | Total. | Bones, Diseases of. | Joint Diseases. | Vertebrae, Diseases of. | Total. | | Phlegmon. | Ulcer. | Skin Diseases. | Total. | | Male. | Female. | Sex not stated. | Total | |
| | | 1 | | | 2 | | | | | M. | F. | | | | | | | | M. | F. | | | | M. | F. | | | | |
| | | | | | | | | | | | 1 | | | | | | | | | | | | | | | 3 | 2 | | 5 |
| | | | | | | | | | | 2 | | | | | | | | | | | | | | | | 7 | 4 | | 11 |
| | | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | 2 | 3 | | 5 |
| | | 1 | 1 | | | | | | | 2 | | | | | | | | | | | | | | | | 2 | 1 | | 3 |
| 1 | | | | | | | | | | | 1 | | | | | | | | | | | | | | | 4 | 7 | | 11 |
| | | | 1 | 1 | | | | | | 1 | 1 | | | | | | | | | | | | | | | 3 | 3 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 5 | | 11 |
| | | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | 3 | 3 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 8 | 4 | | 12 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | 4 |
| | | | | | | | | | | | 1 | | | | | | | | | | | | | | | 1 | 4 | | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 4 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 3 | | 7 |
| | | | 1 | | | | | | | 1 | | | | | | | | | | | | | | | | | 1 | | 1 |
| | | 1 | | | | | | | | 1 | | | | | | | | | | | | | | | | 4 | 2 | | 6 |
| | | 1 | | | | | | | | 1 | | | | | | | | | | | | | | | | 7 | 4 | | 11 |
| | | | 2 | | 1 | | | | | 2 | 1 | | | | | | | | | | | | | | | 10 | 22 | | 32 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 4 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 4 | | 10 |
| 2 | | | 4 | 1 | | 1 | | | | 4 | 4 | | | | | | | | | | | | | | | 11 | 25 | | 36 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 8 | 4 | | 12 |
| | | 1 | | | | 1 | 1 | | | 3 | | | | | | | | | | | | | | | | 14 | 10 | | 24 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | 1 | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 8 | | 13 |
| | | | | | | | | | | | 2 | | | | | | | | | | | | | | | 4 | | | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 5 | | 8 |
| | | | 1 | | | | | | | 1 | | | | | | | | | | | | | | | | 3 | 2 | | 5 |
| | | 1 | 1 | | | | | | | | 2 | | | | | | | | | | | | | | | 2 | 6 | | 8 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 4 | | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | 3 |
| | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | | | 5 | 1 | | 6 |
| | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | | | 1 | 6 | | 7 |

TABLE No. XV.

| TOWNS IN GRAFTON COUNTY. | CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | |
|-----------------------------|-----------------------------------|----------------------|----------------------------|-----------|---------------|----------------------|-----------|--------------|--------|--------------------------|--------------------|--------|----------|----|------------------------|----|-------|---------|--------|
| | ORDER 1.—Of Children. | | | | | | | | | ORDER 2.—Of Women. | ORDERS 3 and 4. | | | | Total for Class IV. | | | | |
| | Still-born. | Debility, Infantile. | Debility, Premature Birth. | Cyanosis. | Spina Bifida. | Other Malformations. | Teething. | Innutrition. | Total. | Childbirth. | Paramenia. | Total. | Old Age. | | Atrophy and Debility. | | Male. | Female. | Total. |
| | | | | | | | | | | | | | M. | F. | M. | F. | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Alexandria | 1 | | | | | | | 1 | | | | | 2 | 4 | | 1 | 3 | 5 | 8 |
| Ashland | | | | | | | 1 | 1 | | | | | | | | 2 | 1 | 2 | 3 |
| Bath | 1 | | | | | | | 1 | | | | | 2 | | 1 | 1 | 3 | 4 | |
| Benton | | | | | | | | | | | | | | | | | | | |
| Bethlehem | | | | | | | | | | | | | 2 | 1 | 1 | 1 | 3 | 2 | 5 |
| Bridgewater | | | | | | | | | | | | | | 1 | 1 | | | 2 | 2 |
| Bristol | 1 | 1 | | | | | | | 2 | | | | 1 | 2 | | | 1 | 4 | 5 |
| Campton | 1 | | | | | | | 1 | | | | | 1 | 1 | | | 2 | 1 | 3 |
| Canaan | | | 1 | | | | | | 1 | | | | 1 | | | 1 | 1 | 2 | 3 |
| Dorchester | | | | | | | | | | | | | | | | 1 | 1 | 1 | 1 |
| Easton | | | | | | | | | | | | | | 1 | | | 1 | | 1 |
| Ellsworth | | | | | | | | | | | | | | | | | | | |
| Enfield | 2 | | | | | | | 1 | 1 | | | | 1 | 3 | 1 | 2 | 3 | 6 | 9 |
| Franconia | | | | | | | | | | | | | | | 1 | | 1 | | 1 |
| Grafton | | 2 | | | | | | | 2 | | | | | | | | | 2 | 2 |
| Groton | | | | | | | | | | | | | | | | | | | |
| Hanover | | | | | | | 1 | | 1 | | | | 2 | | | | 3 | 3 | |
| Haverhill | | 1 | | | | | 3 | 3 | 1 | | | | 6 | 7 | | | 9 | 8 | 17 |
| Hebron | | | | | | | | | | | | | | | | | | | |
| Holderness | | | | | | | | | | | | | 1 | | | | 1 | | 1 |
| Landaff | | | | | | | | | | | | | | 1 | 1 | | 1 | 1 | 2 |
| Lebanon | | 2 | | | 1 | | | 3 | | 1 | 1 | 3 | 3 | 2 | | | 8 | 4 | 12 |
| Lincoln | | | | | | | | | | | | | | | | | | | |
| Lisbon | | | | | | | | 2 | 2 | 1 | | 1 | 1 | 1 | 1 | | 1 | 5 | 6 |
| Littleton | 1 | | | | | | | 1 | | | | 1 | 2 | 2 | | | 4 | 2 | 6 |
| Livermore | | | | | | | | | | | | | | | | | | | |
| Lyman | | | | | | | | | | | | | | | | | | | |
| Lyme | | 1 | | | | | | | 1 | | | | 2 | | | | 2 | 1 | 3 |
| Monroe | | | | | | | | | | | | | | | | | | | |
| Orange | | | | | | | | | | | | | 1 | | | | 1 | | 1 |
| Orford | | | | | | | | 1 | 1 | 1 | | 1 | 1 | 1 | | | 2 | 3 | 5 |
| Piermont | | | | | | | 1 | 1 | | | | 1 | | | 1 | | 2 | 1 | 3 |
| Plymouth | | | | | | | | | | | | | 1 | | | | | 1 | 1 |
| Rumney | 2 | | | | | | | 2 | | | | | | 1 | | | 3 | | 3 |
| Thornton | 2 | | | | | | | 1 | 1 | | | | | 1 | | | 1 | 2 | 3 |
| Warren | | | | | | | | | | | | | | | | 1 | | 1 | 1 |
| Waterville | | | | | | | | | | | | | | | | | | | |
| Wentworth | | 2 | | | | | | 1 | 1 | | | | 1 | 1 | | | 2 | 2 | 4 |
| Woodstock | | 1 | | | | | | | | | | | | | | 1 | | 1 | 1 |

— *Continued.*DISEASES.—*Continued.*

| ORDER 5. — Urinary Organs. | | | | | | | | | | ORDER 6. — Generative Organs. | | ORDER 7. — Osseous and Locomotory System. | | | | ORDER 8. — Integumentary System. | | | | Total for Class III. | | | | | | | | |
|----------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|-------------------------------|----|---|--------------------|--------|---------------------|----------------------------------|-------------------------|----|----|----------------------|--------|----------------|----|----|-------|---------|-----------------|-------|
| Nephritis. | Ischuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | M. | F. | Ovarian Dropsy. | Disease of Uterus. | Total. | Bones, Diseases of. | Joint Diseases. | Vertebrae, Diseases of. | M. | F. | Phlegmon. | Ulcer. | Skin Diseases. | M. | F. | Male. | Female. | Sex not stated. | Total |
| | | 1 | | | | | | | | | 1 | | | | | | | | | | | | | | 3 | 2 | | 5 |
| | | | | | 2 | | | | | | 2 | | | | | | | | | | | | | | 7 | 4 | | 11 |
| | | 1 | | | | | 1 | | | | 1 | | | | | | | | | | | | | | 2 | 3 | | 5 |
| 1 | | 1 | 1 | | | | | | | 2 | 1 | | | | | | | | | | | | | | 4 | 7 | | 11 |
| | | | 1 | 1 | | | | | | | 1 | 1 | | | | | | | | | | | | | 3 | 3 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 5 | | 11 |
| | | 1 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | 3 | 3 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 4 | | 12 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4 | | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 4 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 3 | | 7 |
| | | | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | 4 | 1 | | 1 |
| | | | 1 | | | | | | | | 1 | 1 | | | | | | | | | | | | | 4 | 2 | | 6 |
| | | | 2 | | 1 | | | | | | 2 | 1 | | | | | | | | | | | | | 7 | 4 | | 11 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 10 | 22 | | 32 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 4 | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 4 | | 10 |
| 2 | | 4 | 1 | | 1 | | | | | 4 | 4 | | | | | | | | | | | | | | 11 | 25 | | 36 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 8 | 4 | | 12 |
| | | 1 | | | 1 | 1 | | | | 3 | | | | | | | | | | | | | | | 14 | 10 | | 24 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 8 | | 13 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 5 | | 8 |
| | | | 1 | | | | | | | 1 | | | | | | | | | | | | | | | 3 | 2 | | 5 |
| | | 1 | 1 | | | | | | | | 2 | | | | | | | | | | | | | | 2 | 6 | | 8 |
| | | | | | 1 | | | | | 1 | | | | | | | | | | | | | | | 5 | 4 | | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | 3 |
| | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | | 5 | 1 | | 6 |
| | | | | | | | 1 | | | 1 | | | | | | | | | | | | | | | 1 | 6 | | 7 |

CLASS I. —

[illegible]

TABLE No. XV.

| TOWNS IN COÖS COUNTY. | CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|----------------|---------------------------|--------|----|-----------|--------------------|---------------------------|----------------|------------------------|
| | ORDER 1.—Diathetic. | | | | | | | | | ORDER 2.—Tuber- cular. | | | | | Total for Class II. | | |
| | Gout. | Dropsy. | Anemia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tabes Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. |
| | | | | | | | | | | | M. | F. | | | | | |
| Berlin | | | | | | | 1 | | | | 1 | | | | 1 | 1 | 1 |
| Carroll | | | | 1 | | | | | | | 1 | | | | 2 | | 2 |
| Clarksville | | | | | | | | | | | | | | | 1 | 1 | 1 |
| Colebrook | 1 | 1 | | | | | | | | 1 | 2 | 1 | | | 1 | | 1 |
| Columbia | | | | | | | | | | | | | | | 2 | | 2 |
| Dalton | | | | | | | | | | | | | | | 2 | | 2 |
| Dummer | | | | 1 | | | | | | | 1 | | | | | | 1 |
| Errol | | | | | | | | | | | | | | | | | |
| Gorham | | | | 1 | 1 | | | | | | 2 | 1 | | 2 | | 1 | 2 |
| Jefferson | 1 | | | | | | | | | | 1 | 1 | | 3 | | 2 | 2 |
| Lancaster | | | | 2 | | | | 1 | | 1 | 2 | | | 12 | | 2 | 7 |
| Milan | | | | 1 | | | | | | | 1 | | | | | | |
| Millsfield | | | | | | | | | | | | | | | | | |
| Northumberland | | | | | | | | | | | | | | 2 | | 1 | 1 |
| Pittsburg | | | | 1 | | | | | 1 | 1 | 1 | | | 2 | | 1 | 1 |
| Randolph | | | | | | | | | | | | | | | | | |
| Shelburne | | | | | | | | | | | | | | | | | |
| Stark | | | | | | | | | | | | | | 1 | | 1 | 1 |
| Stewartstown | 1 | | | 1 | | | | | | 2 | | | | 1 | | 1 | 3 |
| Stratford | | | | 1 | | | | | | 1 | | | | 2 | | 2 | 1 |
| Whitefield | | | | | 1 | | | | | 1 | | | | 6 | | 1 | 6 |

— *Continued.*

CLASS III.—LOCAL DISEASES.

| ORDER 1.—Nervous System. | | | | | | | | | | ORDER 2.—Circulatory System. | | | | | ORDER 3.—Respiratory System. | | | | | | | | | |
|--------------------------|-------------|-----------|------------|-----------|---------|-----------|----------|--------------|-----------------|------------------------------|---------------|-----------|-----------------|--------|------------------------------|-------------|--------------------|----------------------|-----------|------------|---------|----------------|--------|----|
| Cephalitis. | Cerebritis. | Apoplexy. | Paralysis. | Insanity. | Chorea. | Epilepsy. | Tetanus. | Convulsions. | Brain Diseases. | Total. | Pericarditis. | Aneurism. | Heart Diseases. | Total. | Epistaxis. | Laryngitis. | Bronchitis, Acute. | Bronchitis, Chronic. | Pleurisy. | Pneumonia. | Asthma. | Lung Diseases. | Total. | |
| M. | F. | | | | | | | | | | | | M. | F. | | | | | | | | | M. | F. |
| 2 | 2 | | | | | | | 2 | 3 | 1 | | | 1 | 1 | | | | | | 9 | | | 5 | 4 |
| | | | 1 | | | | | | 1 | 2 | | | 2 | 2 | | | 2 | | | 3 | | | 3 | 2 |
| | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 1 |
| | | | 1 | 1 | | | | | 1 | 3 | | | 1 | 1 | | | | | | 5 | | | 1 | 4 |
| | | | | | | | | | | | | | 2 | 1 | 1 | | | | | 4 | | | 3 | 1 |
| | | | 1 | | | | | | | 1 | | | | | | | | | | 1 | | | 1 | |
| | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | |
| | | | | | | | | 1 | 1 | 1 | | | 1 | 1 | 1 | | | | | 2 | | | 1 | 1 |
| | | 1 | | | | | | | 1 | 1 | | | | | | | | | | | | | | |
| | | | 2 | | | | | | 2 | 2 | | | | | | | | | | | | | | |
| 3 | | 1 | | | | | | | 1 | 3 | 2 | | 1 | 1 | | | | | | 8 | | | 5 | 3 |
| | 2 | | | | | | | | 1 | 3 | | | 1 | 1 | | | | | | 2 | | | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | 1 | | | | | | 1 | 1 | | | 1 | | 1 | | | | | 2 | | | 2 | |
| | | | 1 | | | | | | 1 | | | | | | | | | | | 1 | | | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 2 | 1 | | | | | | | 3 | | | 2 | | 2 | | 1 | | | 2 | | | 3 | |
| | | | | 1 | | | | | 1 | | | | 2 | 1 | 1 | | | | | 4 | | | 3 | 1 |
| | | 1 | | | | | | | 1 | | | | 1 | 1 | | | 1 | | | 3 | | | 2 | 2 |
| 3 | 4 | 1 | | | | | | | 5 | 3 | 2 | | 3 | 5 | | | 1 | | | 3 | | | 3 | 1 |

TABLE No. XV.

| TOWNS IN COÖS COUNTY. | CLASS III. — LOCAL. | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------|------------|--------------|----------|---------------------------|---------|--------|------------------|--------------------------|----------|-------------------|--------------------|------------|-----------|-----------------|------------------|-----------------|--------|----|
| | ORDER 4. — Digestive Organs. | | | | | | | | | | | | | | | | | | |
| | Gastritis. | Enteritis. | Peritonitis. | Ascites. | Ulceration of Intestines. | Hernia. | Ileus. | Intussusception. | Stricture of Intestines. | Fistula. | Stomach Diseases. | Pancreas Diseases. | Hepatitis. | Jaundice. | Liver Diseases. | Spleen Diseases. | Bowel Diseases. | Total. | |
| | M. | F. | | | | | | | | | | | | | | | | M. | F. |
| Berlin | | 2 | 1 | | | | | | | | | | | | | | | 2 | 1 |
| Carroll | | | 1 | | | | | | | | | | | | | | 1 | 1 | 1 |
| Clarksville | | | | | | | | | | | | | | | | | | | |
| Colebrook | | | | | | | | | | | | | | | 1 | | 1 | | |
| Columbia | | | | | | | | | | | | | | | | | | | |
| Dalton | | | | | | | | | | | | | | | | | | | |
| Dummer | | | | | | | | | | | | | | | | | | | |
| Errol | | | | | | | | | | | | | | | | | | | |
| Gorham | | | 1 | | | 1 | | | | | | | | | | | | 2 | |
| Jefferson | | | | | | | | | | | | | | | | | | | |
| Lancaster | | | | | | | | | | | | | | | | | | | |
| Milan | 1 | 1 | | | | | | | | | 1 | | | | | | | 2 | 1 |
| Millsfield | | | | | | | | | | | | | | | | | | | |
| Northumberland | | | | | | | | | | | | | | | | | | | |
| Pittsburg | | | | | | | | | | | | | | | | | | | |
| Randolph | | | | | | | | | | | | | | | | | | | |
| Shelburne | | | | | | | | | | | | | | | | | | | |
| Stark | | | | | | | | | | | | | | | | | 1 | | 1 |
| Stewartstown | | | | | | | | | | | | | | | | | | | |
| Stratford | | | | | | | | | | | | | | | | | | | |
| Whitefield | | | 1 | | | | | | | | | | | | 1 | | 1 | 1 | 2 |

TABLE No. XV.

| TOWNS IN COÖS COUNTY. | CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | |
|--------------------------|-----------------------------------|----------------------|----------------------------|-----------|---------------|----------------------|-----------|--------------|--------|--------------------------|------------|--------------------|----------|-----------------------|-------|------------------------|--------|
| | ORDER 1.—Of Children. | | | | | | | | | ORDER 2.—Of Women. | | ORDERS 3 and 4. | | | | Total for Class IV. | |
| | Still-born. | Debility, Infantile. | Debility, Premature Birth. | Cyanosis. | Spina Bifida. | Other Malformations. | Teething. | Innutrition. | Total. | Childbirth. | Paramenia. | Total. | Old Age. | Atrophy and Debility. | Male. | Female. | Total. |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| M. | F. | | | | | | | | | | | M. | F. | M. | F. | | |
| Berlin | 1 | 1 | | | | | 1 | 3 | 4 | 2 | | | | | 4 | 2 | 6 |
| Carroll | 1 | | | | | | | | 1 | | | | 1 | | 1 | 1 | 2 |
| Clarksville | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Colebrook | | | | | | | | | | | | 2 | 1 | | 2 | 1 | 3 |
| Columbia | | | | | | | | | | | | | | | | | |
| Dalton | | | 1 | | | 1 | | | 1 | 1 | 1 | 1 | 2 | | 1 | 4 | 5 |
| Dummer | | | | | | | | | | | | 1 | | | 1 | | 1 |
| Errol | | | | | | | | | | | | | | | | | |
| Gorham | | | | | | | 1 | | 1 | | 1 | 1 | | | 1 | 1 | 2 |
| Jefferson | | | | | | | | | | | | | 2 | | | 2 | 2 |
| Lancaster | 3 | 1 | 1 | | | | | | 2 | 3 | | | 3 | 1 | 5 | 4 | 9 |
| Milan | | | | | | | | | | | | 1 | 1 | | 2 | | 2 |
| Millsfield | | | | | | | | | | | | | | | | | |
| Northumberland | | | | | | | | | | | | 1 | | | 1 | | 1 |
| Pittsburg | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Randolph | | | | | | | | | | | | | | | | | |
| Shelburne | | | | | | | | | | | | | | | | | |
| Stark | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Stewartstown | | | | | | | | | | | | | | | | | |
| Stratford | | 1 | | | | | | | 1 | | | | 2 | 1 | 1 | 3 | 2 |
| Whitefield | 2 | | | | | 1 | | | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 5 |

— Continued.

| CLASS V. — VIOLENT DEATHS. | | | | | | | | | | | | | | | | | Grand Total for all Classes. | | | | | |
|--|----|----|----|----|----|--------|---|----|---|----|----|----|----|----------------------------|--------|---|------------------------------------|--------|----|----|--------|--|
| ORDER 1. — Accident and Negligence. | | | | | | | OR- DER 2 | | ORDER 3. — Suicide. | | | | | ORDER 4. — Various. | | | Total for Class V. | | | | | |
| Fractures and Contusions. Wounds, Unspecified. Burns and Scalds. Poison. Drowning. Suffocation. Various. Total. | | | | | | | Homicide. Wounds, Unspecified. Wounds, Pistol or Gunshot. Wounds, Knife. Poison. Drowning. Hanging. Otherwise. Total. | | Violent, not Classified. Cause, not Reported or Un- Classified. | | | | | Male. Female. Total. | | Male. Female. Not stated. Total. | | | | | | |
| M. | F. | M. | F. | M. | F. | Total. | M. | F. | M. | F. | M. | F. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | |
| . | . | . | . | 2 | 1 | 3 | . | . | . | . | . | . | 1 | 5 | 5 | 25 | 16 | 41 | . | . | . | |
| 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 11 | 8 | 18 | . | . | . | |
| . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 5 | . | . | . | | |
| . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 7 | 9 | 16 | . | . | . | |
| . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 7 | . | . | . | | |
| . | . | . | . | 2 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | | |
| . | . | . | . | . | 3 | 3 | . | . | . | . | . | . | . | . | . | 2 | 2 | 4 | . | . | . | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 2 | 4 | . | . | . | |
| . | . | . | . | 1 | 1 | 2 | . | . | . | . | . | . | . | 1 | 13 | 10 | 23 | . | . | . | | |
| . | . | . | 1 | . | 1 | 2 | . | . | . | . | . | . | . | 5 | 8 | *1 | 14 | . | . | . | | |
| . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 24 | 21 | *1 | 46 | . | . | . | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | 8 | 9 | . | 17 | . | . | . | | |
| 1 | . | . | 1 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | 3 | 8 | 6 | 14 | . | . | . | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 5 | 8 | . | . | . | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 5 | 7 | 12 | . | . | . | |
| . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | 9 | 3 | 12 | . | . | . | |
| 1 | . | . | . | . | 3 | 3 | . | . | 1 | 1 | . | . | 1 | 2 | 3 | 12 | 8 | 20 | . | . | . | |
| . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | 6 | 8 | 27 | 19 | 46 | . | . | . | |

* Classed with males.

TABLE No. XV.
RECAPITULATION

| COUNTIES. | CLASS I.— | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---------------------|-------------------|--------------------|-------------------|-----------------|----------------------------|-------------|-----------|------------|-------------|-----------------|------------------------|----------------------|------------------|-----------------|------------------------|---------------------|----------------|-----------------------|----------|--------|---------------------------|------------|--|
| | ORDER 1.—Miasmatic. | | | | | | | | | | | | | | | | | | | | | | | |
| | Carbuncle. | Cholera, Asiatic. | Cholera, Sporadic. | Cholera Infantum. | Cholera Morbus. | Croup (Pseudo-membranous). | Diphtheria. | Diarrhea. | Dysentery. | Erysipelas. | Fever, Bilious. | Fever, Cerebro-spinal. | Fever, Intermittent. | Fever, Malarial. | Fever, Typhoid. | Fever, Typho-malarial. | Fever, Unspecified. | Fever, Yellow. | Influenza (Epidemic). | Measles. | Mumps. | Metria (Puerperal Fever). | Pertussis. | |
| Rockingham... | 1 | ... | 42 | 1 | 8 | 19 | 4 | 6 | 7 | ... | ... | ... | ... | 12 | ... | ... | ... | 5 | 1 | ... | ... | 5 | 1 | |
| Strafford | ... | ... | 30 | 2 | 20 | 46 | 8 | 1 | 7 | 1 | ... | ... | ... | 16 | 1 | 1 | ... | 4 | ... | ... | 1 | ... | ... | |
| Belknap | ... | ... | 22 | 1 | 1 | 12 | 2 | 2 | 1 | ... | ... | 1 | 1 | 10 | ... | 1 | ... | 3 | ... | ... | ... | 1 | ... | |
| Carroll | ... | ... | 1 | ... | ... | 4 | 1 | 1 | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | 6 | ... | ... | 1 | 1 | ... | |
| Merrimack | ... | ... | 25 | 1 | 4 | 5 | 5 | 4 | 2 | 1 | ... | ... | ... | 26 | ... | ... | 11 | 1 | ... | 3 | 4 | ... | ... | |
| Hillsborough .. | ... | ... | 224 | 2 | 20 | 28 | 17 | 26 | 4 | 1 | ... | ... | 3 | 33 | ... | 1 | ... | 36 | 5 | ... | 5 | 5 | ... | |
| Cheshire | ... | ... | 17 | 4 | 2 | 36 | 4 | 2 | ... | ... | ... | ... | 1 | 8 | 1 | ... | 13 | 2 | ... | ... | 1 | ... | ... | |
| Sullivan | ... | ... | 13 | ... | ... | 8 | 4 | ... | 4 | ... | ... | ... | ... | 1 | ... | ... | 3 | ... | ... | ... | 1 | ... | ... | |
| Grafton | 1 | ... | 13 | ... | 7 | 2 | 3 | 2 | 3 | ... | ... | ... | 3 | 11 | ... | ... | 7 | ... | ... | ... | 5 | ... | ... | |
| Coös | 1 | ... | 12 | 1 | 2 | 4 | 2 | 4 | ... | ... | ... | ... | 1 | 6 | ... | ... | 6 | ... | ... | 1 | 3 | ... | ... | |
| Total | 3 | ... | 399 | 12 | 64 | 164 | 50 | 48 | 29 | 3 | ... | 1 | 9 | 124 | 2 | 4 | ... | 94 | 9 | ... | 11 | 26 | ... | |

— Continued.

BY COUNTIES.

ZYMOTIC DISEASES.

| | | | | ORDER 2.—Enthetic. | | | | | | | | ORDER 3.— Dietic. | | | | ORDER 4.— Parasitic. | | | | Total for Class I. | | | |
|--|--|--|--|--------------------|--|--|--|--|--|--|--|----------------------|--|--|--|-------------------------|--|--|--|-----------------------|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |

TABLE No. XV.
RECAPITULATION

CLASS II.—CONSTITUTIONAL DISEASES.

| COUNTIES. | ORDER 1.—Diathetic. | | | | | | | | | | ORDER 2.—Tuber- cular. | | | | | | | | Total for Class II. | | | |
|-----------------|---------------------|---------|---------|------------------|-------------------|--------------------|-------------------|----------------|----------------|-------------|---------------------------|----|-----------|---------------------|-----------|----------------|------------------------|--------|---------------------------|-------|---------|--------|
| | Gout. | Dropsy. | Anemia. | Cancer, Various. | Cancer of Breast. | Cancer of Stomach. | Cancer of Uterus. | Noma (Canker). | Mortification. | Rheumatism. | Total. | | Scrofula. | Tuberc Mesenterica. | Phthisis. | Hydrocephalus. | Tubercular Meningitis. | Total. | | Male. | Female. | Total. |
| | | | | | | | | | | | M. | F. | | | | | | M. | F. | | | |
| Rockingham... | 12 | 4 | 23 | 4 | 5 | 7 | 3 | 6 | 30 | 34 | 2 | 1 | 134 | 6 | 5 | 78 | 70 | 108 | 104 | 212 | | |
| Strafford..... | 6 | 2 | 17 | 1 | 2 | 3 | 3 | 1 | 12 | 23 | 1 | 1 | 117 | 3 | 3 | 60 | 61 | 72 | 84 | 156 | | |
| Belknap..... | 2 | 1 | 14 | 2 | 2 | 2 | 2 | 1 | 5 | 16 | 1 | 1 | 40 | 2 | 1 | 19 | 25 | 24 | 41 | 65 | | |
| Carroll..... | 4 | 2 | 9 | 2 | 3 | 2 | 2 | 2 | 6 | 16 | 1 | 1 | 25 | 1 | 1 | 14 | 14 | 20 | 30 | 50 | | |
| Merrimack..... | 2 | 5 | 41 | 1 | 8 | 4 | 5 | 5 | 19 | 52 | 1 | 2 | 114 | 2 | 2 | 57 | 64 | 76 | 116 | 192 | | |
| Hillsborough... | 13 | 7 | 45 | 3 | 11 | 5 | 5 | 7 | 40 | 56 | 2 | 1 | 204 | 1 | 8 | 100 | 116 | 140 | 172 | 312 | | |
| Cheshire..... | 3 | 4 | 10 | 1 | 1 | 3 | 3 | 4 | 12 | 13 | 1 | 1 | 51 | 1 | 1 | 22 | 31 | 34 | 44 | 78 | | |
| Sullivan..... | 3 | 2 | 14 | 2 | 2 | 4 | 2 | 4 | 14 | 15 | 2 | 1 | 32 | 4 | 16 | 23 | 30 | 38 | 68 | | | |
| Grafton..... | 5 | 1 | 20 | 4 | 1 | 5 | 2 | 11 | 27 | 3 | 1 | 70 | 1 | 1 | 29 | 46 | 40 | 73 | 113 | | | |
| Coös..... | 3 | 1 | 9 | 2 | 1 | 1 | 2 | 9 | 10 | 2 | 1 | 38 | 4 | 22 | 22 | 31 | 32 | 63 | | | | |
| Total..... | 53 | 28 | 202 | 13 | 40 | 21 | 33 | 30 | 158 | 262 | 15 | 6 | 825 | 13 | 30 | 417 | 472 | 575 | 734 | 1,309 | | |

— Continued.

BY COUNTIES.

CLASS III.—LOCAL DISEASES.

| ORDER 1.—Nervous System. | | | | | | | | | | ORDER 2.—Circulatory System. | | | | ORDER 3.—Respiratory System. | | | | | | | | | | | | |
|--------------------------|-------------|-----------|------------|-----------|---------|-----------|----------|--------------|-----------------|------------------------------|-----|---------------|-----------|------------------------------|--------|-----|------------|-------------|--------------------|----------------------|-----------|------------|---------|----------------|--------|-----|
| Cephalitis. | Cerebritis. | Apoplexy. | Paralysis. | Insanity. | Chorea. | Epilepsy. | Tetanus. | Convulsions. | Brain Diseases. | Total. | | Pericarditis. | Aneurism. | Heart Diseases. | Total. | | Epistaxis. | Laryngitis. | Bronchitis, Acute. | Bronchitis, Chronic. | Pleurisy. | Pneumonia. | Asthma. | Lung Diseases. | Total. | |
| M. | F. | | | | | | | | | M. | F. | | | | M. | F. | | | | | | | | | M. | F. |
| 21 | 4 | 36 | 47 | 1 | .. | 1 | 14 | 14 | 71 | 68 | 3 | .. | 93 | 53 | 43 | 1 | 2 | 31 | 1 | 2 | 90 | 1 | 3 | 69 | 62 | |
| 19 | 6 | 21 | 16 | 1 | .. | 2 | 1 | 4 | 16 | 44 | 42 | 1 | .. | 49 | 32 | 18 | .. | 1 | 17 | .. | 2 | 80 | 1 | .. | 59 | 42 |
| 6 | .. | 17 | 15 | 2 | .. | .. | 1 | 1 | 7 | 24 | 25 | 1 | .. | 24 | 13 | 12 | .. | 1 | 3 | .. | .. | 42 | .. | .. | 19 | 27 |
| 1 | 1 | 17 | 22 | 1 | 1 | .. | .. | 2 | 12 | 23 | 34 | .. | .. | 30 | 15 | 15 | .. | 1 | 4 | .. | .. | 37 | .. | 3 | 21 | 24 |
| 15 | 8 | 42 | 51 | 16 | .. | 8 | 2 | 8 | 33 | 91 | 92 | 3 | .. | 80 | 36 | 47 | .. | .. | 24 | .. | 2 | 94 | 1 | 2 | 67 | 56 |
| 38 | 25 | 59 | 33 | 1 | .. | 3 | 1 | 24 | 25 | 109 | 100 | 2 | .. | 120 | 72 | 50 | .. | .. | 82 | .. | 1 | 158 | 4 | 2 | 127 | 120 |
| 11 | .. | 21 | 23 | 1 | .. | 3 | 1 | 5 | 11 | 34 | 42 | .. | .. | 59 | 37 | 22 | .. | 1 | 6 | .. | 1 | 44 | 2 | 1 | 33 | 22 |
| 4 | 1 | 14 | 10 | 1 | .. | .. | .. | .. | 3 | 16 | 17 | .. | .. | 34 | 19 | 15 | .. | .. | 9 | .. | 2 | 32 | 1 | 2 | 19 | 27 |
| 10 | 1 | 27 | 25 | 2 | .. | .. | 1 | 4 | 16 | 39 | 47 | 2 | .. | 46 | 25 | 23 | .. | 1 | 12 | .. | 1 | 74 | 1 | 1 | 40 | 50 |
| 13 | 2 | 9 | 9 | 2 | .. | .. | .. | 3 | 3 | 18 | 23 | 3 | .. | 18 | 15 | 6 | .. | .. | 5 | .. | .. | 52 | .. | .. | 33 | 24 |
| 138 | 48 | 263 | 251 | 28 | 1 | 117 | 8 | 65 | 140 | 469 | 490 | 15 | .. | 553 | 317 | 251 | 1 | 7 | 193 | 1 | 11 | 703 | 11 | 14 | 487 | 454 |

TABLE No. XV.
RECAPITULATION

| COUNTIES. | CLASS III. — LOCAL | | | | | | | | | | | | | | | | | |
|--------------|------------------------------|------------|--------------|----------|---------------------------|---------|--------|------------------|--------------------------|----------|-------------------|--------------------|------------|-----------|-----------------|------------------|-----------------|--------|
| | ORDER 4. — Digestive Organs. | | | | | | | | | | | | | | | | | |
| | Gastritis. | Enteritis. | Peritonitis. | Ascites. | Ulceration of Intestines. | Hernia. | Ileus. | Intussusception. | Stricture of Intestines. | Fistula. | Stomach Diseases. | Pancreas Diseases. | Hepatitis. | Jaundice. | Liver Diseases. | Spleen Diseases. | Bowel Diseases. | Total. |
| | M. | F. | | | | | | | | | | | | | | | | |
| Rockingham | 6 | 12 | 9 | | | | 1 | 6 | | | 6 | 2 | 2 | 6 | | 4 | 24 | 30 |
| Strafford | 7 | 10 | 5 | | | | 3 | 4 | | | 2 | 2 | 1 | 3 | 1 | 2 | 15 | 25 |
| Belknap | 6 | 1 | | | 2 | 1 | 1 | | | | | 1 | 1 | 2 | | 3 | 8 | 10 |
| Carroll | 5 | 1 | 2 | | 2 | | | 1 | | | 3 | | | 2 | | | 13 | 3 |
| Merrimack | 7 | 12 | 10 | 2 | | 2 | 1 | 1 | | | 6 | 5 | 3 | 4 | | 2 | 29 | 26 |
| Hillsborough | 14 | 14 | 10 | 1 | 1 | 4 | 2 | 4 | | 9 | 9 | 6 | 2 | 17 | | 6 | 37 | 53 |
| Cheshire | 4 | 4 | 2 | | | | 1 | | | | 3 | | | 5 | | 3 | 9 | 13 |
| Sullivan | | 2 | 2 | | | | 2 | | | | 3 | | | 6 | | | 8 | 7 |
| Grafton | 10 | 4 | 7 | 1 | | | 1 | | | | 5 | | 2 | 1 | 9 | 2 | 15 | 27 |
| Coös | 1 | 3 | 4 | | | 1 | | | | | 1 | | | 2 | | 3 | 9 | 6 |
| Total | 60 | 63 | 51 | 4 | 5 | 12 | 18 | 6 | | 38 | 18 | 10 | 56 | 125 | 167 | 200 | | |

— Continued.

BY COUNTIES.

DISEASES. — Continued.

| ORDER 5.—Urinary Organs. | | | | | | | | | | ORDER 6.—Generative Organs. | | ORDER 7.—Osseous and Locomotory System. | | | | ORDER 8.—Integumentary System. | | | | Total for Class III. | | | | | | | | |
|--------------------------|-----------|-----------------------------|-----------|--------------------------|-----------|-----------------------|------------------|-----------------------|------------------------|-----------------------------|----|---|--------------------|--------|---------------------|--------------------------------|-------------------------|--------|-----|----------------------|--------|----------------|--------|----|-------|---------|-----------------|--------|
| Nephritis. | Iachuria. | Nephria (Bright's Disease). | Diabetes. | Calculus (Gravel, etc.). | Cystitis. | Prostate, Disease of. | Kidney Diseases. | Bladder, Diseases of. | Testicles, Disease of. | Total. | | Ovarian Dropsy. | Disease of Uterus. | Total. | Bones, Diseases of. | Joint Diseases. | Vertebrae, Diseases of. | Total. | | Phlegmon. | Ulcer. | Skin Diseases. | Total. | | Male. | Female. | Sex not stated. | Total. |
| | | | | | | | | | | M. | F. | | | | | | | M. | F. | | | | M. | F. | | | | |
| 12 | 9 | 7 | 4 | 2 | 5 | 2 | 25 | 16 | 2 | 2 | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 248 | 224 | 467 | | | | | | | | |
| 11 | 10 | 2 | 1 | 1 | 4 | 1 | 19 | 9 | 4 | 6 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 170 | 187 | 357 | | | | | | | | |
| 1 | 2 | 3 | 3 | 2 | 1 | 1 | 4 | 6 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 69 | 81 | 150 | | | | | | | | |
| 2 | 4 | 3 | 2 | 2 | 5 | 1 | 11 | 5 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 88 | 83 | 166 | | | | | | | | |
| 4 | 17 | 5 | 2 | 5 | 1 | 8 | 22 | 20 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 248 | 248 | 491 | | | | | | | | |
| 10 | 28 | 5 | 2 | 7 | 1 | 8 | 31 | 31 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 378 | 359 | 737 | | | | | | | | |
| 1 | 11 | 2 | 4 | 4 | 4 | 1 | 17 | 5 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 132 | 104 | 236 | | | | | | | | |
| 2 | 15 | 2 | 1 | 1 | 5 | 1 | 19 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 81 | 72 | 153 | | | | | | | | |
| 3 | 13 | 1 | 7 | 1 | 3 | 1 | 21 | 14 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 140 | 161 | 301 | | | | | | | | |
| | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 76 | 62 | 138 | | | | | | | | |
| 46 | 111 | 86 | 536 | 544 | 8 | 170 | 115 | 5 | 4 | 9 | 4 | 1 | 4 | 5 | 4 | 3 | 1 | 4 | 5 | 3 | 1,620 | 1,526 | 3,146 | | | | | |

TABLE No. XV.
RECAPITULATION

| COUNTIES. | | CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | | | |
|--------------|-----|-----------------------------------|----------------------|----|----------------------------|-----------|---------------|----------------------|-----------|--------------|--------|--------------------|-------------|-----------------|--------|----------|-----|-----------------------|-----|--------|---------|--------|
| | | ORDER 1.—Of Children. | | | | | | | | | | ORDER 2.—Of Women. | | ORDERS 3 and 4. | | | | Total for Class IV. | | | | |
| | | Still-born | Debility, Infantile. | | Debility, Premature Birth. | Cyanosis. | Spina Bifida. | Other Malformations. | Teething. | Innutrition. | Total. | | Childbirth. | Paramenia. | Total. | Old Age. | | Atrophy and Debility. | | Male. | Female. | Total. |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | Total. | | |
| Rockingham | 15 | 3 | 9 | 1 | .. | .. | 1 | 9 | 23 | 15 | 3 | .. | 3 | 23 | 37 | 22 | 21 | 68 | 76 | 144 | | |
| Strafford | 25 | 17 | 7 | 3 | .. | .. | .. | 15 | 39 | 28 | 7 | .. | 7 | 16 | 20 | 11 | 9 | 66 | 64 | 130 | | |
| Belknap | 6 | 6 | 7 | 1 | .. | 1 | .. | 4 | 17 | 8 | 2 | .. | 2 | 13 | 17 | 3 | 3 | 33 | 30 | 63 | | |
| Carroll | 4 | 1 | 1 | .. | .. | 1 | .. | 3 | 6 | 4 | 3 | 1 | 4 | 9 | 7 | 3 | 3 | 18 | 18 | 36 | | |
| Merrimack | 31 | 9 | 10 | .. | .. | 5 | .. | 9 | 34 | 30 | 1 | .. | 1 | 19 | 25 | 9 | 12 | 62 | 68 | 130 | | |
| Hillsborough | 91 | 57 | 20 | 1 | .. | 10 | 38 | 134 | 83 | 3 | .. | 3 | 24 | 51 | 19 | 24 | 177 | 161 | 338 | | | |
| Cheshire | 2 | 6 | 2 | 2 | .. | 1 | 1 | 4 | 8 | 10 | 2 | .. | 2 | 18 | 28 | 7 | 14 | 33 | 54 | 87 | | |
| Sullivan | 6 | 2 | 5 | 2 | .. | 1 | 1 | 1 | 10 | 8 | 1 | .. | 1 | 11 | 9 | 5 | 9 | 26 | 27 | 53 | | |
| Grafton | 10 | 9 | 2 | .. | 1 | .. | 9 | 17 | 14 | 3 | .. | 3 | 25 | 34 | 12 | 14 | 54 | 65 | 119 | | | |
| Coös | 7 | 3 | 2 | .. | 2 | 2 | 3 | 12 | 7 | 3 | .. | 3 | 11 | 13 | 2 | 2 | 25 | 25 | 50 | | | |
| Total | 197 | 113 | 65 | 10 | 1 | 11 | 15 | 95 | 300 | 207 | 28 | 1 | 29 | 169 | 241 | 93 | 111 | 562 | 588 | 1,150 | | |

— Continued.
BY COUNTIES.

| CLASS V. — VIOLENT DEATHS. | | | | | | | | | | | | | | | | | | | | | Grand Total for all Classes. | | | | | | | | | | |
|--|---|----|----|----|----|--------------------|-----|--|---|---|---|---|--|---|---|---|----|----------------------------|---|---|---|-----|-----|-----|-----|-----|-------|-------|-----|-------|-----|
| ORDER 1. — Accident and Negligence. | | | | | | OR- DER 2. | | ORDER 3. — Suicide. | | | | | | ORDER 4. — Various. | | | | Total for Class V. | | | | | | | | | | | | | |
| Fractures and Contusions. Wounds, Unspecified. Burns and Scalds. Poison. Drowning. Suffocation. Various. Total. | | | | | | Homicide. M. F. | | Wounds, Unspecified. Wounds, Pistol or Gunshot. Wounds, Knife. Poison. Drowning. Hanging. Otherwise. Total. | | | | | | Violent, not Classed. Cause not Reported or Un- classified. Male. Female. Total. | | | | Male. Female. Total. | | | Male. Female. Not stated. Total. | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1 | 2 | 3 | 13 | 2 | 11 | 28 | 5 | 1 | 3 | | | | | | 2 | 1 | 3 | | | | 43 | 32 | 75 | 40 | 115 | 551 | 509 | *5 | 1,065 | |
| | | | 2 | 3 | | 10 | 12 | 3 | | | | | | | | | 1 | 1 | 2 | | | | 22 | 20 | 36 | 23 | 59 | 415 | 380 | *6 | 801 |
| 12 | | 4 | | 6 | | 2 | 8 | 6 | | | | | | | | | 1 | 4 | 3 | 2 | 2 | | 7 | 4 | 18 | 14 | 32 | 181 | 190 | *3 | 374 |
| 1 | | | | | | 4 | 4 | 1 | | | 1 | 1 | | 1 | 1 | 4 | | | | | | | 11 | 10 | 19 | 11 | 30 | 147 | 154 | *2 | 303 |
| 8 | | 1 | | 2 | | 11 | 20 | 2 | | | | | | | 1 | 1 | 1 | 1 | | | | 18 | 20 | 40 | 23 | 63 | 473 | 503 | *7 | 983 | |
| 10 | 2 | 1 | 3 | 10 | 2 | 19 | 31 | 16 | 1 | | 1 | | | 4 | 3 | 7 | 1 | 1 | | | | 51 | 43 | 91 | 60 | 151 | 987 | 964 | *22 | 1,973 | |
| 3 | 1 | 4 | | 6 | | 14 | 23 | 5 | | | | 1 | | 1 | 2 | 4 | | 1 | 5 | | | 10 | 10 | 38 | 20 | 58 | 282 | 273 | *2 | 557 | |
| 1 | 1 | 1 | 1 | 3 | | 6 | 11 | 2 | | | | 1 | | | 2 | 3 | | | | | | 3 | 3 | 17 | 5 | 22 | 174 | 158 | | 332 | |
| 4 | 1 | | 3 | | 12 | 16 | 5 | 1 | | | 1 | | | 1 | 1 | 3 | 1 | | | | | 8 | 12 | 28 | 18 | 46 | 301 | 348 | *2 | 651 | |
| 3 | | 1 | 1 | 4 | 1 | 9 | 17 | 2 | | | | | | | 3 | 2 | 1 | | | | | 6 | 4 | 25 | 7 | 32 | 181 | 145 | *3 | 329 | |
| 33 | 6 | 15 | 10 | 50 | 59 | 8 | 170 | 47 | 3 | 3 | 1 | 2 | | 3 | 3 | 9 | 20 | 32 | 6 | 3 | 7 | 179 | 158 | 387 | 221 | 608 | 3,692 | 3,624 | 52 | 7,368 | |

*Classed with males.

TABLE No. XVI.
Recapitulation of the Causes of Death by Classes and Orders, by Counties.

| CAUSES OF DEATH. | Rockingham. | Stratford. | Belknap. | Carroll. | Merrimack. | Hillsborough. | Cheshire. | Bulliam. | Grafton. | Cocca. | Total for State. |
|-----------------------------------|-------------|------------|----------|----------|------------|---------------|-----------|----------|----------|--------|------------------|
| All causes..... | 1,065 | 801 | 874 | 808 | 988 | 1,878 | 557 | 382 | 651 | 829 | 7,368 |
| Specified causes..... | 990 | 759 | 363 | 282 | 945 | 1,879 | 537 | 326 | 631 | 819 | 7,031 |
| (cause not stated..... | 75 | 42 | 11 | 21 | 38 | 94 | 20 | 6 | 20 | 10 | 337 |
| CLASSES. | | | | | | | | | | | |
| I — Zymotic diseases..... | 127 | 149 | 64 | 21 | 107 | 485 | 98 | 36 | 72 | 46 | 1,155 |
| II — Constitutional diseases..... | 212 | 156 | 65 | 50 | 192 | 312 | 78 | 68 | 118 | 63 | 1,309 |
| III — Local diseases..... | 467 | 307 | 150 | 166 | 491 | 737 | 236 | 153 | 301 | 138 | 3,146 |
| IV — Developmental diseases..... | 144 | 130 | 63 | 36 | 130 | 388 | 87 | 53 | 119 | 50 | 1,150 |
| V — Violent deaths..... | 40 | 17 | 21 | 9 | 25 | 57 | 38 | 16 | 26 | 22 | 271 |
| ORDERS. | | | | | | | | | | | |
| I — 1. Miasmatic diseases..... | 114 | 140 | 59 | 18 | 93 | 414 | 93 | 34 | 63 | 44 | 1,072 |
| 2. Enthetic diseases..... | 9 | 7 | 5 | 1 | 10 | 16 | 5 | 2 | 8 | 2 | 65 |
| 3. Dietic diseases..... | 4 | 2 | | | 4 | 8 | | | 1 | | 14 |
| 4. Parasitic diseases..... | | | | 2 | | 2 | | | | | 4 |

CAUSES OF DEATH.

183

| | | | | | | | | | | | |
|---|-------|-------|-------|-------|-------|-----|-------|-------|-------|-------|-----|
| II—1. Diathetic diseases | 64 | 35 | 21 | 22 | 71 | 96 | 25 | 29 | 38 | 19 | 420 |
| 2. Tubercular diseases | 148 | 121 | 44 | 28 | 121 | 216 | 53 | 39 | 75 | 44 | 889 |
| III—1. Diseases of nervous system..... | 139 | 86 | 49 | 57 | 183 | 209 | 76 | 33 | 86 | 41 | 959 |
| 2. Diseases of organs of circulation... | 96 | 50 | 25 | 30 | 83 | 122 | 59 | 84 | 48 | 21 | 588 |
| 3. Diseases of respiratory organs | 131 | 101 | 46 | 45 | 128 | 247 | 55 | 46 | 90 | 57 | 941 |
| 4. Diseases of digestive organs | 54 | 40 | 18 | 16 | 55 | 90 | 22 | 15 | 42 | 15 | 367 |
| 5. Diseases of urinary organs | 41 | 28 | 10 | 16 | 42 | 62 | 22 | 25 | 35 | 4 | 285 |
| 6. Diseases of generative organs..... | 4 | | | 2 | 1 | 2 | | | | | 9 |
| 7. Diseases of osseous and locomotory organs..... | 2 | 1 | | | 2 | 2 | 2 | | | | 9 |
| 8. Diseases of integumentary system..... | | 1 | 2 | | 2 | 3 | | | | | 8 |
| IV—1. Developmental diseases of children. | 38 | 67 | 25 | 10 | 64 | 217 | 18 | 18 | 31 | 19 | 507 |
| 2. Developmental diseases of women.. | 3 | 7 | 2 | 4 | 1 | 3 | 2 | 1 | 3 | 3 | 29 |
| 3. Old age..... | 60 | 36 | 30 | 16 | 44 | 75 | 46 | 20 | 59 | 24 | 410 |
| 4. Atrophy and debility | 43 | 20 | 6 | 6 | 21 | 43 | 21 | 14 | 26 | 4 | 204 |
| V—1. Accident and negligence..... | 33 | 15 | 16 | 5 | 23 | 48 | 34 | 13 | 21 | 19 | 227 |
| 2. Homicide | 4 | | | | | 1 | | | 1 | | 6 |
| 3. Suicide | 3 | 2 | 5 | 4 | 2 | 8 | 4 | 3 | 4 | 3 | 38 |

TABLE No. XVII.
Deaths by Ages, Sex, and Months, by Counties and Towns.*

| TOWNS IN ROCKINGHAM COUNTY. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | (Grand total. |
|--------------------------------|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|---------------|
| Atkinson | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 4 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 6 | 10 |
| Auburn | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 5 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 10 |
| Brentwood | Males | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 6 | 1 | 1 | 2 | 4 | 1 | 1 | 2 | 3 | 3 | 2 | 2 | 2 | 1 | 1 | 1 | 18 | 18 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 4 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 10 | 28 |
| Candia | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 5 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 6 | 11 |
| Chester | Males | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 4 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 11 | 11 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 9 | 20 |
| Danville | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | 8 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 4 |
| | Not stated | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 13 |
| Deerfield | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 15 | 15 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 15 | 30 |

| | | | | | | | | | | | | | | | | | | | | |
|---------------|---------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Derry | Males | 7 | 1 | 1 | 1 | 1 | 8 | 1 | 2 | 5 | 1 | 2 | 3 | 1 | 1 | 2 | 2 | 3 | 2 | 21 |
| | Females | 3 | 2 | 1 | 1 | 3 | 3 | 1 | 3 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 3 | 23 |
| | | 44 | | | | | | | | | | | | | | | | | | |
| East Kingston | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 |
| | Females | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 |
| | | 11 | | | | | | | | | | | | | | | | | | |
| Epping | Males | 4 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 3 | 16 |
| | Females | 2 | 2 | 2 | 2 | 2 | 1 | 4 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 4 | 4 | 26 |
| | | 42 | | | | | | | | | | | | | | | | | | |
| Exeter | Males | 5 | 3 | 2 | 2 | 3 | 6 | 4 | 5 | 5 | 1 | 1 | 2 | 4 | 1 | 5 | 3 | 2 | 5 | 38 |
| | Females | 11 | 1 | 2 | 2 | 7 | 4 | 8 | 5 | 2 | 4 | 1 | 1 | 3 | 3 | 3 | 6 | 4 | 3 | 47 |
| | | 85 | | | | | | | | | | | | | | | | | | |
| Fremont | Males | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 |
| | Females | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11 |
| | | 16 | | | | | | | | | | | | | | | | | | |
| Greenland | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 9 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 |
| | | 17 | | | | | | | | | | | | | | | | | | |
| Hampstead | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 13 |
| | | 17 | | | | | | | | | | | | | | | | | | |
| Hampton | Males | 3 | 1 | 4 | 1 | 1 | 1 | 3 | 4 | 2 | 2 | 3 | 1 | 3 | 2 | 2 | 1 | 2 | 4 | 22 |
| | Females | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 11 |
| | | 38 | | | | | | | | | | | | | | | | | | |
| Hampton Falls | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 |
| | | 9 | | | | | | | | | | | | | | | | | | |
| Kensington | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 6 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 |
| | | 10 | | | | | | | | | | | | | | | | | | |

* Not including premature births nor still-births.

DEATHS BY AGES, SEX, AND MONTHS.

187

[illegible]

TABLE No. XVII. — *Continued.*

| TOWNS IN I ROCKINGHAM COUNTY. — <i>Continued.</i> | | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|---|---------|---|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| South Newmarket. | Males | 1 | | | | | 3 | 1 | | | 2 | 1 | 1 | 1 | | | 1 | 1 | | 1 | 4 | 1 | | | | 3 | | | 10 | | |
| | Females | | | | | | | 2 | | | 1 | 1 | 1 | | | | 1 | 1 | | | 1 | | 1 | | | | 1 | | 4 | 14 | |
| Stratham | Males | 1 | | | | | | | | | 1 | 3 | 2 | | | | | | | 2 | | | 1 | | | 2 | | | 7 | | |
| | Females | | | | | | 1 | | | | | | 1 | | | 1 | 1 | | | | | | | | | | | | 2 | 9 | |
| Windham | Males | | | | | | 2 | | | 1 | 1 | 3 | | | | | 1 | 1 | 1 | 1 | | | 1 | | | | 1 | | 7 | | |
| | Females | 1 | 1 | | | | | 1 | 1 | 1 | 1 | 1 | | | | | 2 | | | | | | 2 | | | 1 | 1 | | 6 | 13 | |

| TOWNS IN STRAFFORD COUNTY. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|-------------------------------|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Barrington | Males | 2 | | | | | 1 | 1 | 1 | 1 | 4 | | | | | 2 | | 1 | 1 | | | | | | | 5 | 2 | | 11 | 11 |
| | Females | 1 | | | | 1 | 2 | 1 | 2 | 1 | 2 | | | | | 1 | 2 | 1 | | | | | | 4 | 2 | 2 | | | | 12 |
| Dover | Males | 24 | 12 | 4 | 5 | 15 | 12 | 19 | 14 | 21 | 20 | 4 | 1 | 1 | 1 | 24 | 12 | 15 | 14 | 11 | 8 | 20 | 7 | 10 | 8 | 11 | | | 152 | 152 |
| | Females | 16 | 12 | 2 | 10 | 13 | 11 | 11 | 20 | 15 | 21 | 16 | 1 | 1 | 1 | 18 | 23 | 12 | 15 | 9 | 5 | 13 | 11 | 10 | 7 | 12 | 12 | | 147 | 299 |
| Durham | Males | | | | 1 | | 2 | 1 | 1 | 2 | 4 | | | | | 3 | 1 | 2 | 1 | 1 | 1 | | | 2 | | | | | 11 | 11 |
| | Females | 2 | | | | | | | | 1 | 1 | 1 | | | | 1 | 1 | 2 | | | 1 | | | | | | | | 5 | 16 |
| Farmington | Males | 1 | 1 | | 2 | 6 | 4 | 2 | 6 | 4 | 1 | 1 | | | | 4 | 2 | 8 | 1 | 1 | 2 | | 3 | 2 | 4 | 4 | 2 | | 28 | 28 |
| | Females | 4 | 1 | 1 | 2 | 2 | | 6 | 3 | 5 | 2 | | | | | 6 | 1 | 2 | 4 | 3 | 1 | 2 | | 3 | 3 | 1 | 1 | | 27 | 55 |
| Lee | Males | | | | | | | | | 3 | | | | | | | | | | | | | 2 | 1 | | | | | 3 | 3 |
| | Females | | | | | | | 1 | 1 | 1 | | | | | | | 1 | 1 | 1 | | | | | | | | | | 3 | 6 |
| Madbury | Males | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 | 2 | | 3 | 3 |
| | Females | | | | | | | | | | 1 | | | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Middleton | Males | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | 1 | | | | 3 | 3 |
| | Females | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | 2 | 5 |
| Milton | Males | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 2 | 1 | | | | | | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 | 2 | | | | 9 | 9 |
| | Females | | | | 2 | 1 | 3 | 3 | 2 | 2 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | 2 | | 14 | 23 |

DEATHS BY AGES, SEX, AND MONTHS.

141

| TOWNS IN BELKNAP COUNTY. | | Under 1. | 1 to 2. | 3 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|-----------------------------|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Alton | Males | 5 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 3 | 2 | 1 | 1 | 1 | 16 | 16 |
| | Females | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | 6 | 1 | 1 | 1 | 1 | 3 | 1 | 6 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 16 | 82 |
| Barnstead | Males | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 10 | 10 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 9 | 9 |
| | Not stated | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 20 |
| Belmont | Males | 3 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | 6 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 13 | 13 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 7 | 20 |
| Centre Harbor | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 5 | 8 |
| Gilford | Males | 6 | 1 | 1 | 4 | 1 | 1 | 4 | 2 | 3 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 5 | 2 | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 28 | 28 |
| | Females | 1 | 3 | 5 | 1 | 1 | 3 | 5 | 2 | 4 | 1 | 1 | 1 | 1 | 1 | 6 | 1 | 3 | 3 | 5 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | 1 | 26 | 54 |
| Gilmanton | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 11 | 11 | 11 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 10 | 21 | 21 |
| Laconia | Males | 12 | 3 | 1 | 2 | 1 | 6 | 2 | 4 | 8 | 2 | 2 | 2 | 2 | 2 | 7 | 4 | 4 | 4 | 2 | 1 | 1 | 1 | 7 | 4 | 2 | 1 | 45 | 45 | 45 |
| | Females | 12 | 5 | 3 | 5 | 6 | 8 | 1 | 3 | 8 | 1 | 3 | 8 | 1 | 1 | 4 | 2 | 6 | 4 | 4 | 1 | 1 | 6 | 8 | 8 | 8 | 1 | 49 | 94 | 94 |
| Meredith | Males | 4 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | 4 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 17 | 17 | 17 |
| | Females | 1 | 1 | 1 | 1 | 2 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 13 | 80 | 80 |

TABLE No. XVII. — *Continued.*

| TOWNS IN BELKNAP COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|---|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| New Hampton | Males | .. | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 4 | 2 | .. | .. | 2 | .. | 2 | .. | 1 | 2 | 1 | 1 | 1 | .. | 1 | 3 | .. | 1 | .. | 10 | .. |
| | Females | .. | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | .. | 1 | .. | 1 | .. | 2 | 2 | 1 | 2 | 2 | 1 | .. | 1 | .. | 1 | .. | 13 | 23 |
| Sanbornton | Males | 2 | 1 | 1 | .. | 2 | 1 | 2 | 1 | 1 | .. | 2 | .. | 1 | .. | 1 | .. | 2 | 2 | 2 | 2 | 1 | .. | .. | 1 | .. | .. | .. | 10 | .. |
| | Females | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 5 | 4 | 1 | .. | 1 | .. | 1 | 8 | 1 | 4 | 2 | 1 | 2 | 2 | 1 | 2 | .. | .. | .. | 20 | 30 |
| Tilton | Males | 2 | 1 | .. | 3 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | .. | 1 | .. | 1 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | .. | .. | .. | .. | 11 | .. |
| | Females | 3 | 1 | 2 | 3 | .. | .. | .. | .. | 4 | 3 | 2 | .. | .. | .. | .. | 2 | 3 | 1 | 3 | 1 | 4 | 2 | 2 | .. | 2 | .. | .. | 18 | 29 |

[illegible]

TABLE No. XVII. — *Continued.*

| TOWNS IN CARROLL COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|---|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Hart's Location | Males | | | | | | 1 | | | | | | | | | | | | 1 | | | | | | | | | | 1 | 1 |
| | Females | | | | | 1 | | | | | | | | | | | | | | | | | | | 1 | | | | 1 | 2 |
| Jackson | Males | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Females | | | | 1 | | | | | 1 | 1 | 1 | | | | | | 1 | | | | 2 | 1 | 1 | | | | | 5 | 5 |
| Madison | Males | | | | | | | | | 1 | 2 | 1 | | | | | | | 1 | | 1 | 1 | 1 | | | | | | 4 | 4 |
| | Females | | | | | 1 | 1 | 1 | 2 | 1 | 2 | 1 | | | | | | | 2 | | 1 | 1 | 1 | | 1 | 1 | | | 6 | 10 |
| Moultonborough | Males | 2 | 1 | 3 | 1 | 2 | | | | 1 | 3 | | | | | 3 | 4 | 2 | | | | 2 | | 1 | | | | | 13 | 13 |
| | Females | 1 | | 1 | 1 | | | | 8 | | 4 | 4 | | | | 3 | 1 | | 1 | 4 | 1 | 1 | | 2 | 1 | 1 | | 14 | 27 | |
| Ossipee | Males | | | | | 2 | | | | 2 | 4 | 4 | | | 3 | 1 | 3 | 2 | 1 | 2 | | 1 | 2 | 1 | 1 | | | 15 | 15 | |
| | Females | | 1 | | 1 | | 2 | | | 4 | 5 | 2 | | | 2 | 2 | 1 | 2 | 4 | 1 | 1 | | 2 | 3 | | | 1 | 17 | 32 | |
| Sandwich | Males | | | | | 1 | 1 | 2 | | | | | | | | | | 2 | 3 | 2 | 2 | | | | | | | 14 | 14 | |
| | Females | | | | 1 | | | 1 | 1 | 1 | 5 | 2 | 1 | | | 2 | 3 | 1 | 1 | 1 | | 1 | 1 | 2 | | 1 | | 12 | 26 | |
| Tamworth | Males | | | | 1 | 1 | | | 1 | 1 | 2 | | | | | | 1 | 1 | | | 1 | | | | | 1 | | 5 | 5 | |
| | Females | | 1 | 2 | 1 | | | | | 1 | 1 | 1 | 1 | | | | | 1 | 3 | | 1 | 1 | | | | 1 | | 8 | 18 | |

TABLE No. XVII. — *Continued.*

| TOWNS IN CARROLL COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|---|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Hart's Location | Males | | | | | | 1 | | | | | | | | | | | | 1 | | | | | | | | | 1 | 1 | |
| | Females | | | | | | 1 | | | | | | | | | | | | | | | | | | 1 | | | 1 | 2 | |
| Jackson | Males | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Females | | | | | | 1 | | 1 | 1 | 1 | | | | | | | 1 | | | | 2 | 1 | | | | | 5 | 5 | |
| Madison | Males | | | | | | | | 1 | | 2 | | | | | | | | 1 | | 1 | | | | | | | 4 | 4 | |
| | Females | | | | | | 1 | 1 | 1 | 2 | | | | | | | | | 2 | | | | | | 1 | | 1 | 6 | 10 | |
| Moultonborough | Males | 2 | | | 1 | 3 | 1 | 2 | | 1 | 3 | | | | | | | 3 | 4 | 2 | | | 2 | | | | | 13 | 13 | |
| | Females | 1 | | | 1 | 1 | | | 3 | | 4 | 4 | | | | | | 3 | 1 | | 4 | 1 | | | 2 | 1 | 1 | 14 | 27 | |
| Ossipee | Males | | | | | | 2 | | | 2 | 4 | 4 | | | | | | 3 | 1 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | | 15 | 15 | |
| | Females | | 1 | | 1 | | 2 | | 2 | 4 | 5 | 2 | | | | | | 2 | 1 | 2 | 4 | 1 | | 2 | 3 | | 1 | 17 | 32 | |
| Sandwich | Males | | | | | | 1 | 1 | 2 | | 1 | 4 | 4 | | | | | 2 | 3 | | 2 | 1 | | | | 3 | 1 | 14 | 14 | |
| | Females | | | | | | 1 | | 1 | 1 | 5 | 2 | 1 | | | | | 2 | 3 | 1 | | 1 | 1 | 1 | 2 | | 1 | 12 | 26 | |
| Tamworth | Males | | | | | | 1 | 1 | 1 | | 2 | | | | | | | 1 | 1 | | 1 | | | | | | 1 | 5 | 5 | |
| | Females | | 1 | | 2 | | 1 | | | 1 | 1 | 1 | 1 | | | | | 1 | 3 | | | | | | | 1 | 1 | 8 | 13 | |

TABLE No. XVII. — *Continued.*

| TOWNS IN MERRIMACK COUNTY. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|-------------------------------|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Allenstown | Males | 5 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 5 | 2 | 1 | 2 | 2 | 2 | 13 | 13 |
| | Females | 2 | 2 | 2 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 2 | 2 | 14 | 27 | |
| Andover | Males | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 9 | 9 | |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 11 | |
| Boscawen | Males | 6 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 6 | 3 | 3 | 3 | 3 | 3 | 2 | 1 | 3 | 2 | 3 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 26 | 26 | |
| | Females | 5 | 1 | 1 | 1 | 2 | 3 | 5 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 3 | 1 | 3 | 1 | 20 | 46 | |
| Bow | Males | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 7 | 7 | | |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 11 | | |
| Bradford | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 8 | 8 | | |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 7 | 15 | | |
| Canterbury | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | 8 | | |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 5 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 | 18 | | |
| Chichester | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 4 | | |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 7 | 11 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|
| Concord | Males | 20 | 9 | 1 | 6 | 14 | 20 | 14 | 24 | 17 | 32 | 14 | ... | 2 | 23 | 8 | 13 | 20 | 15 | 15 | 14 | 17 | 11 | 10 | 18 | 9 | 173 | ... | |
| | Females | 17 | 5 | 1 | 5 | 17 | 20 | 14 | 29 | 25 | 20 | 17 | 3 | ... | 1 | 19 | 20 | 11 | 12 | 15 | 10 | 8 | 18 | 19 | 11 | 18 | 13 | 174 | ... |
| | Not stated | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1348 | ... | |
| Danbury | Males | ... | ... | ... | 1 | 3 | ... | 1 | 1 | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 6 | ... | |
| | Females | ... | ... | ... | 1 | 2 | 1 | 3 | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | 2 | ... | 1 | 1 | 2 | ... | ... | 9 | 15 | |
| Dunbarton | Males | ... | ... | ... | ... | ... | 1 | 1 | 2 | 1 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 2 | ... | 1 | ... | ... | ... | ... | 6 | ... | |
| | Females | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | 4 | 10 | | |
| Epsom | Males | ... | ... | ... | 1 | 2 | ... | 1 | ... | 3 | 1 | 1 | ... | ... | 4 | 2 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 9 | ... | |
| | Females | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | 1 | ... | ... | ... | ... | 1 | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | 5 | 14 | | |
| Franklin | Males | 6 | 2 | 1 | 4 | 1 | 3 | 1 | 2 | 3 | 2 | 5 | ... | ... | 5 | 1 | 7 | 1 | 4 | 1 | 1 | 1 | 3 | 3 | 2 | 1 | 30 | ... | |
| | Females | 4 | 1 | ... | 1 | 5 | 2 | 5 | 3 | 4 | 6 | 2 | 2 | ... | 4 | 5 | 2 | 5 | 2 | 5 | 3 | 3 | ... | 1 | 2 | ... | 35 | 65 | |
| Henniker | Males | 2 | ... | ... | 3 | 1 | ... | 2 | 1 | 1 | 2 | 1 | ... | ... | 2 | 1 | 1 | ... | 1 | ... | 2 | 1 | 1 | ... | 1 | 3 | 13 | ... | |
| | Females | ... | ... | ... | 1 | 1 | ... | 1 | 4 | 3 | 2 | ... | ... | 3 | 1 | 1 | 1 | 3 | 4 | 2 | ... | 2 | ... | 2 | 1 | ... | 20 | 33 | |
| Hill | Males | 1 | 1 | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | 1 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | 5 | ... | |
| | Females | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 6 | |
| Hooksett | Males | 2 | ... | ... | 1 | 1 | 1 | ... | 2 | 3 | 3 | 1 | ... | ... | 3 | ... | 3 | 1 | 2 | ... | 1 | 3 | ... | 1 | ... | ... | 14 | ... | |
| | Females | 3 | ... | ... | 1 | 1 | ... | ... | 2 | 1 | 1 | ... | ... | 1 | ... | 1 | ... | 4 | ... | 1 | ... | 1 | 2 | 1 | ... | ... | 10 | 24 | |
| Hopkinton | Males | ... | ... | ... | ... | 2 | ... | 1 | 5 | 3 | 1 | 2 | ... | ... | 4 | 1 | ... | 1 | 1 | ... | 1 | 3 | 1 | 1 | ... | 1 | 14 | ... | |
| | Females | 1 | ... | ... | 3 | 1 | 2 | 1 | 2 | 9 | 3 | ... | ... | ... | 4 | 2 | 1 | 2 | ... | 1 | 2 | 2 | 1 | 1 | 4 | 2 | 22 | 36 | |
| Loudon | Males | 1 | ... | ... | ... | ... | ... | 3 | 2 | 3 | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 3 | 1 | ... | 1 | 1 | 1 | ... | 10 | ... | |
| | Females | 1 | 1 | ... | 1 | 1 | 2 | 1 | 4 | 3 | 1 | ... | ... | ... | 8 | 2 | 1 | ... | 2 | ... | 3 | 1 | ... | 1 | 2 | 15 | 25 | | |

TABLE No. XVII. — *Continued.*

| TOWNS IN MERRIMACK COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|---|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Newbury | Males | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | 1 | | 1 | | | | | | | 1 | | | 1 | | | | | | | | 2 | 2 |
| New London | Males | 2 | | | | | 1 | | | | 4 | 2 | | | | 1 | | 2 | 1 | 2 | | 1 | | 1 | | | | | 9 | |
| | Females | 1 | 1 | | | 1 | 1 | 2 | 1 | 3 | 1 | | | | | 2 | | 1 | | | | 3 | 1 | 1 | 2 | 1 | | | 11 | 20 |
| Northfield | Males | 1 | | | 1 | | 1 | | 1 | | 2 | 3 | | | | 3 | 1 | 1 | 2 | | 1 | | | 1 | | | | | 9 | |
| | Females | 1 | | | | | 2 | | | 2 | 2 | | | | | 3 | 1 | 1 | 1 | | 1 | | 1 | | | | | | 9 | |
| | Not stated | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 19 |
| Pembroke | Males | 5 | 2 | 1 | 4 | 2 | 1 | | 3 | 1 | 3 | | | | 1 | 3 | 4 | 3 | 1 | | 4 | 3 | 1 | 2 | 1 | 4 | | | 26 | |
| | Females | 6 | 2 | 2 | 2 | 2 | 1 | 2 | | 2 | 2 | 1 | | | | 2 | 4 | 3 | 1 | | 2 | 1 | 2 | 3 | 1 | 3 | | | 24 | |
| | Not stated | | 1 | | | | | | | | | | | | | | | | | | 1 | | | | | | | | 1 | 51 |
| Pittsfield | Males | 2 | | 1 | 1 | | 3 | 1 | 2 | 1 | 2 | | | | 1 | 5 | | 1 | | 2 | 1 | | 1 | 3 | | 1 | | | 15 | |
| | Females | 4 | 1 | 1 | 2 | 3 | 2 | 3 | 3 | 5 | 2 | | | | 1 | 6 | 4 | 1 | 6 | 3 | 2 | 3 | 1 | 1 | 2 | 3 | | | 82 | |
| | Not stated | | | | | | | | | | | | | | 3 | | | 1 | | | | 2 | | | | | | | 8 | 50 |
| Salisbury | Males | | | | 1 | 1 | | | | 3 | 1 | | | | | 1 | 1 | 2 | | | | 2 | | | | 1 | | | 7 | |
| | Females | | | | | | | | | | | 1 | | 1 | | | | 1 | | 1 | | | | 1 | | | | | 2 | 9 |

TABLE No. XVII. — Continued.

| TOWNS IN HILLSBOROUGH COUNTY. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. |
|----------------------------------|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|
| Amherst | Males | 2 | 2 | | | | | 1 | 2 | 2 | 1 | | | | | | 1 | 1 | 1 | 1 | | | 3 | 1 | | | 2 | | 10 |
| | Females | 2 | | | | | 1 | 3 | 1 | 2 | 4 | 1 | | | | 1 | 3 | | | | | | 2 | 1 | 2 | 1 | 2 | | 14 |
| Antrim | Males | 3 | 1 | | | | | 1 | | 2 | 3 | 2 | | | | 2 | 1 | 1 | 2 | | 2 | | 1 | 2 | 3 | 1 | | | 18 |
| | Females | | 2 | 1 | 1 | | 1 | 1 | 2 | | 4 | 1 | | | | 3 | 1 | 2 | 1 | 1 | 1 | | 1 | 2 | 1 | | | | 14 |
| Bedford | Males | 3 | | | | | | | | 1 | 3 | 1 | | | | 1 | | | | | 2 | | 2 | | | 2 | 1 | | 8 |
| | Females | | | | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | | | | 1 | | 1 | | 2 | | | | | | | 1 | | 5 |
| Bennington | Males | 1 | 2 | 1 | | | | | | 1 | 1 | 1 | | | | | | | | 1 | 3 | | | | 1 | 1 | | | 6 |
| | Females | 1 | | | 1 | 1 | | | | 1 | 1 | | | | | 1 | | | 1 | | | | | 1 | 1 | 1 | | | 5 |
| Brookline | Males | | | | | | | | 2 | 1 | | | | | 1 | 1 | 1 | 1 | | | | | | | | 1 | | | 4 |
| | Females | | | | | | 1 | 3 | 2 | 2 | 1 | 2 | | | | 1 | 2 | | | 2 | | | | | | 1 | 1 | | 9 |
| | Not stated | 1 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | 1 |
| Deering | Males | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | 10 |
| | Females | 1 | | | 2 | 1 | | 1 | 1 | 2 | 3 | | | | | 2 | 1 | 1 | 4 | 1 | | | 1 | 1 | | | | | 10 |
| Francesstown | Males | 1 | | | 1 | 1 | | 1 | 1 | 1 | 2 | | | | | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | | | | | 7 |
| | Females | | 1 | | | | | | | 3 | 1 | 2 | | | | 1 | 1 | 1 | | 2 | | | | | | 2 | | | 8 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|------------|-----|----|----|----|----|----|----|----|----|----|----|---|---|----|----|----|----|----|-----|----|----|----|----|----|------|
| Goffstown | Males | 1 | 1 | 2 | 2 | 1 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 3 | 2 | 1 | 3 | 1 | 1 | 15 | | | | | | |
| | Females | 1 | 1 | 1 | 2 | 3 | 5 | 3 | 2 | 2 | 2 | 4 | 1 | 1 | 2 | 2 | 3 | 2 | 17 | 32 | | | | | | |
| Greenfield | Males | | 1 | | | 1 | 1 | | | | | | 2 | | | | | 1 | 3 | | | | | | | |
| | Females | | | 1 | 3 | 1 | 1 | | | | | 1 | 1 | | | | 1 | 1 | 2 | 6 | 9 | | | | | |
| Greenville | Males | 7 | 2 | 1 | 3 | | | | 2 | | | 2 | 1 | | | 1 | 6 | 1 | 2 | 15 | | | | | | |
| | Females | 2 | 1 | 1 | 1 | 1 | 1 | | 1 | | | 1 | 1 | 2 | | 1 | 1 | 2 | 9 | 24 | | | | | | |
| Hancock | Males | | | 1 | 1 | 1 | 4 | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 9 | | | | | | | |
| | Females | | | | 1 | | 1 | 3 | | | | 1 | 1 | 1 | | 1 | | | 5 | 14 | | | | | | |
| Hillsborough | Males | 1 | 2 | 1 | 4 | 3 | 3 | 1 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 19 | | | | | | | |
| | Females | 2 | 3 | 1 | 1 | 5 | 3 | 2 | 2 | 1 | | 1 | 3 | 2 | 2 | 2 | 2 | 1 | 21 | 40 | | | | | | |
| Hollis | Males | 1 | 1 | 1 | 1 | 4 | 3 | 1 | | | | 2 | 4 | 3 | | | | 2 | 13 | | | | | | | |
| | Females | 1 | | 1 | 2 | 1 | 1 | 5 | 1 | | | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 14 | 27 | | | | | | |
| Hudson | Males | 2 | | | 1 | 3 | 4 | 2 | | | | 3 | 1 | 3 | | 1 | 1 | 2 | 13 | | | | | | | |
| | Females | 2 | 1 | 1 | 1 | 1 | 2 | 1 | | | | 2 | | 1 | 1 | 1 | 2 | 1 | 10 | 23 | | | | | | |
| Litchfield | Males | | | | 1 | 1 | | | | | | | | 1 | | | 1 | | 2 | | | | | | | |
| | Females | | | | 2 | 1 | | | | | | 1 | 1 | | | 2 | | | 4 | 6 | | | | | | |
| Lyndeborough | Males | | | 1 | 1 | 3 | 1 | | 1 | | | | 1 | 2 | 1 | | | 1 | 7 | | | | | | | |
| | Females | | 1 | 1 | 1 | | | | 1 | | | 1 | 1 | 1 | 1 | 1 | | 1 | 6 | 13 | | | | | | |
| Manchester | Males | 166 | 57 | 13 | 18 | 36 | 37 | 25 | 32 | 38 | 34 | 12 | 3 | | | | | | | 474 | | | | | | |
| | Females | 151 | 58 | 82 | 42 | 38 | 28 | 38 | 34 | 38 | 19 | 2 | 1 | 3 | 66 | 26 | 29 | 29 | 27 | 33 | 62 | 59 | 86 | 22 | 39 | 484 |
| | Not stated | | | | | | | | | | | | | 3 | | | 2 | 1 | | | | | | | | 8961 |

TABLE No. XVII. — Continued.

| TOWNS IN HILLSBOROUGH COUNTY. — Continued. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|--|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Mason | Males | .. | .. | .. | .. | .. | 1 | 1 | .. | 2 | 2 | 1 | .. | 1 | .. | .. | 2 | 2 | 2 | .. | .. | .. | 1 | 1 | .. | .. | 7 | .. |
| | Females | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 9 |
| Merrimack | Males | .. | .. | .. | .. | .. | .. | 1 | 1 | 2 | .. | .. | .. | 1 | 1 | 1 | .. | 1 | 1 | .. | .. | .. | 1 | .. | .. | .. | 4 | .. |
| | Females | .. | .. | 1 | .. | .. | 1 | 1 | 2 | 1 | .. | .. | .. | 1 | 1 | 1 | 1 | .. | .. | .. | 1 | 1 | .. | 1 | .. | .. | 5 | 9 |
| Milford | Males | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 7 | 2 | .. | .. | 2 | 1 | 2 | 2 | 1 | .. | 2 | 2 | 2 | 2 | 3 | .. | .. | 17 | .. |
| | Females | 4 | 1 | 1 | .. | 2 | 2 | 3 | 7 | 8 | 1 | .. | 1 | 3 | 1 | 3 | 2 | 2 | 2 | 2 | 4 | 1 | 1 | 4 | .. | .. | 23 | 40 |
| Mont Vernon | Males | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | 2 | .. |
| | Females | 1 | .. | .. | .. | .. | .. | .. | 2 | .. | .. | .. | .. | 2 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | 5 |
| Nashua | Males | 66 | 10 | 3 | 7 | 15 | 10 | 13 | 11 | 4 | 8 | 7 | 3 | 5 | 16 | 8 | 16 | 5 | 6 | 8 | 25 | 14 | 18 | 17 | 13 | 15 | 1162 | .. |
| | Females | 56 | 13 | 4 | 9 | 9 | 17 | 6 | 7 | 10 | 10 | 13 | 5 | 3 | 12 | 12 | 8 | 12 | 12 | 9 | 22 | 25 | 9 | 10 | 19 | 10 | 2162 | 324 |
| New Boston | Males | 1 | 1 | .. | .. | .. | .. | 1 | 1 | 1 | 2 | .. | .. | 2 | .. | .. | 1 | 1 | 1 | 1 | 2 | 1 | .. | .. | .. | .. | 7 | .. |
| | Females | 1 | .. | .. | .. | .. | .. | 2 | 1 | 4 | .. | .. | .. | 1 | 1 | 1 | .. | 2 | 1 | 1 | .. | 2 | .. | .. | .. | .. | 8 | 15 |
| New Ipswich | Males | 2 | 1 | 1 | 1 | 1 | .. | 4 | 2 | 3 | .. | .. | .. | 2 | .. | .. | .. | 2 | 1 | 2 | 2 | 2 | 2 | 3 | 1 | .. | 15 | .. |
| | Females | 4 | 1 | .. | 1 | .. | 1 | 1 | 1 | 2 | 1 | .. | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 3 | .. | .. | .. | .. | 12 | 27 |

TABLE No. XVII. — *Continued.*

| TOWNS IN CHESHIRE COUNTY. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|------------------------------|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Alstead | Males | 1 | 2 | 1 | .. | .. | .. | .. | .. | 3 | 3 | 1 | .. | .. | .. | 1 | .. | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 2 | .. | .. | 13 | .. |
| | Females | .. | 2 | 1 | .. | 2 | 1 | 1 | 2 | .. | .. | 2 | .. | .. | 1 | 1 | 1 | 1 | 1 | .. | 1 | .. | .. | 6 | 1 | 1 | .. | 12 | .. | |
| | Not stated | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | 26 | .. |
| Chesterfield | Males | 1 | 1 | 1 | .. | .. | .. | .. | .. | 3 | 3 | 2 | .. | .. | .. | 1 | 1 | 1 | 3 | 2 | 1 | 1 | .. | .. | 2 | .. | .. | 11 | .. | |
| | Females | .. | .. | .. | .. | .. | .. | .. | 2 | 4 | .. | .. | .. | .. | 1 | 1 | .. | 2 | .. | 1 | 1 | .. | .. | 1 | 1 | 1 | .. | 6 | 17 | |
| Dublin | Males | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. | 1 | 2 | .. | |
| | Females | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 3 | .. | .. | .. | 1 | 1 | 1 | .. | .. | .. | .. | 1 | 2 | .. | .. | .. | 5 | 7 | |
| Fitzwilliam | Males | .. | .. | .. | 1 | 2 | 1 | 2 | .. | 1 | 2 | .. | .. | 1 | .. | .. | .. | .. | .. | 1 | 4 | 1 | .. | .. | 1 | 2 | .. | 9 | .. | |
| | Females | 5 | .. | 1 | 1 | 2 | 2 | .. | 2 | .. | .. | 2 | .. | .. | 3 | 2 | .. | .. | .. | 1 | 2 | 1 | .. | 1 | 1 | 1 | .. | 10 | 10 | |
| Gilsom | Males | 2 | 1 | .. | 1 | .. | 1 | .. | 1 | .. | .. | 1 | .. | .. | .. | 1 | .. | 1 | 1 | 2 | 1 | .. | .. | .. | .. | .. | .. | 5 | .. | |
| | Females | .. | 1 | .. | 1 | .. | 1 | .. | .. | .. | .. | 1 | .. | .. | 1 | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | 3 | 8 | |
| Harrisville | Males | 1 | 1 | 1 | 1 | 2 | .. | 1 | .. | 1 | .. | .. | .. | .. | 4 | 1 | .. | .. | 1 | 1 | 1 | .. | 1 | .. | .. | .. | 7 | .. | | |
| | Females | 3 | 1 | 1 | .. | .. | .. | .. | 1 | .. | .. | 1 | .. | .. | 1 | .. | 1 | .. | 1 | .. | .. | .. | .. | 1 | 1 | 2 | .. | 6 | 13 | |
| Hinsdale | Males | 5 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | .. | 1 | 2 | .. | .. | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | .. | 1 | 16 | .. |
| | Females | 3 | .. | 2 | 2 | .. | .. | 1 | 2 | .. | 1 | 2 | .. | 1 | 1 | 1 | 1 | 4 | .. | 2 | .. | .. | .. | 2 | 1 | 1 | .. | 11 | 27 | |

DEATHS BY AGES, SEX, AND MONTHS.

157

[illegible]

TABLE No. XVII. — *Continued.*

| TOWNS IN CHESHIRE COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|--|--------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Surrey | Males..... | | | | | | | | | | 1 | 1 | | | | | 1 | | 1 | | | | | | | | | | 2 | 5 |
| | Females..... | | | | | | | 1 | | | 1 | 1 | | | | | | | | 1 | | | | | | 1 | | | 3 | |
| Swansey | Males..... | 1 | 2 | | | | 1 | | | 3 | 4 | 2 | | | | | 3 | 2 | 1 | | | 2 | 2 | 2 | 1 | | | | 13 | |
| | Females..... | 4 | | 1 | 1 | 1 | 2 | 1 | 1 | 5 | 3 | 1 | 1 | | | 1 | 1 | 2 | | 3 | 2 | 1 | 2 | 4 | 2 | 1 | | 19 | 32 | |
| Troy | Males..... | | 1 | | | | | | 2 | 1 | 2 | | | | | 1 | 1 | 1 | | | | 1 | | | | 2 | | | 6 | |
| | Females..... | | 2 | 1 | 1 | 1 | 1 | 1 | 2 | | | | | | | | 2 | 1 | | 3 | 1 | | 1 | 1 | | | | 8 | 14 | |
| Walpole | Males..... | 1 | 1 | 1 | 2 | 3 | 1 | 3 | 7 | 4 | 3 | | | | | 2 | 2 | 4 | 3 | | 2 | 4 | 3 | | 1 | 3 | | 27 | | |
| | Females..... | 4 | 1 | 1 | 2 | 3 | 1 | 2 | 4 | 4 | 3 | | | 1 | | 1 | 2 | 4 | | | | 2 | 3 | | 6 | 2 | | 26 | 53 | |
| Westmoreland | Males..... | | | 1 | | | | | 2 | 3 | 7 | 2 | | | | 2 | 3 | 2 | 3 | | 2 | | | | | 1 | 2 | | 15 | |
| | Females..... | | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | | | | 1 | 2 | 1 | | 1 | | 1 | | 1 | 3 | | | 10 | 25 | |
| Winchester | Males..... | 2 | 2 | | | | | | 2 | 4 | 2 | | | | 1 | 1 | | | | 1 | 1 | 2 | 5 | 1 | 1 | 1 | | 15 | | |
| | Females..... | 2 | | 1 | 2 | 4 | 1 | 3 | 3 | | | | | | 1 | 2 | | 1 | | 1 | 3 | 4 | | 1 | 3 | | 16 | 31 | | |

TABLE No. XVII. — Continued.

| TOWNS IN SULLIVAN COUNTY. — Continued. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|---|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Lempster | Males | 1 | | | | | | | 1 | 1 | 1 | 1 | 2 | | | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | | | | | 5 | 5 |
| | Females | 1 | | | | | | | | 1 | 4 | | | | | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | | | | 6 | 11 |
| Newport | Males | 2 | | | | 1 | 2 | 3 | 3 | 6 | 5 | | | | | 2 | 2 | 7 | 1 | 2 | 1 | 1 | 3 | 2 | 1 | 2 | 1 | | 22 | 22 |
| | Females | 2 | | | | 1 | 3 | 3 | 2 | 1 | 6 | 2 | | | | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 4 | 3 | 1 | | | 21 | 43 |
| Plainfield | Males | 2 | | | | 2 | 1 | | | 1 | 1 | | | | | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | | | | | 6 | 6 | 11 |
| | Females | 2 | | | | | | | | 2 | 1 | 1 | | | | | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | | | 6 | 11 |
| Springfield | Males | 2 | | 1 | | | | | | 8 | 1 | | | | | | 1 | | | | 1 | 1 | 1 | 1 | 2 | 1 | | | 7 | 7 |
| | Females | 1 | | | | 1 | | | | 1 | 1 | 1 | | | | 1 | 2 | 2 | 2 | 1 | 1 | | | | | | | | 6 | 13 |
| Sunapee | Males | 3 | | 1 | | | | | | | 1 | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | 6 | 6 |
| | Females | | | | | | | | | 1 | 2 | 1 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 6 | 12 |
| Unity | Males | 2 | | | | 1 | | | 1 | 1 | 2 | 4 | 1 | | | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | | | 14 | 14 |
| | Females | | | 1 | | | | | 2 | 3 | 1 | | | | | 2 | | | | 1 | 1 | 1 | 1 | 1 | 3 | | | | 7 | 21 |
| Washington | Males | | | | | | | | | | 1 | 2 | | | | 1 | | | | | | | | | | | | | 3 | 3 |
| | Females | | | | | 1 | 1 | 1 | | | | 1 | | | | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 4 | 7 |

| TOWNS IN GRAFTON COUNTY. | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|-----------------------------|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Alexandria | Males | 1 | ... | ... | ... | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 | ... |
| | Females | 2 | ... | ... | ... | ... | ... | 2 | 1 | 1 | 1 | 5 | 1 | ... | ... | 1 | 1 | ... | ... | ... | 1 | 2 | 2 | 1 | 2 | 3 | ... | 13 | 21 | |
| Ashland | Males | 2 | ... | ... | ... | ... | ... | 2 | 2 | 3 | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 2 | 1 | 2 | ... | ... | ... | 1 | 1 | ... | 9 | ... | |
| | Females | ... | ... | ... | ... | 1 | 2 | 1 | 2 | 1 | 3 | 1 | 1 | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | ... | 1 | 1 | 3 | 2 | ... | 10 | 19 | |
| Bath | Males | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | |
| | Females | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | 3 | 2 | ... | ... | ... | 1 | 2 | 1 | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 7 | 9 | |
| Benton | Males | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | |
| | Females | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | 5 | |
| Bethlehem | Males | 1 | ... | ... | 1 | 3 | 2 | 2 | ... | ... | 2 | 2 | ... | ... | 3 | 1 | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 2 | ... | ... | 10 | ... | |
| | Females | 2 | 1 | 2 | 3 | 1 | 2 | 2 | ... | ... | 2 | 2 | ... | ... | 1 | 1 | 6 | ... | ... | ... | 1 | 2 | 1 | 3 | ... | ... | ... | 15 | 25 | |
| Bridgewater | Males | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | ... | |
| | Females | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 2 | 1 | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | ... | 1 | ... | 1 | ... | 5 | 8 | |
| Bristol | Males | 1 | ... | ... | 3 | 3 | 1 | 1 | ... | 1 | 1 | ... | ... | ... | 8 | 2 | 1 | ... | ... | ... | 3 | ... | 1 | 3 | 2 | ... | ... | 13 | ... | |
| | Females | 1 | 1 | ... | 1 | 2 | 1 | 3 | 2 | 1 | ... | ... | ... | ... | 2 | 1 | 2 | 3 | ... | ... | ... | ... | 1 | 2 | 2 | ... | ... | 13 | 26 | |
| Campton | Males | 1 | ... | 1 | ... | ... | ... | 1 | 1 | 3 | 1 | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 1 | ... | 1 | ... | 2 | ... | 1 | ... | 8 | ... | |
| | Females | ... | ... | ... | ... | 1 | 1 | 3 | ... | ... | 3 | ... | ... | ... | 1 | 1 | ... | 1 | 2 | ... | ... | 2 | ... | 1 | ... | ... | ... | 8 | 16 | |

ABLE No. XVII. — *Continued.*

| TOWNS IN GRAFTON COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|---|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Lyman | Males | 1 | | | | | | | 1 | 1 | | | | | | 1 | | | | | | | | 1 | 1 | | | | 3 | 3 |
| | Females | 1 | 1 | | | | | | | | | | | | | 1 | 1 | | | | | | | | | 1 | | | 3 | 6 |
| Lyne | Males | 2 | | | | | 1 | | | 2 | 5 | 3 | | | | 1 | 1 | 1 | | 2 | 1 | 3 | 1 | 2 | 1 | 1 | | | 13 | 13 |
| | Females | 1 | 1 | 1 | 2 | 2 | 3 | 1 | 1 | 1 | | | | | 1 | 1 | 3 | 2 | 2 | 2 | 2 | | 2 | 1 | 2 | | | 15 | 28 | |
| Monroe | Males | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| | Females | 1 | | | | | | 1 | 1 | 2 | 1 | | | | | | | | | | | | 1 | 2 | 1 | 3 | | | 6 | 7 |
| Orange | Males | | | | | | | | | | | | | | | 1 | | | | | 1 | | | | | | | | 2 | 2 |
| | Females | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | 1 | 3 |
| Orford | Males | 1 | | | 1 | 1 | | | | 1 | 2 | 1 | | | | 3 | 1 | | | | 1 | | 1 | | | | | | 7 | 7 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | | | 2 | 1 | 3 | 1 | | | 1 | 1 | 1 | 1 | 1 | | | 11 | 18 | |
| Piermont | Males | 1 | 1 | | 1 | | | | | 1 | | | | | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | | | 6 | 6 |
| | Females | | | | 1 | 1 | 1 | 1 | 1 | 2 | | | | | 2 | | | | | | 1 | 1 | | | | 1 | | | 5 | 11 |
| Plymouth | Males | 2 | | | | | | | 1 | 3 | | | | | | 1 | 1 | | | 1 | 1 | 1 | | | 1 | 1 | | | 7 | 7 |
| | Females | | 1 | 2 | 4 | 1 | 3 | | 2 | 1 | | | | | 1 | 3 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | | | 15 | 22 |
| Rumney | Males | | | | 2 | 2 | | | 1 | 4 | 2 | | | | | 4 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | 11 | 11 |
| | Females | | | | 1 | 2 | 1 | 2 | 1 | 2 | 3 | | | | | | | | 2 | | 1 | 1 | 1 | 1 | 1 | 3 | 2 | | 10 | 21 |

| | | | | | | | | | | | | | | | | | |
|------------|------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Hanover | Males | 3 | 1 | 2 | 2 | 2 | 1 | 4 | 2 | 1 | 1 | 3 | 1 | 2 | 3 | 2 | 15 |
| | Females | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 10 |
| Haverhill | Males | 4 | 1 | 1 | 2 | 2 | 1 | 2 | 3 | 7 | 2 | 6 | 1 | 7 | 1 | 5 | 29 |
| | Females | 1 | 1 | 1 | 3 | 4 | 3 | 6 | 7 | 5 | 1 | 1 | 0 | 1 | 4 | 3 | 33 |
| Hebron | Males | | | | | | | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 |
| | Females | | | | | | | | | | | | | | | | 4 |
| Holderness | Males | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 |
| | Females | | | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 7 |
| Landaff | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 7 |
| | Females | | | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 |
| Lebanon | Males | 5 | 1 | 3 | 1 | 1 | 1 | 3 | 8 | 3 | 1 | 3 | 2 | 3 | 1 | 5 | 27 |
| | Females | 2 | 1 | 2 | 5 | 7 | 3 | 8 | 4 | 3 | 2 | 6 | 4 | 1 | 2 | 4 | 46 |
| Lincoln | Males | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | | | | | | | | | |
| Lisbon | Males | 2 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 4 | 2 | 2 | 1 | 1 | 1 | 1 | 12 |
| | Females | 4 | 1 | 2 | 3 | 1 | 1 | 4 | 1 | 1 | 1 | 2 | 1 | 3 | 1 | 4 | 19 |
| | Not stated | 1 | | | | | | | | | | 1 | | | | | 1 |
| Littleton | Males | 7 | 2 | 2 | 2 | 2 | 2 | 4 | 3 | 1 | 4 | 3 | 2 | 2 | 1 | 4 | 27 |
| | Females | 2 | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 5 | 3 | 1 | 3 | 2 | 1 | 2 | 18 |
| Livermore | Males | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | | | | | | | | | |

ABLE No. XVII. — *Continued.*

| TOWNS IN GRAFTON COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. | |
|---|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lyman | Males | 1 | | | | | | | 1 | 1 | | | | | | 1 | | 1 | | | | | | 1 | 1 | | | | 8 | 8 | |
| | Females | 1 | 1 | | | | | | | | 1 | | | | | 1 | 1 | | | | | | | | | 1 | | | 3 | 6 | |
| Lyne | Males | 2 | | | | 1 | | | | | 2 | 5 | 3 | | | 1 | 1 | 1 | | 2 | 1 | 3 | 1 | 2 | 1 | 1 | | | 13 | 13 | |
| | Females | 1 | 1 | | 1 | 2 | 2 | 3 | 3 | 1 | 1 | | | | 1 | 1 | 3 | 2 | 2 | 2 | 2 | | 2 | 1 | 2 | | 2 | | 15 | 28 | |
| Monroe | Males | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | |
| | Females | 1 | | | | | | 1 | 1 | 1 | 2 | 1 | | | | | | | | | | | 2 | 1 | 3 | | | | 6 | 7 | |
| Orange | Males | | | | | | | | | | | 1 | 1 | | | | 1 | | | | | 1 | | | | | | | 2 | 2 | |
| | Females | | | | | | | | | | | 1 | | | | | | | | | 1 | | | | | | | | 1 | 3 | |
| Orford | Males | 1 | | | | 1 | 1 | | | 1 | 2 | 1 | | | | 3 | 1 | | | | 1 | | 1 | | | | | | 7 | 7 | |
| | Females | 1 | 1 | | 1 | 1 | 1 | 3 | 2 | 1 | 2 | 1 | | | 2 | 1 | 3 | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | | | 11 | 18 | |
| Piermont | Males | 1 | 1 | | | 1 | | | | | | | | | | 1 | | 1 | | 1 | 1 | 1 | 1 | | | | | | 6 | 6 | |
| | Females | | | | | 1 | 1 | 1 | 2 | | | | | | 2 | | | | | | | | | | | | 1 | | 5 | 11 | |
| Plymouth | Males | 2 | | | | | | | 1 | 3 | | | | | | 1 | | | | | | | | | | | | | | 7 | 7 |
| | Females | | | 1 | 2 | 4 | 1 | 3 | | | 2 | 1 | | | 1 | 3 | 1 | 1 | 2 | 1 | | 2 | 1 | 2 | 2 | | | | 15 | 22 | |
| Runney | Males | | | | 2 | 2 | | | 1 | 4 | 2 | | | | | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | 11 | 11 | |
| | Females | | | | 1 | 2 | 1 | 2 | 1 | 3 | | | | | | | | | 2 | | 1 | 1 | 1 | 1 | 3 | 2 | | | 10 | 21 | |

DEATHS BY AGES, SEX, AND MONTHS.

165

[illegible]

TABLE No. XVII.—*Continued.*

| TOWNS IN COÖS COUNTY. — <i>Continued.</i> | | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|--|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| Stark | Males | 2 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 1 | 1 | .. | 5 | .. |
| | Females | .. | .. | .. | .. | .. | 1 | .. | .. | .. | 2 | 3 | 1 | .. | .. | 3 | .. | .. | .. | .. | .. | .. | 2 | .. | 1 | .. | 1 | .. | 7 | 12 |
| Stewartstown | Males | .. | .. | .. | .. | 1 | 1 | 2 | 2 | 1 | .. | .. | .. | .. | .. | 4 | .. | 1 | 1 | .. | .. | .. | .. | .. | 1 | 1 | .. | 9 | .. | |
| | Females | .. | .. | .. | .. | 1 | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 1 | 1 | .. | .. | 3 | 12 | |
| Stratford | Males | 2 | 1 | .. | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | .. | 1 | .. | 1 | .. | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | .. | 12 | .. | |
| | Females | .. | .. | .. | .. | 1 | 1 | .. | 2 | 4 | .. | .. | .. | .. | .. | 1 | 1 | 1 | 2 | 1 | .. | 1 | .. | 1 | 1 | 1 | .. | 8 | 20 | |
| Whitefield | Males | 1 | 2 | 2 | 2 | 2 | 3 | 2 | 4 | 3 | 3 | 1 | .. | 1 | 1 | 3 | 1 | 2 | 1 | 2 | 5 | 2 | 2 | 1 | 2 | 4 | .. | 25 | .. | |
| | Females | 2 | 1 | .. | 3 | 3 | 2 | 3 | 1 | 2 | 2 | 2 | .. | .. | .. | 1 | 3 | 1 | .. | 3 | 3 | 1 | 2 | .. | 3 | 1 | .. | 19 | 44 | |

TABLE
Deaths by Ages, Sex, and

| COUNTIES. | | | | | | | | | | | | | | |
|---------------------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|--|--|
| | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | | | |
| Rockingham. Males | 73 | 28 | 7 | 22 | 38 | 39 | 31 | 44 | 62 | 103 | 77 | | | |
| Females .. | 58 | 29 | 11 | 21 | 33 | 38 | 36 | 52 | 61 | 78 | 68 | | | |
| Not stated. | 1 | | | | | | | | | 1 | | | | |
| Strafford ... Males | 58 | 38 | 14 | 14 | 26 | 35 | 37 | 39 | 49 | 50 | 28 | | | |
| Females .. | 58 | 28 | 14 | 23 | 30 | 28 | 23 | 45 | 33 | 45 | 33 | | | |
| Not stated. | 2 | 1 | | | | | | | | | | | | |
| Belknap ... Males | 35 | 8 | 6 | 8 | 4 | 11 | 12 | 17 | 31 | 23 | 14 | | | |
| Females .. | 19 | 10 | 2 | 11 | 18 | 14 | 15 | 10 | 20 | 32 | 27 | | | |
| Not stated. | 1 | | | | | | | | | | | | | |
| Carroll Males | 8 | 3 | 1 | 6 | 10 | 10 | 8 | 15 | 13 | 36 | 22 | | | |
| Females .. | 12 | 6 | | 10 | 13 | 4 | 7 | 17 | 21 | 32 | 22 | | | |
| Not stated. | 1 | | | | | | | | | | | | | |
| Merrimack .. Males | 63 | 20 | 7 | 24 | 30 | 35 | 29 | 49 | 50 | 84 | 53 | | | |
| Females .. | 48 | 13 | 8 | 14 | 39 | 43 | 41 | 57 | 64 | 76 | 57 | | | |
| Not stated. | 2 | 1 | | | | | | | | | | | | |
| Hillsborough. Males | 266 | 83 | 21 | 33 | 62 | 62 | 57 | 68 | 80 | 107 | 63 | | | |
| Females .. | 236 | 86 | 16 | 45 | 67 | 72 | 52 | 72 | 77 | 94 | 84 | | | |
| Not stated. | 1 | | | | | | | | | | | | | |
| Cheshire Males | 29 | 26 | 6 | 12 | 11 | 15 | 13 | 21 | 45 | 63 | 30 | | | |
| Females .. | 33 | 14 | 6 | 11 | 19 | 25 | 13 | 24 | 37 | 42 | 37 | | | |
| Not stated. | 1 | | | | | | | | | | | | | |
| Sullivan Males | 25 | 10 | 4 | 4 | 6 | 9 | 5 | 20 | 24 | 31 | 25 | | | |
| Females .. | 18 | 7 | 3 | 6 | 6 | 9 | 10 | 11 | 22 | 34 | 19 | | | |
| Not stated. | | | | | | | | | | | | | | |
| Grafton Males | 32 | 16 | 2 | 11 | 18 | 14 | 17 | 24 | 49 | 59 | 39 | | | |
| Females .. | 26 | 12 | 5 | 13 | 24 | 28 | 31 | 33 | 51 | 58 | 43 | | | |
| Not stated. | 2 | | | | | | | | | | | | | |
| Coös Males | 20 | 18 | 5 | 9 | 24 | 12 | 11 | 11 | 19 | 20 | 17 | | | |
| Females .. | 16 | 11 | 1 | 2 | 14 | 16 | 14 | 11 | 13 | 22 | 16 | | | |
| Not stated. | 2 | | | | | | | | | | | | | |
| Total ... Males | 609 | 250 | 73 | 143 | 229 | 242 | 220 | 308 | 422 | 576 | 368 | | | |
| Females .. | 524 | 216 | 66 | 156 | 263 | 277 | 242 | 332 | 399 | 513 | 406 | | | |
| Not stated. | 13 | 2 | | | | | | | | 1 | | | | |
| Grand total | 1,146 | 468 | 139 | 299 | 492 | 519 | 462 | 640 | 821 | 1,090 | 774 | | | |

DEATHS BY AGES, SEX, AND MONTHS.

169

No. XVIII.

*Months, by Counties.**

| 90 to 100. | Over 100. | Unknown. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. | |
|------------|-----------|----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------|----------------|----------------|----------------|
| 4 10 | ... | 10 | 69 5 | 43 68 | 41 50 | 45 39 | 46 36 | 39 27 | 39 39 | 50 49 | 37 38 | 53 46 | 37 41 | 38 38 | 1 | 538 500 | | |
| ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | 3 | 1,041 | |
| 5 4 | ... | 3 | 49 5 | 25 41 | 42 37 | 27 39 | 28 33 | 29 22 | 24 27 | 42 19 | 34 35 | 38 32 | 31 36 | 27 30 | ... | 396 369 | | |
| ... | ... | 1 | ... | ... | ... | ... | 2 | ... | ... | 2 | ... | ... | ... | ... | ... | 4 | 769 | |
| 2 7 | ... | 2 | 27 1 | 16 22 | 16 11 | 16 20 | 11 19 | 13 18 | 10 7 | 20 24 | 21 16 | 13 17 | 5 11 | 4 6 | 1 | 173 186 | | |
| ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 2 | 361 | |
| 1 3 | ... | 10 | 16 7 | 16 12 | 14 9 | 7 15 | 12 14 | 13 15 | 13 9 | 16 13 | 10 13 | 11 13 | 7 15 | 15 9 | 5 16 | 1 1 | 143 154 | |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 298 | |
| 5 17 | ... | 4 | 72 5 | 30 62 | 42 49 | 39 31 | 35 36 | 30 34 | 36 40 | 41 44 | 28 39 | 30 45 | 37 22 | 37 47 | 33 34 | 453 483 | | |
| ... | ... | 3 | ... | ... | ... | 1 | ... | 1 | 2 | ... | 1 | ... | ... | ... | 1 | 6 | 942 | |
| 18 16 | ... | 10 | 121 8 | 67 112 | 78 64 | 49 60 | 49 67 | 54 61 | 111 62 | 106 104 | 81 96 | 74 68 | 64 59 | 75 65 | 1 | 930 928 | | |
| ... | ... | 3 | ... | ... | 2 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 4 | 1,862 | |
| 3 7 | ... | 6 | 32 3 | 28 33 | 22 19 | 16 14 | 21 21 | 26 23 | 21 18 | 25 22 | 27 28 | 18 21 | 20 29 | 24 23 | ... | 280 271 | | |
| ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 553 | |
| 5 7 | ... | ... | 17 1 | 13 16 | 16 13 | 13 10 | 12 9 | 20 11 | 14 12 | 13 9 | 17 11 | 7 15 | 17 22 | 9 14 | ... | 168 153 | | |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 321 | |
| 5 13 | ... | 8 | 41 6 | 28 49 | 24 24 | 19 27 | 24 35 | 24 28 | 22 17 | 14 27 | 24 34 | 34 17 | 18 35 | 22 31 | ... | 294 343 | | |
| ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | 639 | |
| 4 2 | ... | 6 | 20 1 | 12 17 | 17 13 | 11 12 | 16 12 | 15 11 | 10 17 | 16 8 | 18 13 | 8 10 | 12 12 | 20 5 | 1 | 176 142 | | |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 | 320 | |
| 52 86 | ... | 59 | 464 44 | 278 432 | 312 289 | 242 267 | 254 275 | 263 259 | 303 235 | 337 296 | 298 327 | 282 323 | 256 280 | 257 263 | 5 | 3,551 3,529 | | |
| ... | ... | 10 | 1 | ... | 3 | 3 | 2 | 2 | 5 | 2 | 5 | ... | 1 | 2 | ... | 26 | | |
| 138 | 5 | 113 | 897 | 567 | 582 | 520 | 515 | 500 | 604 | 666 | 626 | 562 | 537 | 522 | 8 | 7,106 | 7,106 | |

* Not including premature births and still-births.

TABLE No. XIX.

[illegible]

[illegible]

• **Classed with males.**

TABLE No. XIX. — Continued.

| Sex. | Months. | | | | | | | | | | | | Whole Number. | | | Ages. | | | | | | | | | | | | | | | | |
|-------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|---------------|--------|-------|---------|----------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|-----|-----|
| | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Male. | Female. | Unknown. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 10 | 3 | 3 | 3 | 3 | 5 | 1 | 1 | 5 | 16 | 11 | 3 | 3 | 124 | 64 | 60 | 5 | 5 | 11 | 20 | 10 | 5 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| F. 7 | 7 | 6 | 2 | 3 | 1 | 6 | 2 | 10 | 6 | 5 | 5 | 1 | 2 | 1 | 1 | 3 | 4 | 6 | 13 | 11 | 4 | 4 | 6 | 3 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | |
| M. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| M. 1 | 2 | 1 | 1 | 1 | 2 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 18 | 10 | 8 | 1 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | |
| F. | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 32 | 21 | 11 | 1 | 1 | 3 | 5 | 8 | 1 | 1 | 3 | 3 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | |
| M. 2 | 1 | 4 | 2 | 1 | 1 | 2 | 1 | 3 | 3 | 2 | 1 | 3 | 50 | 18 | 32 | 4 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 3 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | |
| F. | 1 | 2 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 4 | 2 | 1 | 6 | 2 | 7 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | |
| M. 4 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 6 | 2 | 3 | 2 | 3 | 9 | 18 | 15 | 55 | 69 | 78 | 44 | 6 | 3 | 3 | 3 | |
| F. 5 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 1 | 1 | 4 | 1 | 1 | 325 | 290 | 235 | 8 | 2 | 1 | 2 | 1 | 3 | 16 | 28 | 33 | 56 | 57 | 30 | 3 | 1 | 1 | 1 | |
| M. 25 | 23 | 28 | 17 | 23 | 33 | 24 | 19 | 21 | 30 | 31 | 15 | 1 | 131 | 67 | 64 | 5 | 1 | 1 | 4 | 4 | 4 | 14 | 4 | 4 | 14 | 7 | 21 | 6 | 1 | 1 | 1 | |
| F. 29 | 15 | 17 | 16 | 24 | 21 | 19 | 20 | 17 | 19 | 22 | 16 | 1 | 21 | 10 | 11 | 5 | 1 | 3 | 1 | 4 | 6 | 2 | 6 | 13 | 18 | 2 | 1 | 1 | 1 | 1 | 1 | |
| M. 10 | 4 | 9 | 4 | 7 | 4 | 8 | 7 | 4 | 4 | 5 | 1 | 1 | 21 | 10 | 11 | 2 | 1 | 1 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| F. 12 | 8 | 5 | 6 | 7 | 2 | 3 | 4 | 3 | 4 | 3 | 7 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| M. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| M. 2 | 2 | 2 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 19 | 9 | 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| M. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| F. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

TABLE No. XIX. — Continued.

| Months. | | | | | | | | | | | | | Whole Number. | | Ages. | | | | | | | | | | | | | | | | | | |
|------------------|------|------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|---------------|-------------------|--------|-------|---------|----------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--|--|
| CAUSES OF DEATH. | | | | | | | | | | | | | | | Total. | Male. | Female. | Unknown. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | | |
| Dec. | Jan. | Feb. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | | | | | | | | | | | | | | | | | | | | |
| F. | 1 | 1 | 2 | | | | 1 | | | | | | | Laryngitis | 1 | 1 | | 2 | 8 | | | | | | | | | | | | | | |
| M. | 1 | | | | | | | | | | | | | Lead poison | 1 | 1 | | | | | | | | | | | | | | | | | |
| M. | | | | | 1 | | | | | | | | | Lightning | 1 | 1 | | | | | | | | | | | | | | | | | |
| M. | 4 | 5 | 3 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | Liver disease. | 41 | 23 | 18 | | | | | 1 | 2 | 2 | 3 | 7 | 5 | 2 | | | | | |
| F. | 4 | 2 | 1 | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | " | | | | | | | | | | | | | | | | | | | |
| M. | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | " cirrhosis of | 11 | 9 | 2 | | | | | 1 | 2 | 3 | 4 | 2 | 2 | 1 | | | | | |
| F. | | | | | | | | | | | | | | " | | | | | | | | | | | | | | | | | | | |
| F. | | | | | | | | | | | | | | Locomotor, ataxia | 6 | 4 | 2 | | | | | | | | | | | | | | | | |
| M. | | | | | | | | | | | | | | " | | | | | | | | | | | | | | | | | | | |
| M. | | | | | | | | | | | | | | Lung disease. | 7 | 5 | 2 | | | | | | | | | | | | | | | | |
| F. | | | | | | | | | | | | | | " | | | | | | | | | | | | | | | | | | | |
| M. | 2 | | | | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Malformation | 10 | 8 | 2 | | | | | | | | | | | | | | | | |
| F. | | | | | | | | | | | | | | " | | | | | | | | | | | | | | | | | | | |
| M. | | | | | | | | | | | | | | Spina Bifida | 1 | 1 | | | | | | | | | | | | | | | | | |
| M. | 3 | | | | 1 | 1 | 1 | 1 | 4 | | | | | Spine disease | 27 | 10 | 17 | | | | | | | | | | | | | | | | |
| F. | 2 | 2 | | | 3 | 1 | 1 | 4 | 2 | 1 | 1 | 1 | 1 | " | | | | | | | | | | | | | | | | | | | |
| M. | | | | | | | | | | | | | | Spleen disease | 1 | 1 | | | | | | | | | | | | | | | | | |
| M. | 14 | 6 | 16 | 11 | 5 | 8 | 9 | 13 | 5 | 11 | 16 | 11 | 11 | Still-born | 197 | 102 | 72 | *23 | | | | | | | | | | | | | | | |
| F. | 7 | 4 | 10 | 6 | 6 | 6 | 8 | 3 | 2 | 10 | 9 | 6 | 6 | " | | | | | | | | | | | | | | | | | | | |

* Classed with males.

[illegible]

TABLE No. XIX. — Continued.

| Sex. | Months. | | | | | | | | | | | | CAUSES OF DEATH. | Whole Number. | | | Ages. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|------------------|-------------------|--------|-------|---------|----------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | | Unknown. | Total. | Male. | Female. | Unknown. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. | 1 | | | | | 1 | | | | | | | | Ulcér of stomach. | 8 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | </ |

• Classed with males.

TABLE No. XX.
Deaths by Sex, Age, and Month.*

| MONTHS. | SEX. | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. | Unknown. | Total. | Grand total. |
|----------|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|----------|--------|--------------|
| January | Males | 52 | 22 | 5 | 19 | 29 | 37 | 45 | 42 | 59 | 90 | 54 | 6 | 6 | 4 | 464 | ... |
| | Females | 30 | 27 | 7 | 23 | 32 | 31 | 31 | 40 | 61 | 65 | 65 | 17 | 1 | 2 | 432 | ... |
| | Not stated | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 897 |
| February | Males | 25 | 15 | 5 | 11 | 24 | 23 | 15 | 23 | 32 | 51 | 47 | 5 | ... | 2 | 278 | ... |
| | Females | 21 | 20 | 8 | 11 | 21 | 27 | 20 | 28 | 36 | 46 | 40 | 8 | 1 | 2 | 289 | 567 |
| March | Males | 47 | 15 | 10 | 20 | 13 | 27 | 22 | 22 | 38 | 55 | 36 | 5 | ... | 2 | 312 | ... |
| | Females | 32 | 15 | 11 | 9 | 27 | 24 | 29 | 26 | 27 | 35 | 26 | 4 | ... | 2 | 267 | ... |
| | Not stated | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 3 | 582 |
| April | Males | 30 | 19 | 3 | 8 | 16 | 17 | 17 | 27 | 44 | 31 | 26 | 3 | ... | 1 | 242 | ... |
| | Females | 27 | 13 | 4 | 10 | 28 | 26 | 20 | 26 | 33 | 42 | 31 | 11 | ... | 4 | 275 | ... |
| | Not stated | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 520 |
| May | Males | 27 | 14 | 9 | 17 | 28 | 23 | 16 | 26 | 25 | 36 | 27 | 4 | ... | 2 | 254 | ... |
| | Females | 18 | 15 | 6 | 12 | 22 | 26 | 17 | 24 | 33 | 52 | 27 | 3 | ... | 4 | 250 | ... |
| | Not stated | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 515 |

* Not including still births and premature births.

DEATHS BY SEX, AGE, AND MONTH.

183

| | | | | | | | | | | | | | | | | |
|--------------------|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-------|-------|
| December | Males | 30 | 16 | 6 | 8 | 25 | 13 | 11 | 31 | 30 | 46 | 29 | 5 | 7 | 257 | ... |
| | Females | 31 | 11 | 4 | 12 | 17 | 15 | 19 | 26 | 39 | 45 | 32 | 5 | 7 | 263 | ... |
| | Not stated | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 522 |
| No date | Males | ... | ... | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 2 | 5 | ... |
| | Females | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | 3 | 8 |
| Total | Males | 609 | 250 | 73 | 143 | 229 | 242 | 220 | 308 | 422 | 576 | 368 | 52 | 59 | 3,551 | ... |
| | Females | 524 | 216 | 66 | 156 | 263 | 277 | 242 | 332 | 399 | 513 | 406 | 86 | 44 | 3,529 | ... |
| | Not stated | 13 | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 10 | 26 | 7,106 |

SUMMARY

OF

REGISTRATION REPORT.

The following summary of observations is intended to present, in a brief and concise form, some of the more important facts deduced from the registration of births, marriages, divorces, and deaths in the State of New Hampshire for the year 1890.

In order to make calculations that shall be of practical value, two requirements are necessary: First, approximate correctness in the registration; and, second, approximate accuracy in the population figures for the periods embraced in the computations.

In order to make the deductions as accurate as possible, the population of the State for the years intervening between the census years, 1880-90, has been averaged, thus giving a more nearly correct basis upon which to make calculations.

The census of 1890 by age, sex, nationality, etc., is not yet available, making it necessary to fall back to the census of 1880 for these facts.

The population of the State in 1880 and 1890, by counties, is shown in the following table :

TABLE No. 1.

Population of Counties in 1880 and 1890.

| COUNTIES. | 1880. | 1890. |
|--------------------|---------|---------|
| Rockingham | 49,064 | 49,650 |
| Strafford | 35,558 | 38,442 |
| Belknap | 17,948 | 20,321 |
| Carroll | 18,224 | 18,124 |
| Merrimack | 46,300 | 49,435 |
| Hillsborough | 75,634 | 93,247 |
| Cheshire | 28,734 | 29,579 |
| Sullivan | 18,161 | 17,304 |
| Grafton | 38,788 | 37,217 |
| Cooks | 18,580 | 23,211 |
| Total | 346,991 | 376,530 |

The increase in the population of the State has been of very nearly even growth, hence by averaging the increase we are able to present a table showing the yearly population of the State from 1880 to 1890, that is as nearly correct as it is possible to obtain :

TABLE No. 2.

*Population of New Hampshire for each Year from 1880 to 1890,
inclusive.**

| YEARS. | Population. | YEARS. | Population. |
|------------|-------------|------------|-------------|
| 1880 | 346,991 | 1886 | 364,767 |
| 1881 | 349,952 | 1887 | 367,728 |
| 1882 | 352,913 | 1888 | 370,689 |
| 1883 | 355,874 | 1889 | 373,650 |
| 1884 | 358,845 | 1890 | 376,530 |
| 1885 | 361,806 | | |

* Population estimated for all but census years.

In 1890 there were reported 6,946 births, 3,621 marriages, and 7,368 deaths, being an increase of 34 births and 672 deaths over the previous year, while the number of marriages was the same.

The rates for the year were as follows :

| | | | | |
|-----------------|-------|----|-------|----------------------------|
| Birth-rate . . | 18.44 | to | 1,000 | of the population of 1890. |
| Marriage-rate . | 9.61 | " | " | " |
| Persons married | 19.22 | " | " | " |
| Death-rate . . | 19.56 | " | " | " |

Table No. 3 shows the population of the State (estimated for all except census year, 1890), the number of births, marriages, and deaths, together with the birth, marriage, and death-rates to each 1,000 of the population, for the years 1884 to 1890, inclusive. The birth-rate for 1889 was larger than for any other recorded year. While the actual number of marriages was the same in 1889 and 1890, the rate for the former year was slightly higher, based upon the estimated population of

that year. The death-rate for the year 1890 was considerably higher than ever before returned.

TABLE No. 3.

*Births, Marriages, and Deaths, with the Population and Rates, for 1884 to 1890, inclusive.**

| YEARS. | Population. | Births. | Marriages. | Deaths. | Birth-rate per 1,000. | Persons married to 1,000. | Death-rate per 1,000. |
|--------------|-------------|---------|------------|---------|-----------------------|---------------------------|-----------------------|
| 1884 | 358,845 | 6,247 | 3,292 | 6,194 | 17.40 | 18.84 | 17.26 |
| 1885 | 361,806 | 6,319 | 3,180 | 6,201 | 17.46 | 17.56 | 17.13 |
| 1886 | 364,767 | 6,657 | 3,324 | 6,426 | 18.24 | 18.22 | 17.61 |
| 1887 | 367,728 | 6,910 | 3,495 | 6,479 | 18.78 | 19.00 | 17.61 |
| 1888 | 370,689 | 6,443 | 3,379 | 6,854 | 17.38 | 18.22 | 18.48 |
| 1889 | 373,650 | 6,912 | 3,621 | 6,696 | 18.49 | 19.36 | 17.91 |
| 1890 | 376,530 | 6,946 | 3,621 | 7,368 | 18.44 | 19.22 | 19.56 |
| Average..... | 367,716 | 6,633 | 3,416 | 6,602 | 18.03 | 18.56 | 18.95 |

* Population estimated for all but census years.

BIRTHS.

There were 6,946 births registered for the year 1890, a slightly larger number than hitherto reported in a single year. It should be distinctly understood that the birth records of New Hampshire are incomplete. The birth-rate is undoubtedly lower than in States where manufacturing interests are more largely represented; but there is no question that our birth-rate as registered is much lower than actually exists, which is occasioned

by a neglect on the part of some whose duty it is to report births, and the indifference of a few local registrars. It is estimated that a rate of not far from 23 per 1,000 of the population represents very nearly the birth-rate of the State. A system that depends upon returns made by physicians and midwives to local registrars will never secure a correct registration of births. It is suggested that a system of compulsory birth registration be incorporated in the annual inventory blanks; by this method a very correct registration would be secured.

The birth-rate of the State per 1,000 of the estimated population for seven years was returned as follows :

For 1884, 17.40; 1885, 17.46; 1886, 18.24; 1887, 18.78; 1888, 17.38; 1889, 18.49; 1890, 18.44.

The most defective registration undoubtedly exists in the cities. The following table shows the birth-rates for the several cities of the State for the year 1890 :

TABLE No. 4.
Births in Cities for 1890, with Rate per 1,000.

| CITIES. | Population of 1890. | Births. | Birth-rate per 1,000. |
|-----------------|------------------------|---------|--------------------------|
| Portsmouth..... | 9,827 | 155 | 15.87 |
| Dover..... | 12,790 | 278 | 21.73 |
| Concord..... | 17,004 | 360 | 21.17 |
| Manchester..... | 44,126 | 849 | 19.23 |
| Nashua..... | 19,311 | 580 | 30.03 |
| Keene..... | 7,446 | 158 | 21.08 |

Of the 6,946 births reported for the year, 3,566 were males, 3,296 females, and 84 sex not stated. A statement of the births by counties, 1880-1890, may be found in Table I. A record of births by towns, giving sex, rate per 1,000 of the population, and nativity of parents, may be found in Table III. The relative proportion of male to female births will be found in Table IV.

The percentage of American and foreign-born parents will be found in the following table.

TABLE No. 5.

Percentage of American and Foreign Births, by Counties, 1890.

| COUNTIES. | PARENTS. | | | Births with parentage not stated. |
|--------------------|----------------|---------------|-------------------|-----------------------------------|
| | American-born. | Foreign-born. | One foreign-born. | |
| Rockingham | 68.95 | 15.00 | 10.86 | 40 |
| Strafford | 41.70 | 44.64 | 11.09 | 20 |
| Belknap | 55.27 | 28.88 | 11.80 | 14 |
| Carroll | 76.62 | 11.87 | 6.89 | 12 |
| Merrimack | 50.10 | 33.90 | 13.53 | 23 |
| Hillsborough | 32.24 | 47.78 | 14.97 | 98 |
| Cheshire | 60.95 | 22.28 | 11.97 | 26 |
| Sullivan | 67.97 | 15.03 | 15.03 | 6 |
| Grafton | 69.96 | 13.67 | 11.63 | 30 |
| Coös | 36.42 | 41.90 | 18.09 | 15 |
| Total | 50.07 | 32.75 | 12.94 | 284 |

This table gives the percentage of births of American-born parents as 50.07 ; foreign-born parents, 32.75 ; one parent foreign-born, 12.94 ; and 284 births with parent-age not given.

There were 78 pairs of twins born during the year, 11 more than for the year 1889, and two sets of triplets, one in Merrimack and one in Strafford county. A record of these births will be found in Tables No. V, VI, and VII.

One Indian and nine colored births are also recorded for the year.

MARRIAGES.

The total number of marriages registered in New Hampshire for the year 1890 was 3,621, exactly the same number as in 1889, which is 242 more than in 1888, and 126 more than in any previous year. This indicates a marriage-rate of 9.61, or 19.22 persons to each 1,000 of the population of 1890. The marriage-rates for the past seven years, 1884 to 1890, inclusive, computed on the estimated population of the respective years, is as follows: For 1884, 9.17 ; 1885, 8.78 ; 1886, 9.11 ; 1887, 9.50 ; 1888, 9.11 ; 1889, 9.68 ; 1890, 9.61 ; average, 9.38.

TABLE No. 6.

Marriage-rates for 1882 to 1890, inclusive.

| YEARS. | Marriages. | Persons married to 1,000 living.* | Number living to one mar- riage. |
|---------------|------------|--------------------------------------|--|
| 1882 | 3,433 | 19.44 | 103 |
| 1883 | 3,495 | 19.68 | 102 |
| 1884 | 3,292 | 18.34 | 109 |
| 1885 | 3,180 | 17.56 | 114 |
| 1886 | 3,324 | 18.22 | 109 |
| 1887 | 3,495 | 19.00 | 105 |
| 1888 | 3,379 | 18.22 | 109 |
| 1889 | 3,621 | 19.36 | 103 |
| 1890 | 3,621 | 19.22 | 103 |
| Average | 3,426 | 18.76 | 106 |

* Population estimated for all but census years.

Table No. 6 exhibits the number of persons married in New Hampshire for each year since 1882, together with the number of persons married to each 1,000 of the estimated population, and the estimated number of living persons to each marriage.

TABLE No. 7.

Marriages by Counties from 1882 to 1890, inclusive.

| COUNTIES. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Rockingham ... | 419 | 399 | 419 | 447 | 440 | 457 | 420 | 484 | 458 |
| Strafford | 428 | 425 | 415 | 388 | 418 | 420 | 416 | 377 | 457 |
| Belknap | 166 | 198 | 147 | 150 | 188 | 213 | 183 | 186 | 178 |
| Carroll | 159 | 175 | 171 | 182 | 177 | 149 | 163 | 176 | 155 |
| Merrimack | 364 | 432 | 344 | 361 | 345 | 421 | 405 | 423 | 473 |
| Hillsborough... | 1,025 | 949 | 886 | 815 | 876 | 915 | 879 | 1,013 | 939 |
| Cheshire | 232 | 262 | 238 | 233 | 240 | 255 | 221 | 250 | 237 |
| Sullivan | 149 | 167 | 138 | 109 | 140 | 123 | 146 | 154 | 172 |
| Grafton | 319 | 339 | 332 | 327 | 318 | 328 | 322 | 343 | 314 |
| Coös | 172 | 149 | 202 | 168 | 187 | 214 | 224 | 215 | 238 |
| Total | 3,433 | 3,495 | 3,292 | 3,180 | 3,324 | 3,495 | 3,379 | 3,621 | 3,621 |

Of the 3,621 marriages in the State in 1890, 939 were in Hillsborough county, 473 in Merrimack, 458 in Rockingham, 457 in Strafford, 314 in Grafton, 238 in Coös, 237 in Cheshire, 178 in Belknap, 172 in Sullivan, and 155 in Carroll.

TABLE No. 8.

*Marriage-rates for 1882 to 1890, inclusive, by Counties.**

| COUNTIES. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Rockingham ... | 8.51 | 8.09 | 8.49 | 9.04 | 8.89 | 9.22 | 8.45 | 9.72 | 9.22 |
| Strafford | 11.84 | 11.66 | 11.30 | 10.48 | 11.21 | 11.17 | 10.98 | 9.88 | 11.88 |
| Belknap | 9.01 | 10.61 | 7.78 | 7.84 | 9.45 | 10.87 | 9.23 | 9.27 | 8.75 |
| Carroll | 8.73 | 9.62 | 9.40 | 10.01 | 9.74 | 8.21 | 8.98 | 9.71 | 8.55 |
| Merrimack | 7.75 | 9.14 | 7.23 | 7.54 | 7.16 | 8.68 | 8.30 | 8.61 | 9.56 |
| Hillsborough... | 12.95 | 11.73 | 10.72 | 9.65 | 10.17 | 10.41 | 9.80 | 11.08 | 10.07 |
| Cheshire | 8.01 | 9.02 | 8.01 | 7.97 | 8.18 | 8.66 | 7.48 | 8.43 | 8.01 |
| Sullivan | 8.28 | 9.27 | 7.74 | 6.14 | 7.93 | 7.00 | 8.35 | 8.86 | 9.93 |
| Grafton | 8.28 | 8.83 | 8.68 | 8.59 | 8.38 | 8.68 | 8.55 | 9.15 | 8.43 |
| Coös | 8.82 | 7.46 | 9.89 | 8.04 | 8.76 | 9.82 | 10.07 | 9.47 | 10.25 |
| Average | 9.72 | 9.84 | 9.17 | 8.78 | 9.11 | 9.50 | 9.11 | 9.68 | 9.61 |

* Population estimated for all but census year.

The highest marriage-rate for the year 1890 was in Strafford county, being 11.88 per cent of the population of that county. Hillsborough county had a rate of 10.07 for the year; Coös, 10.25; Sullivan, 9.93; Merrimack, 9.56; Rockingham, 9.22; Belknap, 8.75; Carroll, 8.55; Grafton, 8.43; and Cheshire, 8.01.

TABLE No. 9.
*Marriages and Marriage-rates by Months and Quarters, from 1883 to 1890 inclusive.**

| MONTHS. | | MARRIAGES REGISTERED. | | | | | | | | PERCENTAGE OF MARRIAGES. | | | | | | | | |
|--------------|-------|-----------------------|-------|-------|-------|-------|-------|-------|--------|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. | Quarters. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
| January ... | 359 | 270 | 254 | 252 | 303 | 284 | 283 | 309 | 5,703 | 10.38 | 8.25 | 8.02 | 7.61 | 8.74 | 8.45 | 7.87 | 8.53 | 20.92 |
| February .. | 236 | 264 | 201 | 191 | 237 | 242 | 212 | 215 | | 6.83 | 8.06 | 6.35 | 5.77 | 6.84 | 7.20 | 5.89 | 5.92 | |
| March | 215 | 184 | 162 | 224 | 178 | 185 | 240 | 203 | | 6.22 | 5.62 | 5.12 | 6.77 | 5.13 | 5.50 | 6.67 | 5.60 | |
| April | 230 | 231 | 274 | 212 | 250 | 259 | 255 | 295 | 6,619 | 6.65 | 7.05 | 8.65 | 6.40 | 7.21 | 7.71 | 7.09 | 8.14 | 24.28 |
| May | 282 | 253 | 244 | 307 | 276 | 247 | 306 | 260 | | 8.16 | 7.73 | 7.71 | 9.28 | 7.96 | 7.35 | 8.51 | 7.18 | |
| June | 239 | 268 | 269 | 325 | 316 | 341 | 342 | 338 | | 6.91 | 8.19 | 8.50 | 9.82 | 9.11 | 10.14 | 9.51 | 9.33 | |
| July | 233 | 242 | 200 | 223 | 259 | 205 | 270 | 230 | 6,379 | 6.74 | 7.39 | 6.32 | 6.74 | 7.47 | 6.10 | 7.51 | 6.35 | 23.40 |
| August | 271 | 221 | 222 | 239 | 247 | 239 | 282 | 262 | | 7.84 | 6.75 | 7.01 | 7.22 | 7.12 | 7.11 | 7.84 | 7.23 | |
| September .. | 270 | 324 | 311 | 315 | 298 | 315 | 321 | 380 | | 7.81 | 9.90 | 9.82 | 9.52 | 8.59 | 9.37 | 8.92 | 10.49 | |
| October | 350 | 332 | 320 | 343 | 376 | 377 | 351 | 360 | 8,543 | 10.12 | 10.14 | 10.11 | 10.36 | 10.84 | 11.22 | 9.76 | 9.94 | 31.34 |
| November .. | 423 | 385 | 374 | 388 | 427 | 381 | 409 | 443 | | 12.24 | 11.79 | 11.81 | 11.72 | 12.31 | 11.34 | 11.37 | 12.26 | |
| December .. | 349 | 299 | 335 | 291 | 301 | 286 | 326 | 316 | | 10.10 | 9.13 | 10.58 | 8.79 | 8.68 | 8.51 | 9.06 | 8.72 | |
| Total ... | 3,457 | 3,274 | 3,166 | 3,310 | 3,468 | 3,361 | 3,597 | 3,611 | 27,254 | | | | | | | | | |

* Not including those with date not given.

Table No. 9 shows the number of marriages and the marriage-rates, by months and quarters, for the years 1883 to 1890, inclusive.

The largest number of marriages, by seasons, for the years included in the table, occurred in the fourth quarter, and the smallest number in the first quarter; 31.34 per cent of the marriages were solemnized in the fourth quarter of the year; 24.28 per cent in second quarter; 23.40 per cent in third quarter; and 20.92 per cent in first quarter. A larger number of marriages was returned for November than for any other month, while the smallest number occurred in March.

TABLE No. 10.

Marriages for eight years, 1883 to 1890, inclusive, by Ages.

| SEX. | Under 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 70. | 70 to 80. | Over 80. | Not stated. |
|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-------------|
| Males . . . | 1,356 | 10,050 | 7,233 | 3,182 | 1,665 | 944 | 788 | 513 | 387 | 551 | 188 | 16 | 632 |
| Females .. | 7,455 | 10,187 | 4,372 | 1,825 | 1,076 | 659 | 446 | 280 | 175 | 181 | 30 | | 1719 |

Table No. 10 shows the number of marriages for eight years, by ages and sex. Under twenty years of age 1,356 males and 7,455 females were married; between twenty and twenty-five, 10,050 males and 10,187 females; between twenty-five and thirty, 7,233 males and 4,372 females; between thirty and thirty-five, 3,182 males and 1,825 females; between thirty-five and forty, 1,665 males and 1,076 females; between forty and forty-five, 944 males and 659 females; between forty-five and fifty, 788 males and 446 females; between fifty and fifty-five, 513 males and 280 females; between fifty-

five and sixty, 387 males and 175 females; between sixty and seventy, 551 males and 181 females; between seventy and eighty, 188 males and 30 females; over eighty, 16 males and 1 female; 632 males and 719 females, age not given.

TABLE No. 11.

Marriages according to Nativity.— Percentages 1882 to 1890, inclusive.

| YEARS. | Both American. | Both foreign. | Groom American. | Bride American. | Not stated. |
|------------|----------------|---------------|-----------------|-----------------|-------------|
| 1882 | 65.74 | 12.09 | 5.13 | 4.14 | 12.90 |
| 1883 | 66.15 | 12.62 | 5.38 | 4.18 | 11.67 |
| 1884 | 69.44 | 12.91 | 5.32 | 3.92 | 8.41 |
| 1885 | 69.75 | 11.57 | 4.97 | 4.84 | 8.87 |
| 1886 | 67.87 | 13.39 | 6.50 | 5.08 | 7.16 |
| 1887 | 65.72 | 15.79 | 6.07 | 5.49 | 6.93 |
| 1888 | 64.22 | 17.16 | 7.10 | 6.31 | 5.21 |
| 1889 | 64.52 | 17.04 | 7.40 | 6.55 | 4.69 |
| 1890 | 62.19 | 18.58 | 7.53 | 7.15 | 4.53 |

Table No. 11 exhibits the percentage of marriages in the State from 1882 to 1890, inclusive, by nativity. In the year 1890, 62.19 per cent of the marriages were of American-born persons, 18.58 per cent foreign-born, 7.53 per cent the groom was American-born, 7.15 per cent the bride was American-born, and 4.53 per cent not stated.

TABLE No. 12.

*Proportion of American to Foreign Born Persons Married, for 1882 to 1890, inclusive.**

| YEARS. | American-born. | Foreign-born. |
|-----------|----------------|---------------|
| 1882..... | 80.80 | 19.20 |
| 1883..... | 80.30 | 19.70 |
| 1884..... | 80.86 | 19.14 |
| 1885..... | 81.92 | 18.08 |
| 1886..... | 79.34 | 20.66 |
| 1887..... | 76.82 | 23.18 |
| 1888..... | 74.82 | 25.18 |
| 1889..... | 74.80 | 25.20 |
| 1890..... | 65.14 | 34.86 |

* Excluding those with nativity not stated.

Table No. 12 shows the relative proportion of American and foreign-born persons married in this State from 1882 to 1890, inclusive. The census of 1890 is not yet available by nativity, so that the percentages given may possibly vary somewhat from what they actually are.

TABLE No. 18.
Percentages of American and Foreign Born Persons Married, by Counties, from 1882 to 1890, inclusive.

| YEARS. | State. | Rockingham. | Stratford. | Belknap. | Carroll. | Merrimack. | Hillsborough. | Cheshire. | Sullivan. | Granton. | Cook. |
|-----------------------|--------|-------------|------------|----------|----------|------------|---------------|-----------|-----------|----------|-------|
| 1882 { American | 80.80 | 90.89 | 80.98 | 75.90 | 97.43 | 84.25 | 66.08 | 88.64 | 90.08 | 93.38 | 81.17 |
| 1882 { Foreign | 19.20 | 9.11 | 19.02 | 24.10 | 2.57 | 15.75 | 33.92 | 11.36 | 9.92 | 6.62 | 18.83 |
| 1883 { American | 80.30 | 89.63 | 82.05 | 82.78 | 94.22 | 84.17 | 62.84 | 89.57 | 96.92 | 89.63 | 75.76 |
| 1883 { Foreign | 19.70 | 10.37 | 17.95 | 17.22 | 5.78 | 15.83 | 37.16 | 10.43 | 3.08 | 10.37 | 24.24 |
| 1884 { American | 80.86 | 86.68 | 76.32 | 88.11 | 97.71 | 85.83 | 65.30 | 90.32 | 93.65 | 92.18 | 76.44 |
| 1884 { Foreign | 19.14 | 13.32 | 23.68 | 11.89 | 2.29 | 14.17 | 34.70 | 9.68 | 6.35 | 7.82 | 23.56 |
| 1885 { American | 81.92 | 86.95 | 81.25 | 83.58 | 97.26 | 87.09 | 67.52 | 90.05 | 91.33 | 89.63 | 76.60 |
| 1885 { Foreign | 18.08 | 13.05 | 18.75 | 16.42 | 2.74 | 12.91 | 32.48 | 9.95 | 8.67 | 10.37 | 23.40 |
| 1886 { American | 79.34 | 87.01 | 79.82 | 75.14 | 96.18 | 83.74 | 62.90 | 91.27 | 89.90 | 90.53 | 71.50 |
| 1886 { Foreign | 20.66 | 12.99 | 20.18 | 24.86 | 3.82 | 16.26 | 37.10 | 8.73 | 11.00 | 9.47 | 28.50 |
| 1887 { American | 76.82 | 87.15 | 75.70 | 78.71 | 93.88 | 80.29 | 60.59 | 82.98 | 93.97 | 88.50 | 66.42 |
| 1887 { Foreign | 23.18 | 12.85 | 24.30 | 21.29 | 6.12 | 19.71 | 39.41 | 17.02 | 6.03 | 11.50 | 33.58 |
| 1888 { American | 74.82 | 84.03 | 77.10 | 78.53 | 93.91 | 76.98 | 54.94 | 84.47 | 88.73 | 86.96 | 74.07 |
| 1888 { Foreign | 25.18 | 15.97 | 22.90 | 21.46 | 6.09 | 23.07 | 45.06 | 15.53 | 11.27 | 11.04 | 25.93 |

SUMMARY OF OBSERVATIONS.

199

| | | | | | | | | | | | | |
|--------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1888 { | American | 74.80 | 84.85 | 72.41 | 82.56 | 93.39 | 79.90 | 56.96 | 85.99 | 90.00 | 88.84 | 65.17 |
| | Foreign | 25.20 | 15.15 | 27.59 | 17.44 | 6.61 | 20.10 | 43.04 | 14.01 | 10.00 | 11.16 | 84.83 |
| 1890 { | American | 65.14 | 76.89 | 63.57 | 74.25 | 87.75 | 68.01 | 47.48 | 77.44 | 83.63 | 80.95 | 45.80 |
| | Foreign | 34.86 | 23.61 | 36.43 | 25.75 | 12.25 | 31.99 | 52.52 | 22.56 | 16.37 | 19.05 | 54.70 |

Table No. 13 shows the percentages of American and foreign-born persons married, by counties, for the years 1882 to 1890, inclusive.

Additional facts in relation to the marriage returns for the year 1890 may be found in Tables I, II, III, IX, X, XI, and XII.

DIVORCES.

Three hundred and eighty-two divorces were granted during the year 1890, being 14 more than in 1889, four less than in 1888, and the same as in 1886. Of this number, 138 were for abandonment, 102 for extreme cruelty, 92 for adultery, 22 for habitual drunkenness, 10 for willing absence three years, 5 each for impotency and willing absence and refusing to cohabit, 4 for treatment injurious to health, 2 each for abandonment and adultery, desertion, extreme cruelty and habitual drunkenness, and treatment injurious to health, and 1 each for absence three years, extreme cruelty and willing absence, habitual drunkenness and abandonment, and nullity.

The four leading causes for divorces are represented below in percentages to the total number of divorces decreed in the respective counties.

ABANDONMENT.

| COUNTIES. | Percentage. | COUNTIES. | Percentage. |
|------------------|-------------|--------------------|-------------|
| Strafford | 55.28 | Carroll | 35.00 |
| Grafton | 45.45 | Hillsborough | 33.68 |
| Rockingham | 38.09 | Coös | 31.88 |
| Sullivan | 36.36 | Cheshire | 26.83 |
| Belknap | 36.00 | Merrimack | 22.64 |

EXTREME CRUELTY.

| COUNTIES. | Percentage. | COUNTIES. | Percentage. |
|--------------------|-------------|------------------|-------------|
| Belknap | 36.00 | Carroll | 25.00 |
| Merrimack | 35.85 | Strafford | 23.68 |
| Hillsborough | 30.52 | Cheshire | 17.07 |
| Sullivan | 27.27 | Rockingham | 16.66 |
| Coös | 27.27 | Grafton | 15.15 |

ADULTERY.

| COUNTIES. | Percentage. | COUNTIES. | Percentage. |
|------------------|-------------|--------------------|-------------|
| Rockingham | 40.48 | Merrimack | 18.87 |
| Grafton | 36.36 | Strafford | 18.42 |
| Carroll | 30.00 | Hillsborough | 17.89 |
| Sullivan | 27.27 | Belknap | 16.00 |
| Cheshire | 24.39 | Coös | 13.62 |

HABITUAL DRUNKENNESS.

| COUNTIES. | Percentage. | COUNTIES. | Percentage. |
|--------------------|-------------|------------------|-------------|
| Cheshire | 12.19 | Sullivan | 4.54 |
| Belknap | 12.00 | Rockingham | 4.76 |
| Coös | 9.09 | Grafton | 3.03 |
| Merrimack | 7.55 | Strafford | |
| Hillsborough | 7.36 | Carroll | |

A detailed statement of all the causes for which divorces have been decreed, tabulated by counties, may be found in Tables XIII and XIV.

TABLE No. 14.
Divorces decreed from 1870 to 1890, inclusive, by Counties.

| COUNTIES. | 1870. | 1871. | 1872. | 1873. | 1874. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Rockingham... | 19 | 20 | 29 | 34 | 41 | 23 | 37 | 18 | 30 | 30 | 44 | 30 | 23 | 21 | 28 | 25 | 40 | 41 | 53 | 43 | 42 |
| Strafford | 12 | 6 | 24 | 27 | 25 | 17 | 20 | 29 | 29 | 34 | 56 | 42 | 36 | 53 | 32 | 28 | 46 | 24 | 41 | 36 | 38 |
| Belknap..... | ... | 7 | 7 | 13 | 12 | 10 | 18 | 16 | 16 | 16 | 22 | 17 | 14 | 15 | 19 | 20 | 24 | 25 | 26 | 27 | 25 |
| Carroll..... | 4 | 1 | 1 | 9 | 9 | 4 | 10 | 13 | 19 | 13 | 11 | 19 | 9 | 7 | 14 | 20 | 12 | 12 | 22 | 20 | 20 |
| Merrimack | 15 | 27 | 32 | 13 | 51 | 37 | 40 | 23 | 22 | 36 | 41 | 25 | 49 | 49 | 48 | 35 | 46 | 48 | 49 | 42 | 53 |
| Hillsborough .. | 64 | 37 | 58 | 51 | 77 | 75 | 65 | 73 | 61 | 69 | 83 | 87 | 90 | 74 | 93 | 86 | 110 | 78 | 82 | 87 | 95 |
| Cheshire..... | 12 | 19 | 19 | 16 | 15 | 22 | 21 | 17 | 18 | 22 | 31 | 21 | 34 | 25 | 30 | 25 | 32 | 26 | 29 | 31 | 32 |
| Sullivan..... | 6 | 6 | 10 | 16 | 17 | 13 | 26 | 9 | 10 | 8 | 9 | 22 | 17 | 12 | 11 | 20 | 25 | 20 | 26 | 18 | 22 |
| Grafton | 13 | 21 | 15 | 29 | 22 | 20 | 20 | 29 | 17 | 27 | 25 | 37 | 27 | 14 | 28 | 22 | 30 | 35 | 40 | 39 | 33 |
| Coös | 4 | 5 | 2 | 4 | 12 | 11 | 9 | 10 | 11 | 10 | 15 | 7 | 15 | 3 | 12 | 10 | 17 | 16 | 18 | 25 | 22 |
| Total | 149 | 149 | 197 | 212 | 281 | 232 | 266 | 237 | 233 | 265 | 339 | 307 | 314 | 273 | 315 | 291 | 382 | 325 | 386 | 368 | 382 |

Table 14 shows the number of divorces decreed from 1870 to 1890, inclusive, by counties.

TABLE No. 15.

Ratio of Divorces to Marriages from 1882 to 1890, inclusive.

| YEARS. | Number of marriages. | Marriage-rate per 1,000. | Number of divorces. | Ratio of divorces to marriages. |
|--------------------|----------------------|--------------------------|---------------------|---------------------------------|
| 1882 | 3,433 | 19.44 | 314 | 1 to 10.98 |
| 1883 | 3,495 | 19.68 | 273 | 1 to 12.80 |
| 1884 | 3,292 | 18.84 | 315 | 1 to 10.45 |
| 1885 | 3,180 | 17.56 | 291 | 1 to 10.92 |
| 1886 | 3,324 | 18.22 | 382 | 1 to 8.70 |
| 1887 | 3,495 | 19.00 | 325 | 1 to 10.75 |
| 1888 | 3,379 | 18.22 | 386 | 1 to 8.75 |
| 1889 | 3,621 | 19.22 | 368 | 1 to 9.83 |
| 1890 | 3,621 | 19.22 | 382 | 1 to 9.48 |
| Total | 30,840 | 18.77 | 3,036 | 1 to 10.15 |

Table No. 15 shows the ratio of divorces to marriages from 1882 to 1890, inclusive. The average ratio for these years is 1 to 10.15.

TABLE No. 16.

Ratio of Divorces to Marriages, by Counties, for 1890.

| COUNTIES. | Number of marriages. | Number of divorces. | Ratio of divorces to marriages. |
|--------------------|----------------------|---------------------|---------------------------------|
| Rockingham..... | 458 | 42 | 1 to 10.90 |
| Strafford | 457 | 38 | 1 to 12.02 |
| Belknap..... | 178 | 25 | 1 to 7.12 |
| Carroll | 155 | 20 | 1 to 7.75 |
| Merrimack | 473 | 53 | 1 to 8.92 |
| Hillsborough | 939 | 95 | 1 to 9.88 |
| Cheshire | 237 | 32 | 1 to 7.40 |
| Sullivan..... | 172 | 22 | 1 to 7.81 |
| Grafton | 314 | 33 | 1 to 9.51 |
| Coös..... | 238 | 22 | 1 to 10.81 |
| Total | 3,621 | 382 | 1 to 9.48 |

Table No. 16 shows the ratio of divorces to marriages, by counties, for the year 1890. Strafford county makes the best showing for the year, with one divorce to 12.02 marriages; Rockingham has 1 to 10.90 marriages; Coös, 1 to 10.81; Hillsborough, 1 to 9.88; Grafton, 1 to 9.51; Merrimack, 1 to 8.92; Sullivan, 1 to 7.81; Carroll, 1 to 7.75; Cheshire, 1 to 7.40, while Belknap has the highest rate, 1 to 7.12 marriages.

TABLE No. 17.

Ratio of total number of Divorces to total number of Marriages, by Counties, from 1882 to 1890, inclusive.

| COUNTIES. | Number of marriages. | Number of divorces. | Ratio of divorces to marriages. |
|--------------------|----------------------|---------------------|---------------------------------|
| Rockingham | 3,943 | 316 | 1 to 12.47 |
| Strafford | 3,744 | 334 | 1 to 11.19 |
| Belknap | 1,604 | 195 | 1 to 8.22 |
| Carroll | 1,507 | 136 | 1 to 11.02 |
| Merrimack | 3,568 | 419 | 1 to 8.51 |
| Hillsborough | 8,297 | 795 | 1 to 10.48 |
| Cheshire | 2,168 | 264 | 1 to 8.21 |
| Sullivan | 1,298 | 171 | 1 to 7.59 |
| Grafton | 2,942 | 268 | 1 to 10.97 |
| Coös | 1,769 | 138 | 1 to 12.81 |
| Total | 30,840 | 3,036 | 1 to 10.15 |

Table No. 17 shows the ratio of the total number of divorces to the total number of marriages, by counties, from 1882 to 1890, inclusive. It will be seen by this table that the ratio of divorces to marriages for the entire State, for the period named, is 1 to 10.15, the lowest rate being in Coös county, 1 to 12.81, and the highest in Sullivan, 1 to 7.59.

The record of divorces as presented in this report is correct, inasmuch as the facts are taken from the court records; the law directs that the clerks of the several courts make a return of the number of divorces decreed at each term of court, with cause, and number and sex

of libellants, but beyond this, no facts are reported to the registrar. It is suggested that an additional source of information concerning this subject might be secured if the law required the clerks to make similar returns of the unsuccessful cases, that is, the cause, sex of libellants, etc., with the reason why the libels were dismissed, and, also give in all the returns, the length of time that the libellants have been married, with nationality, etc.

DEATHS.

An accurate record of the causes of death constitutes the only guide or measure by which the results of sanitary work can be definitely determined; it also as effectually points out those localities to which the attention of the health officer should be turned for active work to lessen an abnormally large death-rate. Were it possible to secure the return of every case of illness that appears in the State we would have an absolutely correct criterion upon which to base all calculations respecting sanitary work. Such a record, however, under the present conditions of social, moral, and legal government is not attainable, therefore, the next best information, which, thanks to the progressive spirit of the people of the State, we are in the possession of, is a reliable and approximately correct record of deaths. We should be more fortunate if this record covered a longer period. It is only within the past seven years that the death returns have been sufficiently accurate for making deductions respecting the prevalence of certain diseases, yet the facts that have been established from the mortality records of this brief period are invaluable from a public health standpoint, not to mention the importance of the individual records in matters pertaining to person and property.

The total number of deaths returned to the registrar of vital statistics for the year ending Dec. 31, 1890, was 7,368. This is the largest number of deaths ever returned in a single year, being 672 more than was returned in 1889, and 766 more than the average for the past seven years. The largest number heretofore reported was 6,854 in 1888.

Before going further it may be well to anticipate briefly some of the facts that will be revealed further on concerning the large increase in the mortality returns of the year 1890. The increase of 672 over the returns of the previous year can be accounted for only to a very slight extent by greater accuracy in the registration of deaths; but must be due to other causes—in fact, chiefly to one cause, the epidemic of influenza. An examination of the returns shows that the increased mortality is confined almost entirely to three classes, constitutional, local, and developmental diseases, there being a decrease in the deaths from zymotic diseases. As an index to the prevalence of influenza it may be noted that 94 deaths were attributed to this cause alone, as against four for the previous year. In addition to this, influenza, or "*la grippe*," is mentioned as a complication in very many other cases, more noticeably in the diseases of the respiratory system. The mortality from pneumonia was 121 greater than in 1889, acute bronchitis was nearly double that of the previous year, and in a like manner its influence is apparent in many other diseases. Of course it is impossible to state, even approximately, the number of deaths indirectly caused by this epidemic, but that it should have been so important a factor in increasing the death-rate of the State was not, perhaps, expected and would not have been revealed except through the registration of deaths. •

In the following table is given the number of deaths in each year from 1884 to 1890, inclusive, with percentage to each 1,000 of the population.

TABLE No. 18.

Deaths and Death-rates from 1884 to 1890, inclusive.

| YEARS. | Deaths regis- tered. | Deaths to 1,000 of population.* |
|---------------|-------------------------|------------------------------------|
| 1884 | 6,194 | 17.26 |
| 1885 | 6,201 | 17.13 |
| 1886 | 6,426 | 17.61 |
| 1887 | 6,479 | 17.61 |
| 1888 | 6,854 | 18.48 |
| 1889 | 6,696 | 17.91 |
| 1890 | 7,368 | 19.56 |
| Average | 6,602 | 17.94 |

* Population estimated for all but census years.

The returns for the six years prior to 1890 are very uniform, and but for the epidemic of influenza we have reason to believe that the figures for the latter year would very closely approximate those of the preceding years. We believe that these returns are very nearly correct—indeed as near absolute correctness as it is possible to obtain under any system of registration, and that the average of these years presents accurately the death-rate of the State. A death-rate of 18—possibly a fraction over—we believe to be the average per 1,000

of the population for New Hampshire, a rate probably as low as can be found in any State in the Union, and considerably below that of some of the States. By this we do not mean to assert that New Hampshire is naturally more healthful than some other States with a higher death-rate, for in the consideration of this subject, nationality, social conditions, occupations, environments, and many other conditions must be taken into account. The average death-rate for Europe from 1865 to 1883 was 28.1 per 1,000 of the population; for Europe, excluding Russia, it was 25.8; and for Russia alone, 35.7. For Eastern Europe, 35.7; Central Europe, 28.3; Southern Europe, 25.6; Northwestern Europe, 20.5. Massachusetts for a period of thirty years ending 1888, had a mortality rate of 19.48; Austria for thirteen years ending in 1883, 31.0; and for about the same period the death-rate of Greece was 20.8; Denmark, 19.7; Sweden, 18.9; Ireland, 17.8; and Norway, 17.2. In our own country those States which have a reliable system of registration have a death-rate ranging from about 18 to 20 per 1,000 of the population. We can, therefore, upon the basis of our mortality records safely assert that New Hampshire is as healthful a State as any in the Union.

Table No. 19 shows the number of deaths and the death-rate per 1,000 of the population, by counties, for the years 1884 to 1890, inclusive. The highest death-rate has usually been in Hillsborough county, while the lowest, as a rule, has been in Coös. In 1890 the death-rate of Rockingham county was 21.45; Strafford, 20.83; Belknap, 18.40; Carroll, 16.71; Merrimack, 19.88; Hillsborough, 21.14; Cheshire, 18.48; Sullivan, 19.81; Grafton, 17.49; and Coös, 14.17; and the average for the entire State, 19.56. Rockingham, Hillsborough, and Strafford counties present very high rates for the year 1890, while the rate for Coös county is quite low.

REGISTRATION REPORT.

TABLE No. 19.
*Death and Death-rates, by Counties, from 1884 to 1890, inclusive.**

| COUNTIES. | 1884. | | 1885. | | 1886. | | 1887. | | 1888. | | 1889. | | 1890. | |
|--------------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|
| | Deaths. | Death-rates. | Deaths. | Death-rates. | Deaths. | Death-rates. | Deaths. | Death-rates. | Deaths. | Death-rates. | Deaths. | Death-rates. | Deaths. | Death-rates. |
| Rockingham | 873 | 17.69 | 911 | 18.43 | 903 | 19.46 | 876 | 17.67 | 896 | 18.05 | 875 | 17.61 | 1,065 | 21.45 |
| Strafford | 627 | 17.07 | 619 | 16.73 | 609 | 16.33 | 673 | 17.91 | 688 | 18.17 | 691 | 18.11 | 801 | 20.83 |
| Belknap | 285 | 15.09 | 289 | 15.12 | 362 | 18.71 | 369 | 18.84 | 392 | 19.78 | 389 | 19.40 | 374 | 18.40 |
| Carroll | 333 | 18.31 | 269 | 14.80 | 303 | 16.68 | 294 | 16.20 | 328 | 18.07 | 298 | 16.44 | 303 | 16.71 |
| Merrimack | 736 | 15.46 | 796 | 16.63 | 833 | 17.29 | 835 | 17.22 | 920 | 18.86 | 891 | 18.15 | 983 | 19.88 |
| Hillsborough | 1,655 | 20.02 | 1,701 | 20.15 | 1,681 | 19.51 | 1,697 | 19.38 | 1,846 | 20.59 | 1,740 | 19.04 | 1,973 | 21.14 |
| Cheshire | 497 | 17.06 | 494 | 16.90 | 475 | 16.19 | 482 | 16.39 | 488 | 16.52 | 525 | 17.72 | 557 | 18.49 |
| Sullivan | 273 | 15.32 | 284 | 16.02 | 328 | 18.59 | 233 | 16.12 | 327 | 18.72 | 314 | 18.06 | 332 | 19.81 |
| Grafton | 652 | 17.06 | 611 | 16.05 | 616 | 16.24 | 602 | 15.93 | 655 | 17.35 | 625 | 16.67 | 651 | 17.49 |
| Cooks | 263 | 12.88 | 227 | 10.87 | 256 | 12.00 | 368 | 16.89 | 314 | 14.11 | 348 | 15.32 | 329 | 14.17 |
| Total | 6,194 | 17.26 | 6,201 | 17.13 | 6,426 | 17.61 | 6,479 | 17.61 | 6,854 | 18.48 | 6,696 | 17.91 | 7,368 | 19.56 |

* Population estimated for all but census years.

TABLE No. 20.
*Percentages of Deaths, by Quarters, from 1884 to 1890, inclusive.**

| YEARS. | Percentage of deaths for quarters ending with | | | |
|------------|---|-------|------------|-----------|
| | March. | June. | September. | December. |
| 1884 | 23.23 | 23.40 | 26.63 | 26.74 |
| 1885 | 27.27 | 26.66 | 24.32 | 21.75 |
| 1886 | 23.75 | 23.27 | 28.90 | 24.08 |
| 1887 | 24.56 | 24.02 | 27.77 | 23.65 |
| 1888 | 25.94 | 23.72 | 26.82 | 23.52 |
| 1889 | 23.70 | 24.16 | 27.38 | 24.76 |
| 1890 | 28.82 | 21.63 | 26.71 | 22.84 |

* Not including deaths with month not stated, premature and still births.

Table No. 20 shows the percentages of deaths, by quarters, from 1884 to 1890, inclusive. It will be noticed that the greatest mortality usually occurs during the quarter ending with September, while for the other three quarters it is more nearly uniform. The increased rate recorded for the third quarter of the year is doubtless due to cholera infantum, which is most prevalent during July, August, and September. For the year 1890 this order is changed and the quarter ending with March has the greatest mortality, due to the increased number of deaths from pneumonia and other diseases of the respiratory organs which prevailed during those months, and to the widespread epidemic of influenza that either as a primary cause or as a complication of those diseases produced so marked an effect upon the death-rate of the State. For the first quarter of the year the percentage of deaths to the total mortality for the year was 28.82; for the second, 21.63; for the third, 26.71; and for the last, 22.84.

TABLE No. 21.

Mortality of Males and Females compared, 1884 to 1890, inclusive.

| YEARS. | Male decedents. | Female decedents. | Male decedents to 100 female decedents. | Death-rate of males to 1,000 male population.* | Death-rate of females to 1,000 of female population. |
|--------------|-----------------|-------------------|---|--|--|
| 1884..... | 3,034 | 3,122 | 97.18 | 17.79 | 17.69 |
| 1885..... | 2,948 | 3,194 | 92.29 | 17.28 | 18.09 |
| 1886..... | 3,155 | 3,212 | 98.20 | 18.50 | 18.20 |
| 1887..... | 3,174 | 3,267 | 97.15 | 18.61 | 18.51 |
| 1888..... | 3,419 | 3,382 | 101.09 | 20.04 | 19.16 |
| 1889..... | 3,253 | 3,389 | 95.98 | 19.07 | 19.20 |
| 1890..... | 3,692 | 3,624 | 101.87 | 21.65 | 20.53 |
| Average..... | 3,239 | 3,312 | 97.79 | 18.99 | 18.77 |

* Population of 1880.

Table No. 21 exhibits the mortality of males and females compared for the years 1884 to 1890, inclusive. With the exception of the years 1888 and 1890 the female decedents have exceeded the males. By a comparison of the death-rates of the respective sexes to each 1,000 of the living population of that sex it will be seen that the average mortality rate of the male population is slightly higher than that of the female. These figures are based upon the census of 1880, and it may here be remarked, parenthetically, that it is to be regretted that the classification of the sexes, census of 1890, is not yet available for use; therefore the deductions from this table, as well as from a few others, are not so accurate as they otherwise might have been.

TABLE No. 22.

*Deaths at Age Periods by Percentages, from 1883 to 1890, inclusive.**

| YEARS. | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | Over 60. |
|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|----------|
| 1883 | 14.13 | 7.58 | 2.56 | 5.55 | 8.58 | 6.73 | 6.22 | 7.64 | 37.93 |
| 1884 | 16.22 | 7.36 | 2.61 | 5.30 | 7.93 | 6.26 | 6.33 | 7.75 | 38.38 |
| 1885 | 15.98 | 7.14 | 2.11 | 4.42 | 7.50 | 6.71 | 6.71 | 7.76 | 40.09 |
| 1886 | 16.89 | 7.70 | 2.86 | 4.82 | 7.73 | 6.55 | 6.12 | 7.47 | 38.86 |
| 1887 | 17.64 | 7.26 | 2.05 | 4.89 | 6.96 | 6.25 | 6.56 | 7.72 | 39.70 |
| 1888 | 19.23 | 7.63 | 2.04 | 4.93 | 7.07 | 6.00 | 5.53 | 7.57 | 38.72 |
| 1889 | 19.44 | 7.71 | 2.66 | 4.64 | 6.56 | 6.15 | 5.93 | 7.63 | 38.40 |
| 1890 | 16.23 | 6.67 | 1.99 | 4.28 | 7.04 | 2.12 | 6.62 | 9.17 | 40.49 |

* Not including those with age not stated, premature, and still births.

TABLE No. 23.

*Deaths at Different Periods, compared with the number Living at the Same Period, 1890.**

| | Deaths 1890. | Persons living at same ages, census of 1880. | Death-rate per 1,000. |
|----------------------|--------------|--|-----------------------|
| Under 1 year | 1,146 | 6,141 | 186.61 |
| Under 5 years | 1,614 | 30,573 | 52.79 |
| 20 to 30 years | 492 | 63,252 | 7.77 |
| All others | 5,000 | 253,166 | 19.74 |
| All ages | 7,106 | 376,530† | 18.87 |

* Excluding still births and premature births. † Census of 1890.

Table 23 exhibits the number of deaths at different age periods compared with the number living at the same period, based upon the census of 1880, with the exception noted in the table. This table shows a death-rate per 1,000 of the population under one year of age, of 186.61 as against 165.14 for the preceding year; under five years of age, 52.79 as against 50.04 for 1889; between twenty and thirty, 7.77 in 1890, and 6.94 in 1889; all others, 19.74 in 1890, and 17.53 in 1889; for all ages the rate was 18.87 in 1890, and 18.46 in 1889.

TABLE No. 24.
Deaths by Ages and Sex, from 1884 to 1890, inclusive.*

| YEARS. | Under 1. | 1 to 4. | 5 to 9. | 10 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | Over 100. | Unknown. |
|--------------------|----------|---------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
| 1884.. Males | 400 | 243 | 72 | 136 | 224 | 168 | 180 | 245 | 322 | 502 | 292 | 31 | 1 | 60 |
| Females | 353 | 212 | 90 | 192 | 266 | 230 | 211 | 235 | 336 | 444 | 379 | 70 | ... | 51 |
| Not stated..... | 3 | 1 | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | 4 |
| Total..... | 816 | 456 | 162 | 328 | 491 | 398 | 392 | 480 | 659 | 946 | 671 | 100 | 1 | 115 |
| 1885.. Males | 416 | 225 | 62 | 109 | 190 | 151 | 190 | 252 | 394 | 478 | 284 | 32 | 1 | 43 |
| Females | 371 | 217 | 68 | 164 | 275 | 235 | 226 | 225 | 355 | 463 | 398 | 74 | 2 | 50 |
| Not stated..... | 18 | 1 | 1 | 1 | ... | ... | ... | 4 | 2 | 3 | ... | ... | ... | 5 |
| Total..... | 805 | 443 | 131 | 274 | 465 | 416 | 416 | 481 | 751 | 944 | 682 | 106 | 3 | 98 |
| 1886.. Males | 487 | 273 | 94 | 132 | 205 | 188 | 198 | 228 | 368 | 499 | 317 | 42 | 2 | 33 |
| Females | 385 | 221 | 90 | 178 | 292 | 233 | 195 | 252 | 389 | 447 | 397 | 83 | 3 | 28 |
| Not stated..... | 19 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| Total..... | 891 | 495 | 184 | 310 | 497 | 421 | 393 | 480 | 707 | 946 | 714 | 125 | 5 | 64 |
| 1887.. Males | 490 | 281 | 71 | 142 | 196 | 184 | 186 | 254 | 377 | 512 | 336 | 45 | 1 | 34 |
| Females | 416 | 239 | 61 | 175 | 255 | 221 | 239 | 246 | 358 | 494 | 350 | 93 | 6 | 28 |
| Not stated..... | 8 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| Total..... | 914 | 470 | 133 | 317 | 451 | 405 | 425 | 500 | 735 | 1,006 | 686 | 138 | 7 | 63 |

* Excluding still births and premature births.

Table 24 shows the number of deaths at different age periods by sex, from 1884 to 1890, inclusive. In the year 1890 there were returned 1,146 deaths of children under one year of age, not including still and premature births; 468, between one and five; 138, between five and ten; 299, between ten and twenty; 492, between twenty and thirty; 519, between thirty and forty; 462, between forty and fifty; 640, between fifty and sixty; 821, between sixty and seventy; 1,090, between seventy and eighty; 774, between eighty and ninety; 138, between ninety and one hundred; and five, over one hundred years of age; also, 113, with age not stated. Compared with the returns for the previous year, there was an increased mortality in decedents under one year of age, while the increase in the mortality at each age period from twenty years upward is very noticeable.

Table 25 shows the percentages of deaths, by age periods and sex, to the total mortality from 1884 to 1890, inclusive. Tables 24 and 25 are interesting and instructive, inasmuch as they give the number of deaths and the percentage to the total mortality by age periods, for the seven years embraced in the tables. There are no other tables that so emphatically exhibit the large mortality that annually occurs among children under one year of age. It will be seen that nearly one fourth of all the deaths in the State for the year 1890 were of children under five years of age, and the same is true every year. This excessive mortality among the young offers a subject for reflection and study for those who are interested or engaged in efforts to reduce the mortality rate of the State. It is admitted by those who have given the subject any attention that so large a death-rate among children is entirely preventable, and that the means are at the command of the individual and the public to reduce these figures very materially. This view is emphatically corroborated by a detailed exhibit of the causes of death among children.

TABLE No. 25.
*Percentages of Deaths by Ages and Sex to Total Mortality, from 1884 to 1890, inclusive.**

| YEARS. | Under 1. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | 80 to 90. | 90 to 100. | Over 100. |
|--------------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-----------|
| 1884.. Males | 16.09 | 8.45 | 2.51 | 4.73 | 7.79 | 5.84 | 6.26 | 8.52 | 11.20 | 17.46 | 10.16 | 1.04 | .04 |
| Females | 11.74 | 7.05 | 2.90 | 6.38 | 8.84 | 7.31 | 7.02 | 7.81 | 11.17 | 14.76 | 12.60 | 2.33 | ... |
| Total | 13.82 | 7.73 | 2.75 | 5.57 | 8.33 | 6.60 | 6.65 | 8.16 | 11.18 | 16.08 | 11.41 | 1.70 | .02 |
| 1885.. Males | 14.78 | 8.00 | 2.20 | 3.87 | 6.75 | 6.43 | 6.75 | 8.96 | 14.00 | 16.99 | 10.09 | 1.14 | .04 |
| Females | 12.07 | 7.06 | 2.21 | 5.34 | 8.95 | 7.65 | 7.35 | 7.32 | 11.55 | 15.07 | 12.95 | 2.41 | .07 |
| Total | 13.87 | 7.51 | 2.21 | 4.64 | 7.95 | 7.07 | 7.07 | 8.10 | 12.72 | 15.98 | 11.58 | 1.80 | .05 |
| 1886.. Males | 16.06 | 9.00 | 3.10 | 4.35 | 6.75 | 6.20 | 6.53 | 7.52 | 12.13 | 16.45 | 10.45 | 1.39 | .07 |
| Females | 12.36 | 7.10 | 2.89 | 5.71 | 9.37 | 7.48 | 6.26 | 8.09 | 10.88 | 14.35 | 12.74 | 2.67 | .10 |
| Total | 14.18 | 8.04 | 2.99 | 5.04 | 8.08 | 6.85 | 6.39 | 7.81 | 11.50 | 15.39 | 11.62 | 2.03 | .08 |
| 1887.. Males | 16.20 | 7.64 | 2.35 | 4.69 | 6.48 | 6.08 | 6.15 | 8.40 | 12.46 | 16.92 | 11.11 | 1.49 | .03 |
| Females | 13.19 | 7.58 | 1.94 | 5.55 | 8.09 | 7.01 | 7.58 | 7.80 | 11.35 | 15.67 | 11.10 | 2.95 | .19 |
| Total | 14.67 | 7.61 | 2.14 | 5.13 | 7.80 | 6.56 | 6.88 | 8.09 | 11.90 | 16.28 | 11.10 | 2.23 | .11 |
| 1888.. Males | 18.16 | 8.65 | 2.31 | 4.45 | 6.58 | 5.47 | 5.56 | 7.94 | 12.10 | 15.66 | 11.64 | 1.45 | .03 |
| Females | 14.06 | 7.45 | 1.99 | 5.94 | 8.30 | 7.38 | 6.10 | 8.03 | 11.49 | 15.66 | 11.08 | 2.42 | .15 |
| Total | 16.10 | 8.04 | 2.15 | 5.20 | 7.44 | 6.43 | 5.83 | 7.98 | 11.80 | 15.66 | 11.34 | 1.94 | .09 |

* Excluding those with age and sex not stated, and premature and still births.

| | | | | | | | | | | | | | |
|--------------------|-------|------|------|------|------|------|------|------|-------|-------|-------|------|------|
| 1889.. Males | 17.44 | 8.75 | 2.93 | 4.26 | 6.09 | 6.05 | 5.70 | 7.84 | 12.40 | 16.01 | 11.13 | 1.40 | |
| Females | 14.40 | 7.51 | 2.70 | 5.48 | 7.69 | 6.92 | 6.80 | 8.27 | 12.20 | 14.43 | 11.21 | 2.30 | .09 |
| Total | 15.88 | 8.11 | 2.81 | 4.89 | 6.91 | 6.50 | 6.27 | 8.06 | 12.29 | 15.20 | 11.17 | 1.86 | .05 |
| 1890.. Males | 17.44 | 7.15 | 2.09 | 4.09 | 6.55 | 6.93 | 6.30 | 8.82 | 12.08 | 16.49 | 10.54 | 1.49 | |
| Females | 15.03 | 6.19 | 1.80 | 4.47 | 7.54 | 7.94 | 6.94 | 9.52 | 11.45 | 14.72 | 11.45 | 2.46 | .14 |
| Total | 16.23 | 6.67 | 1.99 | 4.28 | 7.04 | 7.43 | 6.62 | 9.17 | 11.76 | 15.60 | 11.09 | 1.97 | .07 |

TABLE No. 26.

Deaths of Children under Five Years of Age, by Seasons, 1890.

| | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|---------------------|----------|-----------|--------|--------|-------|-------|-------|---------|------------|----------|-----------|-----------|
| Months | 132 | 81 | 109 | 90 | 76 | 91 | 107 | 289 | 228 | 120 | 112 | 89 |
| Quarters | 322 | | | 257 | | | | 714 | | 321 | | |
| Percentages . . . | 19.95 | | | 15.92 | | | | 44.23 | | 19.88 | | |
| Half-years | | | 579 | | | | | | | 1,035 | | |
| Percentages | | | 35.87 | | | | | | | 64.12 | | |
| Total deaths . . | | | | | 1,614 | | | | | | | |

This table represents the mortality of children under five years of age, by seasons, for the year 1890. The greatest mortality of the year occurred in the quarter embracing the months of July, August, and September, and was 44.23 per cent of the total mortality among children, as against 19.95 per cent for the first quarter, 15.92 per cent for the second, and 19.88 per cent for the last quarter of the year. There were 1,614 deaths among children under five years of age during the year.

TABLE No. 27.

*Deaths by Seasons, 1890.**

| | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. |
|------------------|----------|-----------|--------|--------|-------|-------|-------|---------|------------|----------|-----------|-----------|
| Months | 897 | 567 | 582 | 520 | 515 | 500 | 604 | 666 | 626 | 562 | 537 | 522 |
| Quarters | | 2,046 | | | 1,535 | | | 1,896 | | | 1,621 | |
| Percentages | | 28.82 | | | 21.63 | | | 26.71 | | | 22.83 | |
| Half-years | | | 3,581 | | | | | | 3,517 | | | |
| Percentages | | | 50.45 | | | | | | 49.54 | | | |
| Total deaths.. | | | | | | 7,098 | | | | | | |

* Not including deaths with month not stated, premature and still births.

This table gives the total number of deaths at all ages, by seasons, for the year 1890. There was a total of 7,098 deaths, not including those with month not stated, premature and still births. The greatest mortality was in the month of January, 897, and the least, 500, in June. The percentages, by quarters, were as follows: First quarter, 28.82 per cent of the total; second, 21.63; third, 26.71; and fourth, 22.83.

TABLE No. 28.

Nativity of Persons Deceased for 1890, by Counties.

| COUNTIES. | Total deaths.* | NATIVE-BORN. | | FOREIGN-BORN. | |
|--------------------|----------------|--------------|--------------|---------------|--------------|
| | | Deaths. | Percentages. | Deaths. | Percentages. |
| Rockingham | 1,065 | 809 | 89.29 | 97 | 10.71 |
| Strafford | 801 | 613 | 82.06 | 134 | 17.94 |
| Belknap | 374 | 294 | 91.02 | 29 | 8.98 |
| Carroll | 303 | 251 | 95.80 | 11 | 4.20 |
| Merrimack | 983 | 779 | 88.12 | 105 | 11.88 |
| Hillsborough | 1,973 | 1,457 | 80.36 | 356 | 19.64 |
| Cheshire | 557 | 452 | 91.13 | 44 | 8.87 |
| Sullivan | 382 | 279 | 91.18 | 27 | 8.82 |
| Grafton..... | 651 | 519 | 93.68 | 35 | 6.32 |
| Coös..... | 329 | 219 | 81.11 | 51 | 18.89 |
| Total | 7,368 | 5,672 | 86.45 | 889 | 13.55 |

* Including those whose nativity was not recorded. In the calculations of percentages, the rates are not given to the *total* reported deaths, but only to the total of those cases where the nativity was stated.

This table gives the nativity of the decedents for the year 1890, together with the percentages of each, by counties. The greatest number of foreign-born decedents, as well as the highest rate, was in Hillsborough county, where there is a larger foreign-born population, being 356 or 19.64 per cent; Strafford follows with 134, although the rate, 17.94, is not so high as in Coös where there were 51 deaths and a rate of 18.89; Merrimack

county had 105 deaths among the foreign-born population and a rate of 11.88; Rockingham, 97, and a rate of 10.71; Cheshire, 44, and a rate of 8.87; Belknap, 29, and a rate of 8.98; Grafton, 35, and a rate of 6.32; Sullivan, 27, and a rate of 8.82; and Carroll, 11, with a rate of 4.20. The total foreign-born decedents for the State was 889, a rate of 13.55.

TABLE No. 29.

Nativity of Persons Deceased from 1884 to 1890, inclusive.

| YEARS. | Total deaths.* | NATIVE-BORN. | | FOREIGN-BORN. | |
|-----------|----------------|--------------|--------------|---------------|--------------|
| | | Deaths. | Percentages. | Deaths. | Percentages. |
| 1884..... | 6,194 | 4,868 | 89.01 | 601 | 10.99 |
| 1885..... | 6,201 | 4,847 | 89.35 | 578 | 10.65 |
| 1886..... | 6,426 | 4,989 | 88.52 | 647 | 11.48 |
| 1887..... | 6,479 | 5,131 | 88.03 | 698 | 11.97 |
| 1888..... | 6,854 | 5,449 | 87.53 | 776 | 12.47 |
| 1889..... | 6,696 | 5,383 | 88.00 | 734 | 12.00 |
| 1890..... | 7,368 | 5,672 | 86.45 | 889 | 13.55 |

* Including those whose nativity was not recorded. In the calculations of percentages, the ratios are not given to the *total* reported deaths, but only to the total of those cases where the nativity was stated.

Table No. 29 shows the number of native and foreign-born decedents in the State for each year from 1884 to 1890, inclusive, with percentages of each. Of a total of 7,368 deaths in the State, 5,672, or 86.45 per cent, were native-born, and 889, or 13.55 per cent, foreign-born. In 807 cases the nativity was not given, but doubtless belonged largely to the foreign-born.

TABLE No. 30.
Deaths in 1890, Aged One Hundred Years, or more.

| Date of death. | NAME. | AGE. | | | Place of death. | Birthplace. | Single, married, or widowed. |
|----------------|-------------------------|--------|---------|-------|---------------------|--------------------|------------------------------------|
| | | Years. | Months. | Days. | | | |
| Jan. 24 | Mary Harrington | 102 | | | Manchester..... | Ireland | Widow. |
| Feb. 20 | Mrs. Buckman | 100 | 6 | 7 | Lancaster | | |
| July 30 | Sally Brown | 105 | 1 | 15 | Chichester | Epping | Widow. |
| Sept. 19 | Clarissa Wilkon | 101 | 4 | 5 | Hillsboro' Bridge.. | Hillsborough | Widow. |
| Nov. 2 | Clarissa H. Towne | 100 | 8 | 21 | Milford | Concord | Widow. |

Table 30 presents a list of the centenarians who died during the year 1890, all females. In 1889 there were three, one male and two females, who had reached the age of 100 years or over.

CAUSES OF DEATH.

There were returned for the year 1890, 7,368 deaths—3,692 males, 3,624 females, and 52 with sex not stated. In 337 cases the cause of death was unclassified or not stated: this was due in many cases either to the neglect of the physician to return the cause in his certificate of death, failure of the local registrar to comprehend or decipher the term given in the physician's certificate, or the use of some meaningless term, such as "hemorrhage" or "inflammation," which it was impossible to classify without knowing the organ or organs affected. The term "heart failure" is used by some in such an indiscriminate manner as to give no information whatever, except the bare fact of death.

TABLE No. 31.

Causes of death, by Classes, 1884 to 1890, inclusive.

| | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
|---------------------------------------|-------|-------|-------|-------|-------|-------|-------|
| I.—Zymotic diseases | 907 | 890 | 1,095 | 1,073 | 1,097 | 1,172 | 1,155 |
| II.—Constitutional diseases | 1,276 | 1,271 | 1,284 | 1,222 | 1,200 | 1,114 | 1,309 |
| III.—Local diseases | 2,594 | 2,637 | 2,610 | 2,731 | 2,994 | 2,852 | 3,146 |
| IV.—Developmental diseases | 857 | 848 | 948 | 952 | 1,016 | 1,041 | 1,150 |
| V.—Violent deaths | 201 | 225 | 206 | 218 | 234 | 233 | 271 |

This table gives the causes of death by classes for the years 1884 to 1890, inclusive. It will be noticed that in 1890 there was quite a marked increase in the number of deaths from constitutional, local, and developmental diseases. Comparing the record of 1890 with that of

the preceding year it will be seen that there was a slight falling off in the zymotic diseases, a class generally believed to be more readily avoided or prevented than any other. The increased mortality from diseases of the second, third, and fourth classes is doubtless due largely if not entirely to the prevalence of epidemic influenza. In class five, violent deaths, there is a remarkable uniformity from year to year.

TABLE No. 32.

*Percentage of Causes of Death, by Classes, 1884 to 1890, inclusive.**

| YEARS. | CLASSES. | | | | |
|------------|----------|-----------------|--------|----------------|-----------------|
| | Zymotic. | Constitutional. | Local. | Developmental. | Violent deaths. |
| 1884 | 15.9 | 22.4 | 45.7 | 12.3 | 3.5 |
| 1885 | 13.9 | 22.2 | 46.0 | 12.2 | 3.6 |
| 1886 | 18.2 | 21.4 | 43.4 | 18.4 | 3.4 |
| 1887 | 17.9 | 20.4 | 45.7 | 12.1 | 3.6 |
| 1888 | 17.4 | 19.1 | 47.6 | 12.0 | 3.7 |
| 1889 | 19.1 | 18.2 | 46.5 | 12.3 | 3.8 |
| 1890 | 17.0 | 19.3 | 46.5 | 13.1 | 4.0 |

* Excluding deaths from unspecified causes, premature and still births.

Table 32 gives the percentages of causes of death, by classes, excluding deaths from unspecified causes, premature and still births from the year 1884 to 1890 inclusive. This table presents substantially the same information as table 14, but in the form of percentages. The relative fatality of each class of diseases is vividly shown. The falling off in the zymotic diseases in 1890, reduced the percentage from 19.1 to 17.0 in 1890, while the other classes show a greater or less increase.

TABLE No. 83.
Causes of Death, by Classes and Counties, 1890.

| COUNTIES. | Zymotic. | | Constitutional. | | Local. | | Develop- mental. | | Violent. | | Unspecified. | | Total. |
|-------------------|----------|--------------|-----------------|--------------|---------|--------------|---------------------|--------------|----------|--------------|--------------|--------------|--------|
| | Number. | Percentages. | Number. | Percentages. | Number. | Percentages. | Number. | Percentages. | Number. | Percentages. | Number. | Percentages. | |
| Rockingham..... | 127 | 11.92 | 212 | 19.90 | 467 | 43.85 | 144 | 13.52 | 40 | 3.76 | 75 | 7.04 | 1,065 |
| Strafford..... | 149 | 18.60 | 156 | 19.47 | 307 | 38.33 | 130 | 16.23 | 17 | 2.12 | 42 | 5.24 | 801 |
| Belknap..... | 64 | 17.11 | 65 | 17.37 | 150 | 40.10 | 63 | 16.84 | 21 | 5.61 | 11 | 2.94 | 374 |
| Carroll..... | 21 | 6.93 | 50 | 16.50 | 166 | 54.78 | 36 | 11.88 | 9 | 2.97 | 21 | 6.93 | 303 |
| Merrimack..... | 107 | 10.88 | 192 | 19.53 | 491 | 49.95 | 130 | 13.22 | 25 | 2.54 | 38 | 3.87 | 983 |
| Hillsborough..... | 435 | 22.05 | 312 | 15.82 | 737 | 38.87 | 338 | 17.13 | 57 | 2.88 | 94 | 4.76 | 1,973 |
| Cheshire..... | 98 | 17.59 | 78 | 14.00 | 236 | 42.36 | 87 | 15.62 | 38 | 6.82 | 20 | 3.59 | 557 |
| Sullivan..... | 36 | 10.84 | 68 | 20.48 | 153 | 46.08 | 53 | 15.96 | 16 | 4.81 | 6 | 1.80 | 332 |
| Grafton..... | 72 | 11.06 | 113 | 17.36 | 301 | 46.23 | 119 | 18.22 | 26 | 3.99 | 20 | 3.07 | 651 |
| Cooks..... | 46 | 13.98 | 63 | 19.14 | 138 | 41.94 | 50 | 15.19 | 22 | 6.68 | 10 | 3.08 | 329 |
| Total..... | 1,155 | 15.67 | 1,809 | 17.76 | 3,146 | 42.70 | 1,180 | 15.61 | 271 | 3.68 | 337 | 4.58 | 7,368 |

Table 33 gives the causes of death, by classes and counties, for 1890, with the percentages of each to the total number of deaths, and including deaths from unspecified causes, premature and still births, which accounts for the differences in the percentages in tables 32 and 33; the former gives the percentage of each class to the total number of specified causes, excluding premature and still births, while the latter gives the percentage of each class to the total number of all classes. The highest percentage in the zymotic class is in Hillsborough county, 22.05; Strafford, 18.60; Cheshire, 17.59; Belknap, 17.11; Coös, 13.98; Rockingham, 11.92; Grafton, 11.06; Merrimack, 10.88; Sullivan, 10.84; and the lowest in Carroll county, 6.93. The percentage of deaths in this class for the entire State was 15.67 to the total mortality, as against 17.50 for 1889.

The percentages in the class of constitutional diseases do not vary so much in the different counties, the highest rate being 20.48 in Sullivan county, followed by 19.90 in Rockingham, 19.53 in Merrimack, 19.47 in Strafford, 19.14 in Coös, 17.37 in Belknap, 17.36 in Grafton, 16.50 in Carroll, 15.82 in Hillsborough, and the lowest, 14.00 in Cheshire. The percentage of this class for the whole State was 17.76 in 1890, and 16.63 the previous year.

In the class of local diseases the highest rate was in Carroll county, 54.78; Merrimack, 49.95; Grafton, 46.23; Sullivan, 46.08; Rockingham, 43.85; Cheshire, 42.36; Belknap, 40.10; Hillsborough, 38.87; and Strafford, 38.33. Rate for the State, 42.70 in 1890 and 42.59 the preceding year.

In developmental diseases the rate is very uniform throughout the State. Grafton county has the highest rate of the year, 18.22, then follow Hillsborough county with a rate of 17.13; Belknap, 16.84; Strafford, 16.23;

Sullivan, 15.96; Cheshire, 15.62; Coös, 15.19; Rockingham, 13.52; Merrimack, 13.22; and Carroll, 11.88. Rate for the State, 15.61. In 1889 the rate was 15.54.

There were 271 violent deaths, being 3.68 per cent of the total mortality of the State. Of these 217 were reported under accident or negligence, 6 homicide, 38 suicide, and 10 from other violent causes.

TABLE No. 34.

Mortality from Prominent Zymotic Diseases from 1884 to 1890, inclusive.

| YEARS. | DISEASES. | | | | | | | | | | | | |
|---------------|-------------------|--------|-----------|-------------|------------|-------------|------------------------|------------------|----------|------------|-------------|-------------|--------|
| | Cholera infantum. | Croup. | Diarrhea. | Diphtheria. | Dysentery. | Erysipelas. | Fever, cerebro-spinal. | Fever, typhoid.* | Measles. | Pertussis. | Scarlatina. | Septicemia. | Total. |
| 1884 | 266 | 49 | 53 | 110 | 80 | 19 | 25 | 137 | 3 | 14 | 52 | 27 | 835 |
| 1885 | 219 | 74 | 59 | 78 | 40 | 25 | 20 | 136 | 45 | 25 | 53 | 38 | 812 |
| 1886 | 362 | 64 | 38 | 156 | 79 | 18 | 26 | 194 | 18 | 26 | 21 | 27 | 1,029 |
| 1887 | 336 | 84 | 38 | 177 | 53 | 20 | 34 | 134 | 39 | 21 | 26 | 30 | 992 |
| 1888 | 370 | 94 | 50 | 103 | 63 | 36 | 34 | 150 | 55 | 23 | 34 | 29 | 1,041 |
| 1889 | 353 | 88 | 68 | 210 | 67 | 27 | 25 | 161 | 16 | 47 | 18 | 29 | 1,109 |
| 1890 | 399 | 64 | 50 | 164 | 48 | 29 | ... | 143 | 9 | 26 | 16 | 57 | 1,005 |
| Average | 329 | 73 | 50 | 142 | 61 | 25 | 23 | 151 | 26 | 26 | 31 | 34 | 974 |

* Including fever, bilious, and typho-malarial fever.

Table 34 exhibits the mortality from prominent zymotic diseases. Cholera infantum was the cause of more than one third of all the deaths in this class, 399 in a total of 1,005, and more than reported in any pre-

ceding year; typhoid fever caused 143 deaths, a smaller number than has been reported from this cause since 1885, with one exception, 134 in 1887, and the average for the past six years has been 151. Diphtheria ranks second in this class for the year 1890, having caused 164 deaths; the largest number reported in the past seven years was in 1889, when there were 210 deaths from this cause, the average being 142. There were 64 deaths from croup, the same as reported in 1886 and less than has been recorded in any one year since that date; the average for the past seven years has been 73. The other diseases in this table are considered under special heads.

TABLE No. 35.

Mortality from Principal Constitutional Diseases from 1884 to 1890, inclusive.

| YEARS. | DISEASES. | | | | | | | | | | |
|---------------|-----------|----------|---------|----------------|-------------|-----------|------------------------|-----------------------|----------------|------------------------|--------|
| | Dropsy. | Anaemia. | Cancer. | Mortification. | Rheumatism. | Scrofula. | Tubercles mesenterica. | Phthisis (pulmonary). | Hydrocephalus. | Tubercular meningitis. | Total. |
| 1884..... | 80 | 43 | 213 | 18 | 26 | 26 | 4 | 865 | 27 | * | 1,302 |
| 1885..... | 90 | 32 | 212 | 24 | 28 | 22 | 2 | 857 | 25 | * | 1,292 |
| 1886..... | 83 | 28 | 206 | 27 | 47 | 16 | 11 | 809 | 33 | 19 | 1,279 |
| 1887..... | 79 | 17 | 218 | 29 | 47 | 16 | 7 | 766 | 23 | 16 | 1,218 |
| 1888..... | 75 | 34 | 203 | 22 | 43 | 21 | 14 | 742 | 30 | 13 | 1,197 |
| 1889..... | 62 | 40 | 213 | 21 | 43 | 22 | 13 | 651 | 21 | 24 | 1,110 |
| 1890..... | 53 | 28 | 276 | 33 | 30 | 15 | 6 | 825 | 13 | 30 | 1,309 |
| Average | 74 | 31 | 223 | 24 | 37 | 19 | 8 | 787 | 24 | 14 | 1,243 |

* Not classed separately.

The mortality from the principal constitutional diseases from 1884 to 1890, inclusive, are shown in Table No. 35. Phthisis stands at the head of all the diseases as a cause of death, the record for the year 1890 being 825 deaths from this cause alone. This is the largest number reported since 1885 when there were 857 deaths recorded; in 1886, there were 809 deaths; in 1887, 766; in 1888, 742; and in 1889, there was the smallest number reported in the past seven years, 651, the average being 787. There was also an unusual increase in the mortality from cancer, there being 276 cases during the year 1890. The records of this disease for the six years prior to 1890 are very uniform and the largest number previously reported was 218 in 1887. The average for seven years has been 223 cases.

TABLE No. 36.

Mortality from Principal Local Diseases, 1884 to 1890, inclusive.

| YEARS. | DISEASES. | | | | | | | | | | | |
|---------------|-----------|------------|--------------|--------------|----------------|----------------|-------------|------------|------------|------------|--------------|--|
| | Apoplexy. | Paralysis. | Convulsions. | Cephalitis.* | Brain disease. | Heart disease. | Bronchitis. | Pneumonia. | Enteritis. | Gastritis. | Peritonitis. | Liver disease, Bright's disease, nephritis, and other kidney diseases. |
| 1884..... | 192 | 248 | 99 | 120 | 134 | 507 | 78 | 436 | 69 | 44 | 61 | 63 |
| 1885..... | 206 | 278 | 93 | 133 | 122 | 489 | 112 | 504 | 57 | 49 | 44 | 63 |
| 1886..... | 220 | 249 | 71 | 141 | 127 | 510 | 81 | 466 | 53 | 66 | 48 | 71 |
| 1887..... | 210 | 253 | 64 | 117 | 121 | 552 | 114 | 556 | 57 | 54 | 48 | 69 |
| 1888..... | 243 | 273 | 88 | 143 | 112 | 575 | 142 | 628 | 39 | 51 | 63 | 72 |
| 1889..... | 259 | 196 | 76 | 151 | 126 | 564 | 127 | 582 | 56 | 42 | 57 | 56 |
| 1890..... | 263 | 251 | 65 | 186 | 140 | 568 | 194 | 703 | 63 | 60 | 51 | 56 |
| Average . . . | 227 | 249 | 79 | 141 | 126 | 537 | 121 | 553 | 56 | 52 | 53 | 64 |
| | | | | | | | | | | | 140 | 2,191 |
| | | | | | | | | | | | 157 | 2,307 |
| | | | | | | | | | | | 143 | 2,246 |
| | | | | | | | | | | | 163 | 2,384 |
| | | | | | | | | | | | 154 | 2,634 |
| | | | | | | | | | | | 200 | 2,492 |
| | | | | | | | | | | | 201 | 2,801 |
| | | | | | | | | | | | 165 | 2,435 |

* Meningitis and cerebritis included.

Table 36 records the mortality from the principal local diseases from 1884 to 1890, inclusive, and an average for seven years of 2,435 cases in this class. Pneumonia was the most fatal disease in this class for the year 1890, 703 deaths, more than ever before returned from this cause; in 1888, there were 628 deaths; in 1889, 582; in 1887, 556; in 1885, 504; in 1886, 466; and in 1884, 436; the average for seven years, ending with 1890, has been 553 deaths from this cause. Heart disease ranks next with 568 deaths in 1890 and an average of 537 for seven years; then follow apoplexy with 263 deaths in 1890 and an average of 227; paralysis, 251 in 1890 and an average of 249; Bright's disease and other kidney diseases, 201 in 1890 and an average of 165; cephalitis, 186 in 1890 and an average of 141; brain disease, 140 in 1890 and an average of 126; bronchitis, 194 in 1890 and an average of 121; convulsions, 65 in 1890 and an average of 79; enteritis, 63 and an average of 56; gastritis, 60 and an average of 52; and peritonitis with 51 in 1890 and an average of 53.

TABLE No. 37.

Mortality from Principal Developmental Diseases from 1884 to 1890, inclusive.

| YEARS. | DISEASES. | | | | | | | | |
|--------------|-------------|----------------------|----------------------------|---------------|-----------|-------------|-------------|----------|-----------------------|
| | Still-born. | Debility, infantile. | Debility, premature-birth. | Malformation. | Teething. | Innutation. | Childbirth. | Old age. | Atrophy and debility. |
| 1884 | 156 | * | 35 | 13 | 19 | * | 27 | 457 | 144 |
| 1885 | 145 | * | 39 | 13 | 13 | * | 31 | 420 | 167 |
| 1886 | 140 | 68 | 54 | 12 | 16 | 50 | 30 | 468 | 98 |
| 1887 | 166 | 56 | 63 | 10 | 20 | 76 | 27 | 449 | 78 |
| 1888 | 189 | 91 | 69 | 19 | 20 | 81 | 20 | 407 | 112 |
| 1889 | 220 | 79 | 68 | 24 | 18 | 63 | 27 | 426 | 104 |
| 1890 | 197 | 113 | 65 | 11 | 15 | 95 | 28 | 410 | 204 |
| Average | 173 | 58 | 56 | 14 | 16 | 52 | 25 | 433 | 129 |

* Classed with atrophy and debility.

The above table shows the mortality from the principal developmental diseases from 1884 to 1890, inclusive. Four hundred and ten deaths were classed under old age in 1890 and an average of 433 for seven years; 204, under atrophy and debility and an average of 129; 197, still-born and an average of 173; under innutation, 95 with an average of 52; infantile debility, 113 and an average of 58.

TABLE No. 38.

Mortality from Twenty Prominent Causes, from 1884 to 1890, inclusive.

| CAUSES OF DEATH. | Deaths in 1890. | ORDER OF FATALITY. | | | | | | |
|------------------------------|-----------------|--------------------|-------|-------|-------|-------|-------|-------|
| | | 1890. | 1889. | 1888. | 1887. | 1886. | 1885. | 1884. |
| Consumption | 825 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Pneumonia | 703 | 2 | 2 | 2 | 3 | 5 | 2 | 5 |
| Heart disease | 568 | 3 | 3 | 3 | 2 | 2 | 4 | 2 |
| Apoplexy and paralysis | 514 | 4 | 4 | 4 | 4 | 3 | 3 | 4 |
| Old age | 410 | 5 | 5 | 5 | 5 | 4 | 5 | 3 |
| Cholera infantum | 399 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Cancer | 276 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| Diphtheria | 164 | 12 | 8 | 15 | 9 | 10 | 18 | 13 |
| Accident and negligence | 217 | 8 | 9 | 8 | 8 | 9 | 8 | 11 |
| Typhoid fever * | 143 | 13 | 10 | 9 | 10 | 8 | 9 | 10 |
| Cephalitis † | 186 | 11 | 11 | 10 | 12 | 11 | 10 | 12 |
| Diarrhea and dysentery | 98 | 17 | 12 | 12 | 14 | 13 | 15 | 9 |
| Bright's disease | 111 | 16 | 13 | 20 | 15 | 15 | 14 | 14 |
| Bronchitis | 194 | 10 | 14 | 11 | 13 | 17 | 12 | 17 |
| Brain disease | 140 | 14 | 15 | 13 | 11 | 12 | 11 | 8 |
| Atrophy and debility | 204 | 9 | 16 | 14 | 18 | 14 | 13 | 18 |
| Croup | 64 | 21 | 17 | 16 | 16 | 21 | 19 | 22 |
| Debility, infantile | 113 | 15 | 18 | 17 | 23 | 22 | ‡ | |
| Convulsions | 65 | 20 | 19 | 18 | 21 | 19 | 16 | 15 |
| Innutation | 95 | 18 | 20 | 19 | 19 | 23 | ‡ | |
| Influenza | 94 | 19 | | | | | | |

* Fever, billous fever, and typho-malarial fever included.

† Meningitis and cerebritis included.

‡ Classed with atrophy and debility.

DIAGRAM NO 1.—SHOWING THE COMPARATIVE MORTALITY, BY ABSOLUTE NUMBER OF DECEDENTS, FROM TWENTY PROMINENT CAUSES OF DEATH DURING YEAR ENDING DECEMBER 31, 1890.




Table 38 gives a comparative view of the mortality from twenty prominent causes of death from 1884 to 1890, inclusive. This table together with the diagram that follows, is interesting in studying the relative positions of the more prominent causes of death from year to year. Consumption in this State, as well as in this and every other country within the pale of civilization, causes more deaths annually than any other disease. Next in order comes pneumonia, although it has not always held second position; in 1887 it was third, and in 1886 and 1884 it was fifth in order of fatality. Heart disease ranks third in 1890, has three times during the seven years given, held second place and once dropped to fourth. Apoplexy and paralysis have been fourth in order with the exception of two years, 1886 and 1885, when they were third. Old age has varied from the third to the fifth position, usually holding the latter place. Cholera infantum has steadily held sixth position, and cancer seventh. Accident and negligence is eighth in the list for 1890 and has varied from that place to the eleventh in 1884. Atrophy and debility, ninth in 1890, shows a large increase over the records of former years; in 1884 and 1887 it was eighteenth in order; in 1889, sixteenth; in 1886 and 1888, fourteenth; and in 1885, thirteenth. This advance is another evidence of the subtle influence of la grippe. Bronchitis was tenth in order in 1890, the highest place it has held during the seven years recorded. Cephalitis was eleventh in order and has not been subject to very great changes. Diphtheria was twelfth in 1890 as against eighth in 1889, ninth in 1887, tenth in 1886, thirteenth in 1884, fifteenth in 1888, and eighteenth in 1885. Typhoid fever has dropped from eighth place in 1886 to thirteenth in 1890, the lowest it has ever been. Brain disease is fourteenth in the list as against fifteenth in 1889,

thirteenth in 1888, twelfth in 1886, eleventh in 1887 and 1885, and eighth in 1884. Infantile debility was fifteenth in the list of 1890, a material increase over any previous record, it being seventeenth in 1888, and from the eighteenth to twenty-third in other years. Bright's disease, sixteenth in 1890, was thirteenth in 1889, fourteenth in 1884 and 1885, fifteenth in 1886 and 1887, and twentieth in 1888. Diarrhea and dysentery were seventeenth in order in 1890, and ranked as high as ninth in 1884. Influenza appears for the first time among the prominent causes of death, holding nineteenth place in the list, with a mortality of 94 as against 4 in 1889.

The long black line at the head of the diagram on page 235 stands as an appalling sign of the fearful mortality from consumption. Year in and year out, it is accountable for more deaths than any other disease known to mankind. Even the terrible epidemics of cholera and yellow fever that rage in some parts of the world are not so destructive to human life as consumption is in the aggregate. In 1884, 865 deaths were reported from this disease; in 1885, 857; in 1886, 809; in 1887, 766; in 1888, 742; in 1889, 651; and in 1890, 825 cases, making an average of 787 deaths for the past seven years.

TABLE No. 39.

Mortality from Consumption from 1884 to 1890, inclusive.

| YEARS. | Deaths. | Percentages of deaths to deaths from all causes. | Death-rate per 10,000 living population. |
|---------------|---------|--|--|
| 1884 | 865 | 14.01 | 24.18 |
| 1885 | 857 | 13.82 | 23.68 |
| 1886 | 809 | 12.58 | 22.17 |
| 1887 | 766 | 11.82 | 20.82 |
| 1888 | 742 | 10.92 | 20.01 |
| 1889 | 651 | 9.72 | 17.42 |
| 1890 | 825 | 11.19 | 21.91 |
| Total | 5,515 | | |
| Average | 787 | 11.99 | 21.45 |

The mortality from consumption, the percentage of the same to the total mortality, and the rate per 10,000 of the population, is shown in the above table. for the years 1884 to 1890, inclusive. It will be seen that there was a considerable diminution in the mortality from this disease between the years 1884 and 1889, but was largely increased in 1890. We have entertained the belief that an increased knowledge of the nature of consumption and the measures necessary to restrict and prevent it may have had some influence in causing this

reduction. The increased mortality in 1890 does not weaken our opinion, and is to be accounted for, to a large extent if not wholly, by the climatic or other causes to which has been due epidemic influenza or la grippe. That this condition has been a very marked and important factor in causing the increased mortality from certain diseases, has already been shown; therefore we are disposed to attribute the large increase in the deaths from consumption in 1890, to the climatic conditions of this particular period.

Table 40 shows the mortality from consumption, by counties, with percentages to total mortality, from 1884 to 1890, inclusive. Strafford county has the highest rate for the year 1890, 14.60 per cent; Rockingham, 12.58; Merrimack, 11.59; Coös, 11.51; Grafton, 10.75; Belknap, 10.69; Hillsborough, 10.33; Sullivan, 9.63; Cheshire, 9.15; and Carroll the lowest, 8.25.

REGISTRATION REPORT.

TABLE No. 40.
Mortality from Consumption, by Counties, with Percentages of Deaths to Total Mortality, from 1884 to 1890, inclusive.

| COUNTIES. | 1884. | | 1885. | | 1886. | | 1887. | | 1888. | | 1889. | | 1890. | |
|--------------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|
| | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. |
| Rockingham | 130 | 14.89 | 184 | 14.70 | 142 | 14.74 | 130 | 14.84 | 96 | 10.71 | 88 | 10.05 | 134 | 12.58 |
| Strafford | 105 | 16.74 | 96 | 15.50 | 96 | 15.76 | 80 | 11.88 | 93 | 13.51 | 75 | 10.85 | 117 | 14.60 |
| Belknap | 54 | 18.94 | 50 | 17.30 | 37 | 10.22 | 48 | 13.00 | 46 | 11.73 | 42 | 10.79 | 40 | 10.69 |
| Carroll | 46 | 13.81 | 33 | 12.26 | 41 | 13.53 | 33 | 11.22 | 26 | 7.92 | 29 | 9.73 | 25 | 8.25 |
| Merrimack | 91 | 12.36 | 102 | 12.81 | 79 | 9.48 | 96 | 11.49 | 101 | 10.97 | 88 | 9.37 | 114 | 11.59 |
| Hillsborough | 229 | 13.83 | 233 | 13.69 | 218 | 12.96 | 179 | 10.55 | 209 | 11.32 | 168 | 9.64 | 204 | 10.33 |
| Cheshire | 62 | 12.47 | 76 | 15.18 | 60 | 12.63 | 50 | 10.37 | 47 | 9.63 | 53 | 10.09 | 51 | 9.15 |
| Sullivan | 36 | 13.18 | 36 | 12.67 | 45 | 13.72 | 32 | 11.30 | 36 | 11.00 | 28 | 8.91 | 32 | 9.63 |
| Grafton | 83 | 12.73 | 70 | 11.45 | 72 | 11.72 | 80 | 13.28 | 63 | 9.61 | 58 | 9.27 | 70 | 10.75 |
| Cods | 32 | 12.16 | 28 | 12.33 | 19 | 7.42 | 38 | 10.32 | 25 | 7.96 | 22 | 6.32 | 38 | 11.51 |
| Total | 868 | 14.01 | 857 | 13.82 | 809 | 12.58 | 766 | 11.82 | 742 | 10.82 | 651 | 9.72 | 826 | 11.19 |

The mortality from consumption in the cities of the State is shown in the following tables :

TABLE No. 41.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Manchester.

| Months . . . | January. 21 | February. 4 | March. 7 | April. 5 | May. 8 | June. 11 | July. 9 | August. 9 | September. 9 | October. 9 | November. 4 | December. 10 | Total. | American. | Foreign. | Not stated. | Married. | Single. | Widowed. | Not stated. |
|---------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|----------------|----------------|-----------------|---------------|----------------|-----------------|--------|-----------|----------|-------------|----------|---------|----------|-------------|
| Quarters . . | 32 | | | 24 | | | 27 | | | 23 | | | 106 | | | | | | | |
| Ages | Under 10. 6 | 10 to 15. 2 | 15 to 20. 8 | 20 to 30. 37 | 30 to 40. 26 | 40 to 50. 14 | 50 to 60. 6 | 60 to 70. 2 | 70 to 80. 2 | Over 80. 3 | Not stated. | | 106 | | | | | | | |
| Nativity . . | | | | | | | | | | | | | | 54 | 46 | 6 | | | | |
| Males | | | | | | | | | | | | | 49 | | | | 14 | 10 | | 124 |
| Females . . | | | | | | | | | | | | | 57 | | | | 23 | 15 | | 613 |

Percentage to total mortality of city, 10.29.

This table gives the deaths from consumption, by months, ages, sex, and nativity, in the city of Manchester for the year 1890. The total number of deaths from this cause was 106, as against 78 in 1889. Of these 49 were males and 57 females; 54 were American-born, 46 foreign, and 6 nativity not stated; 14 males and 23 females were married, 10 males and 15 females single, 1 male and 6 females widowed, and the others not stated. The greatest fatality was in January, 21; June, 11; December, 10; July, August, September, and October, 9 each; May, 8; March, 7; and November, 4. Six of the decedents were under 10 years of age; 2 between

10 and 15; 8 between 15 and 20; 37 between 20 and 30; 26 between 30 and 40; 14 between 40 and 50; 6 between 50 and 60; 2 between 60 and 70; 2 between 70 and 80; and 3 over 80 years of age. The rate to the total mortality of the city was 10.29 per cent.

TABLE No. 42.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Concord.

| Months... | January. 4 | February. 3 | March. 3 | April. 2 | May. 2 | June. 4 | July. 2 | August. 1 | September. 3 | October. 1 | November. 6 | December. 3 | Total. | American. | Foreign. | Not stated. | Married. | Single. | Widowed. | Not stated. |
|------------|--|----------------|-------------|-------------|-----------|------------|------------|--------------|-----------------|---------------|----------------|----------------|--------|-----------|----------|-------------|----------|---------|----------|-------------|
| Quarters.. | 10 | | | 8 | | | 6 | | | 10 | | | 34 | | | | | | | |
| Ages..... | Under 10. 10 to 15. 15 to 20. 20 to 30. 30 to 40. 40 to 50. 50 to 60. 60 to 70. 70 to 80. Over 80. Not stated. | | | | | | | | | | | | 34 | | | | | | | |
| Nativity.. | | | | | | | | | | | | | | 26 | 3 | 5 | | | | |
| Males.... | | | | | | | | | | | | | 16 | | | | 8 | 7 | | 1 |
| Females.. | | | | | | | | | | | | | 18 | | | | 7 | 6 | 5 | |

Percentage to total mortality of city, 9.13.

Table 42 is the record of consumption in the city of Concord for the year 1890. There were 34 deaths from this disease — 16 males and 18 females; 26 American-born, 3 foreign, and 5 not stated; 8 males and 7 females married, 7 males and 6 females single, 5 females widowed, and 1 male civil condition not stated. Six died in November; 4 each in January and June; 3 each in February, March, September, and December; 2 each in April, May, and July; and 1 each in August and

October. None of the decedents were under 15 years of age; 2 were between 15 and 20; 13 between 20 and 30; 4 between 30 and 40; 3 between 40 and 50; 8 between 50 and 60; and 4 between 60 and 70. The rate to the total mortality of the city was 9.13 per cent.

TABLE No. 43.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Nashua.

| Months ... | January. 3 | February. 3 | March. 3 | April. 3 | May. 3 | June. 4 | July. 4 | August. 12 | September. 3 | October. 12 | November. 3 | December. 4 | Total. | American. | Foreign. | Not stated. | Married. | Single. | Widowed. | Not stated. |
|-------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|----------------|------------------|----------------|--------|-----------|----------|-------------|----------|---------|----------|-------------|
| Quarters... | 9 | | | 10 | | | 9 | | | 9 | | | 37 | | | | | | | |
| Ages | Under 10. 7 | 10 to 15. 7 | 15 to 20. 6 | 20 to 30. 9 | 30 to 40. 9 | 40 to 50. 4 | 50 to 60. 4 | 60 to 70. 7 | 70 to 80. 0 | Over 80. 0 | Not stated. 0 | | 37 | | | | | | | |
| Nativity .. | | | | | | | | | | | | | | 20 | 15 | 2 | | | | |
| Males..... | | | | | | | | | | | | | 13 | | | 5 | 7 | 1 | | |
| Females... | | | | | | | | | | | | | 24 | | | 10 | 10 | | 4 | |

Percentage to total mortality of city, 10.69.

Above is the record of the same disease in the city of Nashua for the year 1890, the total number being 37 — 13 males and 24 females; 20 American-born, 15 foreign, and 2 not stated; 5 males and 10 females married, 7 males and 10 females single, 1 male widowed, and 4 females not stated. June, July, and December had 4 deaths each; January, February, March, April, May, September, and November, 3 each; August and October, 2 each. Seven of the decedents were under 10

years of age; 7 between 15 and 20; 6 between 20 and 30; 9 between 30 and 40; 4 between 40 and 50; and 4 between 50 and 60. The percentage to the total mortality of the city was 10.69.

TABLE No. 44.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Portsmouth.

| Months ... | 4 January. | 4 February. | 3 March. | 4 April. | 4 May. | 3 June. | 2 July. | 2 August. | September. | 4 October. | 3 November. | 4 December. | Total. | American. | Foreign. | Not stated. | Married. | Single. | Widowed. | Not stated. |
|-------------|---------------|----------------|-------------|-------------|-----------|------------|------------|--------------|------------|---------------|----------------|----------------|--------|-----------|----------|-------------|----------|---------|----------|-------------|
| Quarters... | 11 | | | 11 | | | 4 | | | 11 | | | 37 | | | | | | | |
| Ages..... | Under 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Not stated. | | | | | | | | | |
| | | | 4 | 11 | 7 | 5 | 3 | 3 | 3 | | 1 | | 37 | | | | | | | |
| Nativity .. | | | | | | | | | | | | | | 21 | 11 | 5 | | | | |
| Males .. | | | | | | | | | | | | | | 22 | | | 8 | 10 | 2 | 2 |
| Females .. | | | | | | | | | | | | | | 15 | | | 5 | 7 | 1 | 2 |

Percentage to total mortality of city, 14.34.

The total mortality from consumption in the city of Portsmouth for the year 1890 was 37 — 22 males and 15 females; 21 American-born, 11 foreign, and 5 not stated; 8 males and 5 females married, 10 males and 7 females single, 2 males and 1 female widowed, and 2 males and 2 females civil condition not stated. In January, February, April, May, October, and December there were 4 deaths each; in March, June, and November, 3 each; and in July and August, 2 each. Four of the decedents

were between 15 and 20 years of age; 11 between 20 and 30; 7 between 30 and 40; 5 between 40 and 50; 3 between 50 and 60; 3 between 60 and 70; and 3 between 70 and 80. The percentage to the total mortality of the city was 14.34.

TABLE No. 45.

*Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity,
1890, for the City of Dover.*

| Months... | 7 January. | 8 February. | 4 March. | 4 April. | 5 May. | 4 June. | 4 July. | 6 August. | 12 September. | 12 October. | 5 November. | 6 December. | Total. | American. | Foreign. | Not stated. | Married. | Single. | Widowed. | Not stated. |
|-------------|----------------|-----------------|----------------|-----------------|-----------------|----------------|----------------|----------------|------------------|----------------|----------------|----------------|--------|-----------|----------|-------------|----------|---------|----------|-------------|
| Quarters... | 14 | | | 13 | | | 12 | | | 13 | | | 52 | | | | | | | |
| Ages..... | Under 10. 1 | 10 to 15. 12 | 15 to 20. 7 | 20 to 30. 16 | 30 to 40. 10 | 40 to 50. 4 | 50 to 60. 7 | 60 to 70. 2 | 70 to 80. 2 | Over 80. 1 | Not stated. | | 52 | | | | | | | |
| Nativity... | | | | | | | | | | | | | | 36 | 13 | 3 | | | | |
| Males... | | | | | | | | | | | | | 25 | | | | 8 | 12 | 1 | 4 |
| Females... | | | | | | | | | | | | | 27 | | | | 10 | 8 | 6 | 3 |

Percentage to total mortality of city, 16.40.

The total mortality from consumption in the city of Dover, for the year 1890, was 52 — 25 males and 27 females; 36 of the decedents were American-born, 13 foreign, and 3 not stated; 8 males and 10 females were married, 12 males and 8 females single, 1 male and 6 females widowed, and 4 males and 3 females with civil condition not stated. There were 7 deaths in January; August and December had 6 deaths each; May and November, 5 each; March, April, June, July, 4 each; February, 3; and September and October, 2 each. One

decedent was under 10 years of age; 2 between 10 and 15; 7 between 15 and 20; 16 between 20 and 30; 10 between 30 and 40; 4 between 40 and 50; 7 between 50 and 60; 2 between 60 and 70; 2 between 70 and 80; and 1 over 80 years of age. The rate to the total mortality of the city was 16.40 per cent.

TABLE No. 46.

Deaths from Pulmonary Consumption, by Seasons, Ages, and Nativity, 1890, for the City of Keene.

| Months... | 1 January. | 12 February. | 1 March. | 12 April. | 3 May. | 12 June. | July. | 12 August. | 1 September. | 1 October. | 1 November. | December. | Total. | American. | Foreign. | Not stated. | Married. | Single. | Widowed. | Not stated. |
|-------------|------------|--------------|-----------|-----------|-----------|-----------|-----------|------------|--------------|------------|-------------|-----------|--------|-----------|----------|-------------|----------|---------|----------|-------------|
| Quarters... | 4 | | | 7 | | | 3 | | | 12 | | | 16 | | | | | | | |
| Ages..... | Under 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Not stated. | | 16 | | | | | | | |
| | 1 | | 1 | 7 | | 1 | 3 | 12 | | 1 | | | | | | | | | | |
| Nativity... | | | | | | | | | | | | | | 12 | 4 | | | | | |
| Males..... | | | | | | | | | | | | | 6 | | | | 3 | 3 | | |
| Females... | | | | | | | | | | | | | 10 | | | | 2 | 7 | 1 | |

Percentage to total mortality of city, 10.25.

The total number of deaths from consumption in the city of Keene, for the year 1890, was 16—6 males and 10 females; 12 American-born, and 4 foreign; 3 males and 2 females were married, 3 males and 7 females single, and 1 female widowed. Three of the deaths occurred in May; 2 each in February, April, June, and August; and 1 each in January, March, September, October, and November. One of the decedents was under 10 years of age; 1 between 15 and 20; 7

between 20 and 30; 1 between 40 and 50; 3 between 50 and 60; 2 between 60 and 70; and 1 over 80 years of age. The rate to the total mortality of the city was 10.25 per cent.

TABLE No. 47.

Percentage of Deaths from Consumption to the Total Mortality of the Cities of the State for the years 1883 to 1890, inclusive.

| | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Manchester.. | 14.89 | 14.28 | 13.03 | 15.01 | 11.15 | 12.37 | 9.30 | 10.29 |
| Concord.... | 11.41 | 8.66 | 10.68 | 8.60 | 10.13 | 10.23 | 9.81 | 9.13 |
| Nashua..... | 16.96 | 13.72 | 14.86 | 10.49 | 9.73 | 8.20 | 8.64 | 10.69 |
| Dover | 20.97 | 16.60 | 16.17 | 21.17 | 14.57 | 12.01 | 10.31 | 16.40 |
| Portsmouth.. | 16.02 | 14.74 | 12.18 | 17.84 | 16.26 | 18.26 | 7.73 | 14.34 |
| Keene | 16.91 | 16.00 | 22.80 | 16.00 | 11.90 | 9.47 | 9.62 | 10.25 |

This table presents a comparative view of the percentage of deaths from consumption to the total mortality of the respective cities of the State, from 1883 to 1890, inclusive. Dover has the highest rate, 16.40 for the year 1890; Portsmouth follows with a rate of 14.34; Nashua, 10.69; Manchester, 10.29; Keene, 10.25; and Concord, 9.13.

Table 48 gives the mortality from consumption, by ages and sex, for the year 1890, by counties. The greatest number of deaths occurred, as usual, between the ages of 20 and 30, 200; between 30 and 40, 156; between 40 and 50, 113; between 60 and 70, 72; between 50 and 60, 65; between 70 and 80, 63; between 15 and 20, 61; under 1, 25; over 80, 23; between 1 and 5, 17; between 10 and 15, 16; and age not stated, 7. Among the decedents were two negroes.

TABLE No. 48.
Deaths from Consumption, by Ages and Sex, by Counties, for 1880.

| COUNTIES. | SEX. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Not stated. | Total. | Grand total. |
|--------------|---------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-------------|--------|--------------|
| Rockingham | Males | 3 | 2 | ... | ... | 3 | 16 | 11 | 10 | 7 | 8 | 8 | 2 | ... | 70 | ... |
| | Females | 1 | 1 | 1 | 2 | 6 | 18 | 11 | 9 | 1 | 5 | 6 | 1 | 2 | 64 | 134 |
| Strafford | Males | ... | ... | ... | 1 | 3 | 15 | 16 | 8 | 4 | 7 | 3 | 1 | ... | 58 | ... |
| | Females | 4 | 1 | ... | 4 | 7 | 11 | 11 | 3 | 6 | 3 | 7 | 1 | 1 | 59 | 117 |
| Belknap | Males | 1 | ... | ... | ... | 2 | ... | 3 | 3 | 3 | 1 | 1 | 1 | ... | 15 | ... |
| | Females | ... | ... | ... | ... | 3 | 7 | 5 | 3 | ... | 2 | 4 | ... | 1 | 25 | 40 |
| Carroll | Males | ... | ... | ... | ... | ... | 4 | 1 | 3 | 1 | ... | 2 | 1 | ... | 12 | ... |
| | Females | 1 | ... | ... | ... | 3 | 2 | ... | 3 | 1 | 1 | 1 | 1 | ... | 13 | 25 |
| Merrimack | Males | 1 | ... | 2 | 1 | 2 | 12 | 6 | 8 | 7 | 7 | 4 | 3 | ... | 53 | ... |
| | Females | 1 | ... | 1 | 2 | 3 | 13 | 9 | 8 | 5 | 10 | 4 | ... | ... | 61 | 114 |
| Hillsborough | Males | 5 | 2 | 1 | 1 | 4 | 23 | 21 | 15 | 11 | 4 | 5 | 1 | 1 | 94 | ... |
| | Females | 3 | 6 | 1 | 1 | 15 | 31 | 21 | 13 | 5 | 8 | 3 | 3 | ... | 110 | 204 |
| Cheshire | Males | ... | 2 | ... | ... | ... | 2 | 3 | 4 | 4 | 2 | 3 | 1 | ... | 21 | ... |
| | Females | 1 | 1 | ... | ... | 5 | 9 | 7 | 1 | 1 | 2 | 1 | 2 | ... | 30* | 51 |

SUMMARY OF OBSERVATIONS.

249

[illegible]

• One negro.

TABLE No. 49.
Deaths from Consumption, by Months and Sex, by Counties, for 1890.

| COUNTIES. | SEX. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. | Total. | Grand total. |
|--------------|---------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|--------|--------------|
| Rockingham | Males | 10 | 3 | 8 | 10 | 6 | 3 | 3 | 6 | 4 | 7 | 4 | 6 | | 70 | |
| | Females | 6 | 10 | 3 | 4 | 4 | 4 | 7 | 5 | 1 | 4 | 8 | 8 | | 64 | 134 |
| Strafford | Males | 1 | 3 | 9 | 4 | 4 | 5 | 3 | 8 | 3 | 5 | 7 | 6 | | 58 | |
| | Females | 11 | 2 | 6 | 8 | 4 | 2 | 3 | 1 | 3 | 5 | 6 | 8 | | 59 | 117 |
| Belknap | Males | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | | 1 | 2 | | 1 | 15 | |
| | Females | 5 | 1 | 5 | 2 | 1 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | | 25 | 40 |
| Carroll | Males | | | 2 | | 1 | | 3 | 1 | 1 | | 2 | 2 | | 12 | |
| | Females | | 1 | 1 | 3 | 2 | 2 | 1 | 1 | | | 1 | 1 | | 13 | 25 |
| Merrimack | Males | 5 | 4 | 7 | 4 | 4 | 7 | 4 | 4 | 4 | 2 | 3 | 5 | | 53 | |
| | Females | 10 | 8 | 5 | 4 | 5 | 3 | 8 | 2 | 7 | 2 | 5 | 2 | | 61 | 114 |
| Hillsborough | Males | 12 | 5 | 14 | 5 | 8 | 8 | 9 | 7 | 9 | 4 | 3 | 10 | | 94 | |
| | Females | 14 | 6 | 2 | 11 | 11 | 12 | 13 | 7 | 7 | 10 | 6 | 11 | | 110 | 204 |
| Cheshire | Males | 4 | 1 | 1 | 1 | 2 | 3 | 1 | | | 3 | 3 | 2 | | 21 | |
| | Females | 3 | 2 | 3 | 3 | 6 | 2 | 1 | 4 | 2 | 2 | 2 | | | 30 | 51 |

| | | | | | | | | | | | | | | | | | | | |
|-------------------|---------------|----|----|------|----|----|----|------|------|----|----|------|------|------|------|------|------|------|------|
| Sullivan..... | Males | 1 | 3 | 1 | 1 | 1 | 2 | | 1 | 1 | 2 | | 1 | 1 | 1 | 2 | | 13 | |
| | Females | 1 | 2 | 1 | 3 | 2 | 4 | | 1 | 1 | 2 | | 1 | 1 | 2 | 2 | | 19 | 32 |
| Grafton..... | Males | 1 | 5 | | 4 | 2 | 4 | 1 | 2 | 3 | 3 | | 2 | 2 | 3 | 3 | | 28 | |
| | Females | 4 | 2 | 3 | 7 | 4 | 4 | 2 | 6 | 4 | 2 | 3 | | 1 | 2 | 3 | | 42 | 70 |
| Coös | Males | 31 | 2 | 3 | 2 | 1 | 3 | 1 | 1 | 1 | 1 | | 3 | 1 | 1 | 1 | | 18 | |
| | Females | 51 | 2 | 2 | 1 | 3 | 2 | 2 | | 3 | 2 | | 3 | 1 | | 3 | | 20 | 38 |
| Total for State.. | Males | 5 | 26 | 50 | 28 | 32 | 34 | 28 | 31 | 26 | 25 | 30 | 36 | 1 | 382 | 1 | | | |
| | Females | 5 | 36 | 31 | 46 | 42 | 36 | 39 | 27 | 30 | 27 | 33 | 39 | | 443 | | | 825 | |

Table 49 gives the deaths from consumption, by months and sex, by counties, for 1890. The greatest mortality occurred in the month of January, 90; 81 in May; 75 in December; 74 each in April and May; 72 in June; 63 in November; 67 in July; 62 in February; 58 in August; 56 in September; 52 in October; and 1 not stated. Of the decedents, 382 were males and 443 females.

TABLE No. 50.

Deaths from Consumption, by Nationality, Civil Condition, and Sex, by Counties, for 1890.

| COUNTIES. | SEX. | American. | Foreign. | Not stated. | Married. | Single. | Widowed. | Not stated. | Total. | Grand total. |
|-----------------|---------|-----------|----------|-------------|----------|---------|----------|-------------|--------|--------------|
| Rockingham | Males | 48 | 14 | 8 | 29 | 30 | 9 | 2 | 70 | |
| | Females | 50 | 8 | 6 | 33 | 24 | 4 | 3 | 64 | 134 |
| Strafford | Males | 41 | 14 | 3 | 27 | 21 | 3 | 7 | 58 | |
| | Females | 45 | 11 | 3 | 21 | 23 | 10 | 5 | 59 | 117 |
| Belknap | Males | 13 | 1 | 1 | 8 | 6 | 1 | ... | 15 | |
| | Females | 16 | 6 | 3 | 8 | 11 | 6 | ... | 25 | 40 |
| Carroll | Males | 11 | 1 | ... | 8 | 2 | 2 | ... | 12 | |
| | Females | 13 | ... | ... | 2 | 6 | 5 | ... | 13 | 25 |
| Merrimack | Males | 44 | 6 | 3 | 24 | 20 | 6 | 3 | 53 | |
| | Females | 43 | 9 | 9 | 36 | 15 | 9 | 1 | 61 | 114 |
| Hillsborough | Males | 57 | 28 | 9 | 35 | 30 | 4 | 25 | 94 | |
| | Females | 62 | 41 | 7 | 40 | 37 | 15 | 18 | 110 | 204 |
| Cheshire | Males | 16 | 4 | 1 | 11 | 7 | 3 | ... | 21 | |
| | Females | 23 | 6 | 1 | 9 | 18 | 2 | 1 | 30 | 51 |
| Sullivan | Males | 9 | 3 | 1 | 4 | 8 | 1 | ... | 13 | |
| | Females | 17 | 1 | 1 | 8 | 7 | 4 | ... | 19 | 32 |
| Grafton | Males | 21 | ... | 7 | 11 | 14 | 3 | ... | 28 | |
| | Females | 35 | 2 | 5 | 28 | 9 | 5 | ... | 42 | 70 |
| Cooks | Males | 13 | 3 | 2 | 7 | 6 | *4 | 1 | 18 | |
| | Females | 7 | 8 | 5 | 11 | 5 | 3 | 1 | 20 | 38 |
| Total for State | Males | 273 | 74 | 35 | 164 | 144 | 36 | 38 | 382 | |
| | Females | 311 | 92 | 40 | 196 | 155 | 63 | 29 | 443 | 825 |

* One divorced.

Table 50 gives the nationality, civil condition, and sex of the decedents from consumption, by counties, for 1890. Of the 825 cases, 584 were American-born, 166 foreign, and 75 not stated; 360 were married, 299 single, 98 widowed, 1 divorced, and 67 not stated.

TABLE No. 51.

Mortality from Pneumonia, by Counties, from 1884 to 1890, inclusive.

| COUNTIES. | YEARS. | | | | | | | Average. |
|--------------------|--------|-------|-------|-------|-------|-------|-------|----------|
| | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. | |
| Rockingham | 45 | 63 | 77 | 70 | 83 | 68 | 90 | 71 |
| Strafford | 39 | 48 | 37 | 46 | 52 | 38 | 80 | 48 |
| Belknap | 18 | 24 | 25 | 44 | 50 | 37 | 42 | 34 |
| Carroll | 30 | 27 | 15 | 33 | 46 | 49 | 37 | 34 |
| Merrimack | 50 | 72 | 60 | 85 | 73 | 86 | 94 | 74 |
| Hillsborough | 110 | 128 | 112 | 128 | 129 | 131 | 158 | 128 |
| Cheshire | 36 | 52 | 39 | 55 | 55 | 52 | 44 | 47 |
| Sullivan | 21 | 22 | 23 | 22 | 30 | 31 | 32 | 25 |
| Grafton | 66 | 48 | 54 | 52 | 77 | 64 | 74 | 62 |
| Coös | 21 | 20 | 24 | 21 | 33 | 26 | 52 | 28 |
| Total | 436 | 504 | 466 | 556 | 628 | 582 | 703 | 558 |

This table gives the mortality from pneumonia, by counties, from 1884 to 1890, inclusive. There were 703 deaths from this disease in 1890, a large increase over the number reported in any previous year and largely exceeding the average of the past seven years. Cheshire was the only county that did not exceed its average for the seven years noted in the table.

TABLE No. 52.

Mortality from Pneumonia, by Ages, from 1884 to 1890, inclusive.

| YEARS. | Under 1 year. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | Total. |
|------------|---------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--------|
| 1884 | 51 | 48 | 3 | 3 | 6 | 27 | 23 | 30 | 36 | 50 | 97 | 54 | 8 | 436 |
| 1885 | 69 | 49 | 8 | 4 | 11 | 15 | 27 | 32 | 37 | 72 | 105 | 74 | 1 | 504 |
| 1886 | 57 | 38 | 13 | 6 | 13 | 17 | 24 | 29 | 49 | 68 | 92 | 53 | 7 | 466 |
| 1887 | 68 | 33 | 7 | 5 | 13 | 28 | 32 | 40 | 48 | 89 | 121 | 68 | 4 | 556 |
| 1888 | 67 | 45 | 6 | 10 | 19 | 40 | 49 | 51 | 62 | 67 | 123 | 81 | 8 | 628 |
| 1889 | 61 | 50 | 8 | 12 | 17 | 29 | 36 | 40 | 48 | 98 | 100 | 79 | 4 | 582 |
| 1890 | 73 | 48 | 9 | 10 | 11 | 35 | 46 | 45 | 79 | 106 | 127 | 107 | 7 | 703 |

The mortality from pneumonia by ages, from 1884 to 1890, inclusive, is given in the above table. The greatest mortality was in the age period between 70 and 80 for the year 1890, there being 127 deaths between those ages, and this holds good in the other years noted. There were 107 deaths of persons over 80 years of age; 106 between 60 and 70; 79 between 50 and 60; 73 under 1 year of age; 46 between 30 and 40; 45 between 40 and 50; 11 between 15 and 20; 10 between 10 and 15; 9 between 5 and 10; and 7 age not stated.

TABLE No. 53.

Mortality from Pneumonia, by Months and Quarters, from 1884 to 1890, inclusive.

| YEARS. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. |
|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|
| 1884 | 55 | 55 | 51 | 52 | 32 | 13 | 14 | 11 | 5 | 28 | 51 | 67 | 2 |
| 1885 | 53 | 59 | 101 | 95 | 35 | 25 | 13 | 10 | 10 | 33 | 38 | 32 | ... |
| 1886 | 32 | 44 | 73 | 51 | 51 | 33 | 22 | 18 | 18 | 24 | 46 | 54 | ... |
| 1887 | 71 | 73 | 85 | 85 | 49 | 17 | 13 | 13 | 14 | 34 | 47 | 54 | 1 |
| 1888 | 72 | 95 | 75 | 73 | 76 | 24 | 16 | 23 | 21 | 43 | 36 | 72 | 2 |
| 1889 | 69 | 66 | 79 | 102 | 51 | 22 | 15 | 19 | 16 | 53 | 41 | 49 | ... |
| 1890 | 213 | 74 | 69 | 43 | 47 | 35 | 18 | 9 | 23 | 23 | 69 | 79 | 1 |
| Total | 565 | 466 | 533 | 501 | 341 | 169 | 111 | 103 | 107 | 238 | 328 | 407 | 6 |
| Quarters | 1,564 | | | 1,011 | | | 321 | | | 973 | | | |
| Percentages | 40.42 | | | 26.13 | | | 8.29 | | | 25.15 | | | |

Table 53 shows the mortality from pneumonia, by months and quarters, from 1884 to 1890, together with percentages. In 1890 the greatest number of deaths from this disease occurred in January, 213; and the aggregate of that month, for the seven years given, 565, is also larger than that of any other month. The smallest number for the year was in August, 9; and the aggregate of that month for seven years, 103, was less than that of any other; 40.42 per cent of all the deaths from pneumonia in the last seven years have occurred in the first quarter of the year; 26.13 per cent, in the second quarter; 25.15 per cent, in the fourth quarter; and 8.29, in the third quarter.

TABLE No. 54.

Mortality from Brain Diseases, 1884 to 1890, inclusive.

| YEARS. | DISEASES. | | | | | | |
|-------------------|--------------|-----------|------------|-----------|--------------|----------------|--------|
| | Cephalitis.* | Apoplexy. | Paralysis. | Insanity. | Convulsions. | Brain disease. | Total. |
| 1884 | 120 | 192 | 248 | 22 | 99 | 134 | 815 |
| 1885 | 133 | 206 | 278 | 27 | 93 | 122 | 859 |
| 1886 | 141 | 220 | 249 | 24 | 71 | 127 | 832 |
| 1887 | 117 | 210 | 253 | 25 | 64 | 121 | 790 |
| 1888 | 143 | 243 | 273 | 37 | 88 | 112 | 896 |
| 1889 | 151 | 259 | 196 | 35 | 76 | 126 | 843 |
| 1890 | 186 | 263 | 251 | 28 | 65 | 140 | 933 |
| Average | 141 | 227 | 248 | 28 | 79 | 126 | 852 |

* Meningitis and cerebritis included.

There were 933 deaths from brain diseases in the year 1890, including apoplexy with 263; paralysis, 251; cephalitis, 186; convulsions, 65; insanity, 28; and other brain diseases, 140.

TABLE No. 55.

Mortality from Diarrheal Diseases, 1884 to 1890, inclusive.

| YEARS. | DISEASES. | | | | | Total of diarrheal diseases. |
|---------------|-------------------|-----------------|-----------|------------|------------|------------------------------|
| | Cholera infantum. | Cholera morbus. | Diarrhea. | Dysentery. | Enteritis. | |
| 1884 | 266 | 21 | 52 | 80 | 69 | 488 |
| 1885 | 219 | 20 | 40 | 40 | 57 | 376 |
| 1886 | 362 | 14 | 38 | 79 | 53 | 546 |
| 1887 | 336 | 16 | 38 | 55 | 57 | 500 |
| 1888 | 370 | 8 | 50 | 63 | 39 | 590 |
| 1889 | 353 | 12 | 68 | 67 | 56 | 556 |
| 1890 | 399 | 12 | | 50 | 63 | 524 |
| Average | 329 | 14 | 40 | 61 | 56 | 502 |

The total number of deaths from diarrheal diseases in 1890 was 524, a slight increase over the average for seven years. Cholera infantum stands at the head of these diseases with 399 deaths in 1890, and an average of 329; enteritis has an average of 56; dysentery, 61; diarrhea, 40; cholera morbus, 14.

TABLE No. 56.

Mortality from Cholera Infantum from 1884 to 1890, inclusive.

| YEARS. | Deaths. | Percentage of deaths to deaths from all causes. | Death-rates per 10,000 living (estimated population). |
|--------------|---------|---|---|
| 1884..... | 266 | 4.29 | 7.41 |
| 1885..... | 219 | 3.53 | 6.05 |
| 1886..... | 362 | 5.63 | 9.92 |
| 1887..... | 386 | 5.18 | 9.18 |
| 1888..... | 370 | 5.39 | 9.98 |
| 1889..... | 353 | 5.27 | 9.44 |
| 1890..... | 399 | 5.41 | 10.59 |
| Average..... | 329 | | |

This table shows the mortality from cholera infantum from 1884 to 1890, inclusive; also the percentage to the total mortality and the rate per 10,000 of the population. There has been an average of 329 deaths from this disease for the past seven years.

TABLE No. 57.

Mortality from Cholera Infantum, by Ages, from 1884 to 1890, inclusive.

| YEARS. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | Total. |
|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--------|
| 1884 | 214 | 48 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 2 | 266 |
| 1885 | 186 | 33 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 219 |
| 1886 | 283 | 77 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 362 |
| 1887 | 284 | 51 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 336 |
| 1888 | 298 | 70 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 370 |
| 1889 | 297 | 54 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 353 |
| 1890 | 343 | 52 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 399 |

This table shows the mortality from cholera infantum, by ages, from 1884 to 1890, inclusive. The largest number reported in any one year was 399 in 1890, followed by 370 in 1888; 362 in 1886; 353 in 1889; 336 in 1887; 266 in 1884; and 219 in 1885. In 1890, of the 399 decedents, 343 were under 1 year of age, 52 between 1 and 5, and 4 between 5 and 10 years.

TABLE No. 58.

Cholera Infantum by Cities.

| | 1883. | 1884. | 1885. | 1886. | 1887. | 1888. | 1889. | 1890. |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Manchester | 131 | 112 | 88 | 122 | 148 | 117 | 86 | 146 |
| Dover | 7 | 10 | 15 | 15 | 13 | 19 | 5 | 12 |
| Nashua | 15 | 14 | 13 | 30 | 20 | 39 | 43 | 56 |
| Portsmouth | 4 | 3 | 9 | 6 | 4 | 9 | 9 | 8 |
| Concord | 9 | 12 | 5 | 7 | 8 | 11 | 13 | 8 |
| Keene | 9 | 6 | 2 | 7 | 5 | 2 | 8 | 5 |
| Total for cities... | 175 | 157 | 132 | 187 | 198 | 197 | 164 | 235 |
| Total for State .. | 278 | 268 | 219 | 362 | 336 | 370 | 353 | 399 |

Table 58 shows the mortality from cholera infantum in the cities of the State. Of the 399 deaths from this disease in the year 1890, 235 occurred in the cities, 146 being recorded in Manchester; 56 in Nashua; 12 in Dover; 8 in each of the cities of Portsmouth and Concord, and 5 in Keene.

TABLE No. 59.

Cholera Infantum, by Ages, Sex, and Months, particularly showing the number of Decedents in the Cities and Towns returning the greatest Mortality from the Disease.

| TOWNS. | SEX. | AGES. | | | MONTHS. | | | | | | | | | | | | Grand total. | | |
|------------|---------|----------|---------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------------|----------|--------|
| | | Under 1. | 1 to 5. | 5 to 10. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | | Unknown. | Total. |
| | | | | | | | | | | | | | | | | | | | |
| Concord | Males | 3 | 1 | | | | | | | | | 2 | 1 | 1 | | | | | 4 |
| | Females | 4 | | | | | | | | | 1 | 2 | 1 | | | | | 4 | |
| | Males | 6 | | | | | | | | | | 3 | 3 | | | | | 6 | |
| | Females | 4 | 2 | | | | | | | | 1 | 3 | 1 | | 1 | | | 6 | |
| Dover | Males | | | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | | | | | | | | | | | |
| | Males | 3 | | | | | | | | | | 1 | 2 | | | | | 3 | |
| | Females | 2 | | | | | | | | | | | 1 | | | | | 2 | |
| Keene | Males | 3 | | | | | | | | | | | | | | | | | 3 |
| | Females | | | | | | | | | | | | | | | | | | |
| | Males | 60 | 15 | 1 | 1 | 1 | | | | 2 | 27 | 26 | 15 | 3 | 1 | | | 76 | |
| | Females | 63 | 7 | | | | | | | 1 | 24 | 23 | 15 | 6 | | 1 | | 70 | |
| Manchester | Males | | | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | | | | | | | | | | | |
| | Males | 27 | 2 | 1 | | | | | | | 16 | 3 | 7 | 4 | | | | 30 | |
| | Females | 23 | 2 | 1 | | | | | | 2 | 9 | 13 | 1 | 1 | | | | 26 | |
| Nashua | Males | | | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | | | | | | | | | | | |
| | Males | 4 | | | | | | | | | 1 | 2 | 1 | | | | | 4 | |
| | Females | 3 | 1 | | | | | | | | | 2 | 2 | | | | | 4 | |
| Portsmouth | Males | | | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | | | | | | | | | | | |
| | Males | | | | | | | | | | | | | | | | | | |
| | Females | | | | | | | | | | | | | | | | | | |

SUMMARY OF OBSERVATIONS.

261

TABLE No. 59. — *Continued.*

| TOWNS. | SEX. | AGES. | | MONTHS. | | | | | | | | | | | | Total. | Grand total. | |
|------------|---------|----------|---------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|--------------|----------|
| | | Under 1. | 1 to 5. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | | | Unknown. |
| | | | | | | | | | | | | | | | | | | |
| Allentown. | Males | 4 | 1 | | | | | | | | 1 | 3 | 1 | | | | | 5 |
| | Females | 2 | | | | | | | | | | 2 | | | | | | 2 |
| Berlin. | Males | 1 | 1 | | | | | | | | | 1 | 1 | | | | | 2 |
| | Females | | 2 | | | | 1 | | | | | 1 | | | | | | 2 |
| Claremont | Males | 4 | 1 | | | | | | | | | 5 | | | | | | 5 |
| | Females | 4 | | | | | | | | | | 4 | | | | | | 4 |
| Epping. | Males | 2 | | | | | | | | | | 2 | | | | | | 2 |
| | Females | | 1 | | | | | | | | | 1 | | | | | | 1 |
| Exeter | Females | 4 | | | | | | | | | | 2 | 2 | | | | | 4 |
| | | | | | | | | | | | | | | | | | | |
| Franklin | Males | 1 | | | | | | | | | | 1 | | | | | | 1 |
| | Females | 2 | | | | | | | | | 1 | | 1 | | | | | 2 |
| Gilford. | Males | 2 | | | | | | | | | | 2 | | | | | | 2 |
| | Females | | 1 | | | | | | | | | 1 | | | | | | 1 |

TABLE No. 59. — Continued.

| TOWNS. | SEX. | AGES. | | MONTHS. | | | | | | | | | | | | Total. | Grand total. | | | |
|-------------|---------|----------|---------|----------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|--------|--------------|-----------|----------|-----|
| | | Under 1. | 1 to 5. | 5 to 10. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | | | December. | Unknown. | |
| | | | | | | | | | | | | | | | | | | | | |
| Wilton | Males | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 |
| | Females | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | Males | 34 | 6 | 6 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 13 | 18 | 3 | 2 | 2 | 2 | 2 | 40 | 40 |
| | Females | 26 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 11 | 9 | 1 | 1 | 1 | 1 | 1 | 28 | 68 |
| Total | Males | 184 | 31 | 2 | 2 | 3 | 2 | 2 | 4 | 51 | 82 | 60 | 10 | 3 | 3 | 2 | 2 | 217 | 217 | 217 |
| | Females | 159 | 21 | 2 | 2 | 1 | 1 | 1 | 5 | 42 | 76 | 44 | 9 | 2 | 2 | 2 | 2 | 182 | 399 | 399 |
| Grand total | | 343 | 52 | 4 | 2 | 2 | 3 | 1 | 3 | 9 | 93 | 158 | 104 | 19 | 5 | 2 | 2 | 399 | 399 | 399 |

Table No. 59 shows the deaths from cholera infantum by ages, sex, and months, particularly in the cities and larger towns of the State. There was a total of 399 deaths from this cause in 1890, as against 353 in 1889, 343 being under one year of age. Two of the deaths occurred in February, 3 in March, 1 in April, 3 in May, 9 in June, 93 in July, 158 in August, 104 in September, 19 in October, 5 in November, and 2 in December. July, August, and September show substantially the entire mortality from cholera infantum.

TABLE No. 60.

Mortality from Cancer, with ratios to estimated Population and to total Mortality from 1884 to 1890, inclusive.

| YEARS. | Deaths. | Death-rates per 10,000 of population. | Ratio to total mortality per 1,000. |
|---------------|---------|---------------------------------------|-------------------------------------|
| 1884 | 213 | 5.93 | 34.39 |
| 1885 | 212 | 5.85 | 34.19 |
| 1886 | 206 | 5.64 | 32.06 |
| 1887 | 218 | 5.92 | 33.65 |
| 1888 | 203 | 5.47 | 29.62 |
| 1889 | 213 | 5.70 | 31.31 |
| 1890 | 276 | 7.33 | 37.45 |
| Average | 220 | 5.97 | 33.31 |

There were 276 deaths from cancer in 1890, being a large increase over the number reported in previous years, and raising the average for the past seven years to 220. Further information in regard to the mortality from this disease in 1890 will be found in table No. XIX, under the head of cancer.

TABLE No. 61.

Mortality from Diphtheria from 1884 to 1890, inclusive, by Ages.

| YEARS. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | Total. |
|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--------|
| 1884 | 8 | 39 | 34 | 17 | 4 | 2 | .. | 1 | 3 | .. | .. | 1 | 1 | 110 |
| 1885 | 10 | 32 | 22 | 5 | 3 | 4 | .. | 1 | 1 | .. | .. | .. | .. | 78 |
| 1886 | 9 | 53 | 58 | 22 | 7 | 3 | 1 | 1 | 2 | .. | .. | .. | .. | 156 |
| 1887 | 7 | 74 | 51 | 20 | 6 | 9 | 4 | 2 | 1 | 1 | 1 | .. | 1 | 177 |
| 1888 | 6 | 43 | 36 | 7 | 4 | 2 | 1 | 1 | 2 | 1 | .. | .. | .. | 103 |
| 1889 | 7 | 86 | 68 | 18 | 13 | 10 | 3 | 3 | .. | 1 | .. | .. | 1 | 210 |
| 1890 | 6 | 64 | 45 | 26 | 10 | 3 | 4 | 3 | .. | .. | .. | 1 | 2 | 164 |

Table No. 61 shows the mortality from diphtheria by ages, for the years 1884 to 1890, inclusive. One hundred and sixty-four deaths were reported from this cause in 1890, as against 210 the preceding year. Six of the decedents were under one year of age, 64 between one and five, 45 between five and ten, 26 between ten and fifteen, 10 between fifteen and twenty, 3 between twenty and thirty, 4 between thirty and forty, 3 between forty and fifty, 1 over eighty, and 2 with age not stated. In the following table will be found the mortality from diphtheria as occurring in the cities and larger towns of the State, by ages, sex, and months. Of the total number of decedents, 78 were males and 84 females. Sixteen of the deaths occurred in January, 9 in February, 16 in March, 14 in April, 12 in May, 9 in June, 16 in July, 8 in August, 19 in September, 17 in October, 9 in November, 13 in December, and 6 not stated.

TABLE No. 62. — Continued.

| Months. | | | | | | | | | | | | | Whole Number. | | | Ages. | | | | | | | | | | | | | | | | |
|---------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|---------------|-------------|-------|---------|----------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--|--|
| Sex. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Male. | Female. | Unknown. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOWNS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. | | | | | | | | | | 1 | | | | Charlestown | 3 | 1 | 2 | | | | 1 | | | | | | | | | | | |
| M. | | | | | | | | | 1 | | | | | Hampton | | | | | | | | 1 | | | | | | | | | | |
| F. 1 | | | | | | | | | | | 1 | | | " | | | | | | | | | | | | | | | | | | |
| M. 2 | | | | | | | | | | | | | | Harrisville | 3 | 2 | 1 | | 1 | 1 | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | " | | | | | | | | 1 | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | 1 | 5 | 1 | 1 | Rochester | 26 | 8 | 16 | 2 | | 7 | 2 | 1 | | | | | | | | | | |
| F. 1 | | | | | | | | | | 2 | 2 | 4 | 1 | " | | | | | 3 | 5 | 6 | 2 | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | Sanbornton | 3 | 2 | 1 | | | | 1 | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | " | | | | | | | | 1 | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | Seabrook | 4 | 2 | 2 | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | " | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

• Classed with males.

TABLE No. 63.

Mortality from Croup from 1884 to 1890, inclusive, by Ages.

| YEARS. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | Total. |
|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--------|
| 1884 | 835 | 6 | | | | | | | | | | | | 49 |
| 1885 | 2041 | 9 | | | 1 | 2 | | 1 | | | | | | 74 |
| 1886 | 1340 | 10 | 1 | | | | | | | | | | | 64 |
| 1887 | 2648 | 7 | 2 | | | | | | | | 1 | | | 84 |
| 1888 | 1667 | 9 | | | | 1 | | | | 1 | | | | 94 |
| 1889 | 1165 | 11 | 1 | | | | | | | | | | | 88 |
| 1890 | 1641 | 6 | 1 | | | | | | | | | | | 64 |

Table No. 63 gives the mortality from croup for the years 1884 to 1890, inclusive, by ages. In 1890 there were 64 deaths from this cause, 16 of the decedents being under one year of age, 41 between one and five, 6 between five and ten, and 1 between ten and fifteen years of age.

TABLE No. 64.

Mortality from Croup and Diphtheria from 1884 to 1890, inclusive.

| YEARS. | Deaths. | | | Percentages of deaths to deaths from all causes. | | | Death-rates per 10,000 living. | | |
|---------------|---------|-------------|--------|--|-------------|--------|--------------------------------|-------------|--------|
| | Croup. | Diphtheria. | Total. | Croup. | Diphtheria. | Total. | Croup. | Diphtheria. | Total. |
| 1884 | 49 | 110 | 159 | .79 | 1.77 | 2.56 | 1.36 | 3.06 | 4.42 |
| 1885 | 74 | 78 | 152 | 1.19 | 1.25 | 2.44 | 2.04 | 2.15 | 4.19 |
| 1886 | 64 | 156 | 220 | .99 | 2.41 | 3.40 | 1.75 | 4.27 | 6.02 |
| 1887 | 84 | 177 | 261 | 1.29 | 2.73 | 4.02 | 2.28 | 4.81 | 7.09 |
| 1888 | 94 | 108 | 197 | 1.37 | 1.50 | 2.87 | 2.53 | 2.77 | 5.30 |
| 1889 | 88 | 210 | 298 | 1.31 | 3.13 | 4.44 | 2.35 | 5.61 | 7.96 |
| 1890 | 64 | 164 | 228 | .86 | 2.21 | 3.08 | 1.69 | 4.32 | 6.02 |
| Total | 517 | 998 | 1,515 | | | | | | |
| Average | 74 | 142 | 216 | | | | | | |

Table No. 64 shows the deaths from diphtheria and croup, with the percentage of deaths respectively to the total mortality from all causes and the death-rates to each 10,000 of the living population. There have been 1,515 deaths from these two causes in this State during the past seven years, nearly all of them being children under five years of age.

TABLE No. 65.

Mortality from Typhoid Fever from 1884 to 1890, inclusive.

| YEARS. | Deaths. | Percentages of deaths to deaths from all causes. | Death-rates per 10,000 living (estimated population). |
|--------------|---------|--|---|
| 1884..... | 187 | 2.21 | 3.81 |
| 1885..... | 186 | 2.19 | 3.75 |
| 1886..... | 194 | 3.01 | 5.31 |
| 1887..... | 134 | 2.06 | 3.64 |
| 1888..... | 150 | 2.18 | 4.04 |
| 1889..... | 161 | 2.40 | 4.30 |
| 1890..... | 143 | 1.94 | 3.79 |
| Total..... | 1,055 | | |
| Average..... | 150 | | |

The preceding table shows the deaths from typhoid fever from 1884 to 1890, inclusive, with the percentage to deaths from all causes and the death-rate to each 10,000 of the living population. One hundred and forty-three deaths were reported from typhoid fever in 1890.

REGISTRATION REPORT.

TABLE No. 66.
Mortality from Typhoid Fever, by Counties, with Percentages of Deaths to Total Mortality, from 1884 to 1890, inclusive.

| COUNTIES. | 1884. | | 1885. | | 1886. | | 1887. | | 1888. | | 1889. | | 1890. | | Deaths, average. |
|--------------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|------------------|
| | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | Deaths. | Percentages. | |
| Rockingham | 17 | 1.94 | 18 | 1.97 | 23 | 2.38 | 10 | 1.14 | 9 | 1.00 | 15 | 1.71 | 12 | 1.12 | 14 |
| Strafford | 12 | 1.91 | 12 | 1.93 | 21 | 3.44 | 17 | 2.52 | 13 | 1.88 | 19 | 2.74 | 19 | 2.37 | 16 |
| Belknap | 13 | 4.56 | 9 | 3.11 | 31 | 8.56 | 13 | 8.52 | 8 | 2.04 | 8 | 2.05 | 13 | 8.47 | 13 |
| Carroll | 4 | 1.20 | 8 | 2.97 | 3 | .99 | 5 | 1.70 | 6 | 1.82 | 6 | 2.01 | 2 | .66 | 4 |
| Merrimack | 15 | 2.03 | 15 | 1.68 | 23 | 2.76 | 14 | 1.67 | 33 | 3.58 | 20 | 2.24 | 27 | 2.74 | 21 |
| Hillsborough | 32 | 1.93 | 37 | 2.17 | 46 | 2.73 | 41 | 2.41 | 42 | 2.27 | 39 | 2.24 | 38 | 1.92 | 39 |
| Cheshire | 14 | 2.81 | 11 | 2.83 | 12 | 2.52 | 6 | 1.24 | 5 | 1.02 | 10 | 1.80 | 10 | 1.79 | 10 |
| Sullivan | 4 | 1.46 | 4 | 1.40 | 6 | 1.82 | 5 | 1.76 | 3 | .91 | 4 | 1.26 | 1 | .30 | 4 |
| Grafton | 13 | 1.89 | 11 | 1.80 | 21 | 3.40 | 9 | 1.49 | 19 | 2.80 | 15 | 2.40 | 14 | 2.15 | 14 |
| Cook | 13 | 4.94 | 8 | 3.52 | 8 | 3.12 | 14 | 3.80 | 12 | 3.82 | 25 | 7.18 | 7 | 2.12 | 12 |
| Total | 187 | 2.21 | 136 | 2.19 | 194 | 3.01 | 134 | 2.06 | 150 | 2.18 | 161 | 2.40 | 143 | 1.94 | 150 |

Table No. 66 exhibits the number of deaths from typhoid fever, with the percentage to the total mortality, annually, from 1884 to 1890, inclusive, by counties. The average mortality from this cause for seven years has been 150.

TABLE No. 67.

Mortality from Typhoid Fever, from 1884 to 1890, inclusive, by Ages.

| YEARS. | Under 1 year. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | Total. |
|------------|---------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--------|
| 1884 | 5 | 10 | 7 | 11 | 21 | 34 | 12 | 8 | 7 | 8 | 8 | 3 | 3 | 137 |
| 1885 | 2 | 7 | 7 | 11 | 20 | 34 | 14 | 8 | 7 | 10 | 11 | 3 | 2 | 136 |
| 1886 | 2 | 6 | 15 | 12 | 33 | 51 | 16 | 12 | 15 | 14 | 16 | 2 | ... | 194 |
| 1887 | 2 | 6 | 1 | 16 | 22 | 41 | 17 | 8 | 7 | 6 | 5 | 2 | 1 | 134 |
| 1888 | 3 | 13 | 4 | 11 | 26 | 30 | 12 | 8 | 8 | 9 | 8 | 3 | 6 | 150 |
| 1889 | 4 | 5 | 9 | 14 | 26 | 50 | 13 | 14 | 10 | 5 | 6 | 4 | 1 | 161 |
| 1890 | 1 | 3 | 10 | 11 | 24 | 33 | 18 | 14 | 10 | 7 | 7 | 3 | 2 | 143 |

Table No. 67 shows the mortality from typhoid fever from 1884 to 1890, inclusive, by ages. Of the 143 decedents from this disease in 1890, 1 was under one year of age, 3 between one and five, 10 between five and ten, 11 between ten and fifteen, 24 between fifteen and twenty, 33 between twenty and thirty, 18 between thirty and forty, 14 between forty and fifty, 10 between fifty and sixty, 7 between sixty and seventy, 7 between seventy and eighty, 3 over eighty, and 2 with age not stated.

TABLE No. 68.

Mortality from Bright's Disease, Nephritis, and other Kidney Diseases, and from Dropsy, with Ratios to Total Mortality, from 1884 to 1890, inclusive.

| YEARS. | Total mortality from all causes. | Deaths from Bright's disease, nephritis, and other kidney diseases. | Ratio to total mortality per 1,000. | Deaths from dropsy. | Ratio to total mortality per 1,000. | Totals. | Ratio to total mortality per 1,000. |
|---------------|----------------------------------|---|-------------------------------------|---------------------|-------------------------------------|---------|-------------------------------------|
| 1884 | 6,104 | 140 | 22.60 | 80 | 12.91 | 220 | 35.51 |
| 1885 | 6,201 | 157 | 25.32 | 90 | 14.51 | 247 | 39.83 |
| 1886 | 6,426 | 143 | 22.25 | 83 | 12.92 | 226 | 35.17 |
| 1887 | 6,479 | 163 | 25.16 | 79 | 12.19 | 242 | 37.35 |
| 1888 | 6,854 | 154 | 22.47 | 75 | 10.94 | 229 | 33.41 |
| 1889 | 6,696 | 200 | 29.87 | 62 | 9.26 | 262 | 39.13 |
| 1890 | 7,368 | 201 | 27.28 | 53 | 7.19 | 254 | 34.47 |
| Average | 6,602 | 165 | 24.99 | 74 | 11.41 | 240 | 36.41 |

The preceding table shows the mortality from the various kidney diseases, also the total mortality of the State from all causes, for each year since 1884, inclusive. In 1890 there were 201 deaths from Bright's disease, nephritis, and other kidney diseases, and 53 deaths from dropsy ; these figures do not vary greatly from those of the preceding year. The average number of deaths from these causes for the seven years since 1884 has been 240.

TABLE No. 69.

Mortality from Scarlatina from 1884 to 1890, inclusive.

| YEARS. | Deaths. | Percentages of deaths to deaths from all causes. | Death-rates per 10,000 living population.* |
|---------------|---------|--|--|
| 1884 | 52 | .83 | 1.44 |
| 1885 | 53 | .85 | 1.46 |
| 1886 | 21 | .32 | .57 |
| 1887 | 26 | .40 | .70 |
| 1888 | 34 | .49 | .91 |
| 1889 | 18 | .26 | .48 |
| 1890 | 16 | .21 | .42 |
| Total | 220 | | |
| Average | 31 | | |

* Population estimated for all but census years.

Table No. 69 shows the mortality from scarlet fever from 1884 to 1890, inclusive. In 1890 there were 16 deaths from this cause, a smaller number than ever reported in previous years, the average for seven years being 31.

TABLE No. 70.

Mortality from Scarlatina from 1884 to 1890, inclusive, by Ages.

| YEARS. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | Total. |
|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--------|
| 1884 | 7 | 20 | 12 | 8 | 1 | 4 | | | | | | | | 52 |
| 1885 | 5 | 30 | 11 | 4 | 1 | 1 | 1 | | | | | | | 53 |
| 1886 | 1 | 8 | 9 | 1 | | 1 | | | | | | | | 121 |
| 1887 | 5 | 10 | 3 | 6 | | 2 | | | | | | | | 26 |
| 1888 | 5 | 16 | 5 | 3 | 2 | | 1 | 1 | | 1 | | | | 34 |
| 1889 | 4 | 7 | 3 | 2 | 1 | | | | | | | | | 118 |
| 1890 | 2 | 10 | 1 | 1 | | 2 | | | | | | | | 16 |

This table gives the ages of the decedents from scarlet fever for each year since 1884. Of the 16 decedents in 1890, 2 were under one year of age, 10 between one and five, 1 between five and ten, 1 between ten and fifteen, and 2 between twenty and thirty.

TABLE No. 71.

Deaths from Scarlatina by Counties, 1890.

| COUNTIES. | Deaths. | COUNTIES. | Deaths. |
|------------------|---------|-------------------|---------|
| Rockingham | 2 | Hillsborough..... | 3 |
| Strafford | 2 | Cheshire..... | 2 |
| Belknap | 1 | Sullivan | |
| Carroll | | Grafton | 5 |
| Merrimack | | Coös | 1 |

This table shows the mortality from scarlet fever by counties, for the year 1890. Rockingham county had two deaths from this cause, Strafford 2, Belknap 1, Hillsborough 3, Cheshire 2, Grafton 5, Coös 1, while Carroll, Merrimack, and Sullivan had none.

TABLE No. 72.

Mortality from Measles from 1884 to 1890, inclusive.

| YEARS. | Deaths. | Percentages of deaths to deaths from all causes. | Death-rates per 10,000 living population.* |
|---------------|---------|--|--|
| 1884 | 3 | .04 | .08 |
| 1885 | 45 | .72 | 1.24 |
| 1886 | 18 | .26 | .40 |
| 1887 | 39 | .60 | 1.06 |
| 1888 | 55 | .80 | 1.48 |
| 1889 | 16 | .23 | .42 |
| 1890 | 9 | .12 | .23 |
| Total | 185 | | |
| Average | 26 | | |

* Population estimated for all but census years.

Table No. 72 gives the mortality from measles from 1884 to 1890, inclusive. There were nine deaths from this cause in 1890, the average being 26 for seven years, and the total deaths from this cause since 1884, 185.

TABLE No. 73.

Mortality from Measles from 1884 to 1890, inclusive, by Ages.

| YEARS. | Under 1. | 1 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 30. | 30 to 40. | 40 to 50. | 50 to 60. | 60 to 70. | 70 to 80. | Over 80. | Unknown. | Total. |
|------------|----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|--------|
| 1884 | 1 | 1 | | | 1 | | | | | | | | | 3 |
| 1885 | 12 | 26 | 5 | 1 | 1 | | | | | | | | | 45 |
| 1886 | 5 | 13 | | | | | | | | | | | | 18 |
| 1887 | 19 | 10 | 2 | 1 | 3 | | 2 | 1 | | 1 | | | | 39 |
| 1888 | 14 | 20 | 6 | 3 | 2 | 2 | 5 | 1 | 1 | | | 1 | | 55 |
| 1889 | 2 | 6 | 1 | | 2 | 2 | 1 | | 1 | | | | | 116 |
| 1890 | 5 | 4 | | | | | | | | | | | | 9 |

This table gives the ages of the decedents from measles for each year since 1884. The nine decedents in 1890 were all children under five years of age.

NAMES OF CAUSES OF DEATH.*

It should be stated that the nomenclature of diseases in the nosological arrangement on the following pages is not intended to include the names of the whole list of morbid phenomena affecting the human organism, but the names of such only as are directly the cause of death, or such as ordinarily predispose to or set in motion the morbid processes that end in death.

In the construction of the classification now adopted, use has been made of the results and conclusions of a committee of the Royal College of Physicians, of England (who have been engaged for several years in a revision of the British nomenclature of diseases), as far as such conclusions have been ascertained from brief reports in different medical journals, and from such other sources as were accessible (the complete report not having yet been issued), and from examination of the classifications in use in different countries in Europe and America.

It should be said that all these classifications have been and are essentially alike, that all have been based designedly on observed facts and most advanced conclusions in relation to pathological processes and morbid conditions, inductive, causative, progressive, and ultimate.

The statistical nosology will consist of two lists of causes of death.

A TABULAR LIST AND SUPPLEMENTAL LIST.

The tabular list comprises the chief or primary causes of death which will be used in Table 13, in the preparation of the Registrar's annual reports, and will, therefore, include all those named in the supplemental list, when the final arrangement is completed.

The supplemental list is subordinate to the tabular list, and contains synonyms, or names of related diseases, which may be actually, or are supposed to be, causes of death, and which are in addition to those in the tabular list, and which are often found in physicians' certificates of death. These will all have a place, in alphabetical order, in Table 18, and will be variously grouped under different heads in Table 13, as the figure which precedes each cause in the supplemental list will correspond with the figure of the head in the tabular list under which that cause is placed.

* Taken largely from the list prepared by the State Registrar of Rhode Island.

NOMENCLATURE OF CAUSES OF DEATH.

CLASSES.

- I. General Diseases. — A. Specific and febrile. (Zymotic.)
- II. General Diseases. — B. Cachectic. (Constitutional.)
- III. Special Diseases. — A. Functional or organic. (Local.)
- IV. Special Diseases. — B. Developmental. (Developmental.)
- V. Violent Deaths. — From injuries. (Violence.)

SUB-GROUPS OR ORDERS.

CLASS I. — ZYMOTIC DISEASES.

Order one, Miasmatic. Order two, Enthetic. Order three, Dietic.
Order four, Parasitic.

CLASS II. — CONSTITUTIONAL DISEASES.

Order one, Diathetic. Order two, Tubercular.

CLASS III. — LOCAL DISEASES.

Order one, Diseases of the Nervous System. Order two, Organs of Circulation. Order three, Organs of Respiration. Order four, Organs of Digestion. Order five, Urinary Organs. Order six, Reproductive Organs. Order seven, Osseous and Locomotory Organs. Order eight, Integumentary System.

CLASS IV. — DEVELOPMENTAL DISEASES.

Order one, Of Children. Order two, Of Women. Order three, Of Old Age. Order four, Of Nutrition.

CLASS V. — VIOLENT DEATHS.

Order one, Accidents and Negligence. Order two, Homicide.
Order three, Suicide.

CLASS I.—ZYMOTIC DISEASES.

TABULAR LIST.

For Table 13 of the Registration Report.

ORDER ONE.—MIASMATIC.

- I. One.—1. Carbuncle.
 2. Cholera. Asiatic
 3. Cholera, sporadic.
 4. Cholera infantum.
 5. Cholera morbus.
 6. Croup (pseudo membranous).
 7. Diphtheria.
 8. Diarrhea.
 9. Dysentery.
 10. Erysipelas.
 11. Fever, bilious.
 12. Fever, cerebro-spinal.
 13. Fever, intermittent.
 14. Fever, malarial.
 15. Fever, typhoid.
 16. Fever, typho-malarial.
 17. Fever, unspecified.
 18. Fever, yellow.
 19. Influenza (epidemic).
 20. Measles.
 21. Mumps.
 22. Metria (puerperal fever).
 23. Pertussis.
 24. Tonsillitis.
 25. Scarlatina.
 26. Small-pox.
 27. Varicella.

ORDER TWO.—ENTHETIC.

- I. Two.—1. Glanders.
 2. Gonorrhea.
 3. Hydrophobia.
 4. Malignant pustule.
 5. Septicæmia.
 6. Syphilis.

SUPPLEMENTAL LIST.

Synonyms or Related Diseases.

ORDER ONE.—MIASMATIC.

- I. One.—1. Anthrax.
 Gangrenous boil.
 4. Enterocolitis, } Infantile.
 (Gastro-enteritis, }
 8. Intestinal catarrh.
 10. Hospital gangrene.
 Pyæmia.
 Phagædæna.
 Phlegmon.
 Rodent ulcer.
 11. Fever remittent.
 13. Congestive chill.
 15. Infantile fever.
 Typhus fever.
 Enteric fever.
 Rubeola.
 17. Catarrhal fever.
 20. Rotheln.
 21. Parotitis.
 22. Child-bed fever.
 23. Whooping-cough.
 24. Quinsy.
 25. Scarlet fever.
 Angina maligna.
 26. Varioloid.
 27. Chicken-pox.
 Miliaria.

ORDER TWO.—ENTHETIC.

- I. Two.—2. Stricture of the urethra.
 Gonorrheal ophthalmia.
 5. Necrosis.
 Blood poisoning.

CLASS I.—ZYMOTIC DISEASES—*Continued.*

| TABULAR LIST. | SUPPLEMENTAL LIST. |
|---|---|
| ORDER THREE.—DIETIC. | ORDER THREE.—DIETIC. |
| I. Three.—1. Alcoholism. 2. Delirium tremens. 3. Inanition. 4. Purpura and scurvy. | I. Three.—1. Intemperance. 2. Privation. 3. Starvation. 4. Neglect. 5. Rickets. |
| ORDER FOUR.—PARASITIC. | ORDER FOUR.—PARASITIC. |
| I. Four.—1. Aphæ. 2. Worms. 3. Other parasites. | I. Four.—1. Thrush. 2. Tapeworm. 3. Trichianasis. 4. Scabies. 5. Hydatids. 6. Porrigo, favus, etc. |

CLASS II.—CONSTITUTIONAL DISEASES.

| | |
|--|--|
| ORDER ONE.—DIATHETIC. | |
| II. One.—1. Gout. 2. Dropsy. 3. Anæmia. 4. Cancer, various. 5. Cancer of breast. 6. Cancer of stomach. 7. Cancer of uterus. 8. Noma (canker). 9. Mortification. 10. Rheumatism. | II. One.—2. Anasarca. 3. Leucocythæmia. 4. Chlorosis. 5. Soft cancer. 6. Epithelioma. 7. Melanosis. 8. Lupus. 9. Other kinds of cancer. 10. Bed-sore. 11. Dry gangrene. 12. Rheumatic carditis. 13. Rheumatic synovitis. 14. Rheumatic meningitis. 15. Arthritis. 16. Lumbago. |
| ORDER TWO.—TUBERCULAR. | |
| II. Two.—1. Scrofula. 2. Tabes mesenterica. 3. Phthisis (pulmonary). 4. Hydrocephalus. 5. Tubercular meningitis. | II. Two.—1. Psoas (lumbar) abscess. 2. White swelling. 3. Cretinism (goitre). 4. Adenitis. 5. Morbus coxarius. 6. Pott's disease. 7. Cellulitis. 8. Tubercular peritonitis. 9. Consumption of bowels. 10. Hæmoptysis. 11. Dropsy of brain. |

CLASS III.—LOCAL DISEASES.

| TABULAR LIST. | SUPPLEMENTAL LIST. |
|--|---|
| ORDER ONE.—NERVOUS SYSTEM. | — |
| III. One.—1. Cephalitis. 2. Cerebritis. 3. Apoplexy. 4. Paralysis. 5. Insanity. 6. Chorea. 7. Epilepsy. 8. Tetanus. 9. Convulsions. 10. <i>Brain diseases.*</i> | III. One.—1. Phrenitis. Meningitis. Cerebro-spinal meningitis (sporadic). Myelitis—inflammation of spinal cord. Inflammation of brain. 4. Paraplegia. Hemiplegia. Paresis. Locomotor ataxia. Paralysis of brain or spinal cord. 5. Monomania. Fright. Grief. Melancholia. Dementia. Rage. 6. Hysteria. 8. Laryngismus. Lockjaw. Trismus nascentium. 10. Neuralgia, cerebral. Neurasthenia. Disease of spinal cord. Necrencephalus (ramollis- sment). Thrombosis, cerebral. Embolism, cerebral. Brain lesion. Pott's disease. |
| ORDER TWO.—CIRCULATORY SYSTEM. | |
| III. Two.—1. Pericarditis. 2. Aneurism. 3. <i>Heart diseases.*</i> | III. Two.—1. Carditis. Endocarditis. 3. Hypertrophia. Arteries, disease of. Atrophia. Angina pectoris. Heart disease and dropsy. Syncope. Arteritis. Elephantiasis. Ossification of arteries. Phlebitis. Hydropericardium. Embolus. Embolism. Thrombosis. Neuralgia of heart. Paralysis of heart. |
| ORDER THREE.—RESPIRATORY SYSTEM. | |
| III. Three.—1. Epistaxis. 2. Laryngitis. 3. Bronchitis, acute. 4. Bronchitis, chronic. 5. Pleurisy. | III. Three.—2. Oedema glottidis. 5. Empyema. Dropsy of chest. Diaphragmitis. Pneumothorax. Hydrothorax. |

* Not otherwise placed.

CLASS III. — LOCAL DISEASES — *Continued.*

| TABULAR LIST. | SUPPLEMENTAL LIST. |
|--|--|
| ORDER THREE. — RESPIRATORY SYSTEM — <i>Continued.</i> | |
| III. Three. — 6. Pneumonia. 7. Asthma. 8. <i>Lung diseases.*</i> | III. Three. — 6. Pulmonary apoplexy. Hemoptysis.† Congestion of lungs. 7. Grinders' asthma. Miners' asthma. Emphysema. Spasmus glottidis. Kopp's disease. 8. Pulmonary embolism. Disease of throat. Disease of larynx. |
| ORDER FOUR. — DIGESTIVE SYSTEM. | |
| III. Four. — 1. Gastritis. 2. Enteritis. 3. Peritonitis. 4. Ascites. 5. Ulceration of intestines. 6. Hernia. 7. Ileus. 8. Intussusception. 9. Stricture of intestines. 10. Fistula. 11. <i>Stomach diseases.*</i> 12. <i>Pancreas diseases.*</i> 13. Hepatitis. 14. Jaundice. 15. <i>Liver diseases.*</i> 16. <i>Spleen diseases.*</i> 17. <i>Bowel diseases.*</i> | III. Four. — 1. Glossitis. Gastric fever. Stomatitis. Inflammation of stomach. Pharyngitis. Esophagitis. 2. (Gastro-enteritis, } Not in- Enterocolitis, } fantile. Inflammation of bowels. 4. Dropsy of bowels. 5. Perforation of. 6. Congenital. Rupture. Femoral. Inguinal. Scrotal. Umbilical. Ventral. 7. Constipation. Obstipation. Obstruction of bowels. Perityphlitis. Typhlitis. 9. Strict osophagus. 11. Dyspepsia. Indigestion. Pyrosis. Gastralgia. Hematemesis. Disease of pharynx. Melena. 13. Inflammation or congestion of liver. 14. Gall-stones. 15. Cirrhosis. 17. Pelvic abscess. Pyelitis. Colic. |
| ORDER FIVE. — URINARY SYSTEM. | |
| III. Five. — 1. Nephritis. 2. Ischuria. 3. Nephria (Bright's disease). 4. Diabetes. | III. Five. — 1. Inflammation of kidneys. 2. Retention of urine. 3. Albuminuria. 6. Cystirrhoea. Inflammation of bladder. 8. Diuresis. Enuresis. |

* Not otherwise placed.

† See Class II, Order Two — 3, Sup. List.

CLASS III.—LOCAL DISEASES—*Continued.*

| TABULAR LIST. | SUPPLEMENTAL LIST. |
|--|---|
| ORDER FIVE.—URINARY SYSTEM— <i>Continued.</i> | |
| III. Five.—5. Calculus (gravel, etc.). 6. Cystitis. 7. Prostate, disease of. 8. <i>Kidney diseases.*</i> 9. Bladder, diseases of.* 10. Testicles, disease of. | III. Five.—8. Hematuria. Uremia. Addison's disease. Renal hæmorrhage. Renal dropsy. 9. Urethritis. 10. Orchitis. |
| ORDER SIX.—GENERATIVE SYSTEM. FEMALE. | |
| III. Six.—1. Ovarian dropsy. 2. <i>Diseases of Uterus.*</i> | III. Six.—1. Ovarian tumor. 2. Hysteritis metritis. Uterine uteri. Polypus tumor. Ovaritis. Pelvic cellulitis. Metritis. |
| ORDER SEVEN.—OSSEOUS AND LOCOMOTORY SYSTEM. | |
| III. Seven.—1. Bones, diseases of. 2. <i>Joint diseases.*</i> 3. Vertebra, diseases of. | III. Seven.—1. Ostitis. Periostitis. Fragilitas ossium. Mollities ossium. Rickets. Caries, necrosis. Exostosis. 2. Synovitis. Hip disease.† 3. Spine disease. Spine, caries and necrosis. |
| ORDER EIGHT.—INTEGUMENTARY SYSTEM. | |
| III. Eight.—1. Phlegmon.† 2. Ulcer. * 3. <i>Skin diseases.*</i> | III. Eight.—1. Abscess, part not stated. Boil. Whitlow. 3. Roseola. Urticaria. Eczema. Herpes. Pemphigus. Ecthyma. Impetigo. Psoriasis, etc. Dermatitis (from burns, etc.). |

* Not otherwise placed. † See Class I, Order One—10, Sup.

‡ See Class II, Order Two—1, Sup.

CLASS III.—LOCAL DISEASES—*Continued.*

| TABULAR LIST. | SUPPLEMENTAL LIST. |
|---|-------------------------|
| ORDER NINE.—ORGANS OF SPECIAL SENSE. | |
| EYE AND EAR. | |
| III. Nine.—1. Malignus oculi. 2. Ophthalmitis. 3. Ossis petrosis. 4. Otitis. | III. Nine.—1. Glaucoma. |

CLASS IV.—DEVELOPMENTAL DISEASES.

| | |
|---|--|
| ORDER ONE.—DEVELOPMENTAL DISEASES OF CHILDREN. | |
| IV. One.—1. Still-born. 2. Debility, infantile. 3. Debility, premature birth. 4. Cyanosis. 5. Spina bifida. 6. Other malformations. 7. Teething. 8. Imnutrition. | IV. One.—2. Asthenia. Asphyxia. 4. Atelectasis pulmonum. 6. Anus imperforatus Cleft palate. Idiocy. 8. Malnutrition. Inanition. Marasmus. |
| ORDER TWO.—DEVELOPMENTAL DISEASES OF WOMEN. | |
| IV. Two.—1. Paramenia. 2. Childbirth.* | IV. Two.—1. Amenorrhœa. Suppression of menses. Chlorosis.† Climacteria. Menorrhagia. 2. Miscarriage. Abortion. Puerperal mania. Puerperal convulsions. Phlegmasia dolens. Cæsarian operation. Extra-uterine fetation. Flooding. Retention of placenta. Presentation of placenta. Deformed pelvis. Mammary abscess. Vomiting in pregnancy. |

* See Class I, Order One—22, Tab. List.

† See Class II, Order One—3, Sup.

CLASS IV. — DEVELOPMENTAL DISEASES — *Continued.*

| TABULAR LIST. | SUPPLEMENTAL LIST. |
|---|--|
| <hr/> | |
| ORDER THREE. — DEVELOPMENTAL DISEASES OF OLD PEOPLE. | |
| IV. Three. — 1. Old age. | IV. Three. — 1. Senile debility. |
| ORDER FOUR. — DISEASES OF NUTRITION. ADOLESCENT AND ADULT. | |
| IV. Four. — 1. Atrophy. 2. Debility. | IV. Four. — 1. Inanition. Marasmus. Malnutrition. 2. Asthenia. Exhaustion. |

CLASS V. — VIOLENT DEATHS.**ORDER ONE. — ACCIDENT OR NEGLIGENCE.**

| | |
|---|---|
| V. One. — 1. Fractures and contusions. 2. Wounds, unspecified. 3. Burns and scalds. 4. Poison. 5. Drowning. 6. Suffocation. 7. Various. | V. One. — 1. Railroad and other accidents. 2. Traumatic. 5. Lost at sea. 6. Asphyxia. Strangulation. 7. Exposure. Cold water. Frozen. Heat. Lightning. Surgical operation. Concussions. 4. Narcotism. |
|---|---|

ORDER TWO. — HOMICIDE.**ORDER THREE. — SUICIDE.**

| | |
|--|--|
| V. Three. — 1. Wounds, unspecified. Wounds, pistol or gunshot. Wounds, knife. 2. Poison. 3. Drowning. 4. Hanging. 5. Otherwise.* | V. Two. — 1. Infanticide. Patricide. Matricide. Fratricide. Filicide, etc. |
|--|--|

ORDER FOUR. — VARIOUS.

| | |
|--|---|
| V. Four. — 1. Unclassified. 2. Cause not specified. | V. Four. — 1. Tumor. Fits. Cramps. Catarrh. Hæmorrhage. Inflammation. Headache. Neuralgia. Cold. Complication. |
|--|---|

* Manner stated.

All tumors, abscesses, hæmorrhages, and ulcers of particular organs, are classed under diseases of those organs.

SUGGESTIONS CONCERNING PHYSICIANS' CERTIFICATES OF DEATH.

It should be the endeavor to specify the causes of death as definitely and correctly as possible. It is not unusual to find a return of death with the physician's certificate naming the cause of death "Paralysis," "Paraplegia," "Fits," "Convulsions," "Dropsy," etc., which are merely secondary or consecutive causes, simply symptoms only, or results of some organic lesion or pathological derangement. Sometimes the alleged cause is really the final cause, as in a case of termination of life by paralysis, but the cause given as paralysis is not the determining cause. Apoplexy, or some lesion of the nervous centres, must be the original and determining cause of paralysis, paraplegia, hemiplegia, etc., and the determining cause should be stated as the primary in the return or certificate.

Convulsions are the symptoms or results of some antecedent or concurrent disease. They follow meningitis and other structural lesions of the nervous centres; they also occur from reflex derangement or disturbance of the nervous centres, as, in children, from intestinal irritation, or from inflammation, as in gastritis, enteritis, nephritis, etc. In such cases they may be contributory to death, and perhaps, in rare instances, a final cause, by inducing or taking the form of tonic or tetanic spasm. But as contributory, or as a final cause, they are simply concomitant, and are not unfrequently manifestations of the desperate efforts of expiring vitality to regain original and normal control. They should find place as secondary causes only in certificates of death.

"Fits" is too unmeaning a term to be used in any case. The word in a medical sense literally means an attack, an occurrence, or succession of attacks of some physical or mental disturbance, as "fits of sickness," "fits of melancholy," etc., and is not properly used as synonymous with convulsions from any cause. It would be just as sensible to attribute a death to an "occurrence" or an "attack" as a cause, as to "fits," without other qualification.

"Dropsy" and "ascites" have been allowed to stand as determining causes of death because of extended use, and because of the obscurity with which their causes in rare instances are involved. We can scarcely conceive of a dropsical accumulation without antecedent organic or functional disorder, derangement of the absorbent or secretory system, or depravation of the blood. They are left in the tabular list with not a little reluctance. Paralysis is also left

in the tabular list for a like reason, and with the same doubt of propriety.

"Inflammation" does not in any way define the cause of death. The organ or organs affected should be mentioned, or else the death must remain unclassified.

"Hemorrhage" is sometimes returned as a cause, but unless accompanied by a further statement no inference can be drawn as to the real cause of death. The suicide who cuts his throat frequently dies of hemorrhage; sometimes the patient with typhoid fever succumbs from the same cause, yet to report "hemorrhage" as the cause of death would leave the actual cause in obscurity.

It may be suggested that it is sometimes difficult, and occasionally impossible, to ascertain positively the chief or leading cause of death. The physician last in attendance may find several functional or structural diseases, the morbid conditions multiple and complex, and not only the initial derangement, but the succession of morbid processes—proximate, consecutive, and ultimate—inextricably entangled and lost to discovery.

The careful diagnostician will, however, even then be able to conceive the probable leading cause, but, whether or not, he will be able at least to ascertain the most prominent and controlling lesion or functional derangement then existing, and which may reasonably be accepted as the primary cause of death.

The preceding remark applies very properly to cases of adventitious diseases which prove fatal, when occurring in individuals already suffering from some chronic disease of slower progress, as when fatal dysentery attacks a consumptive person, or one having chronic nephritis dies from pneumonia. The acute disease occurring independently of the chronic disease is the chief cause of death, although the fatal event may have been made more sure by the existence of the antecedent disease, and although the antecedent disease would have ultimately caused death.

In attributing death to scrofula, tuberculosis, tumor, cancer, abscess, and other generic terms as causes, the organic structure or locality where the disease is developed should always be given, otherwise such terms are very indefinite, and discredit the acquirements of the certifying physician.

The objects desired in presenting the preceding nomenclature of causes of death, and the suggestions following, are to subserve the purpose of greater uniformity in the use of nosological terms, and to promote the accomplishment of entire definiteness, accuracy, and completeness in the physicians' certificates of causes of death.

I N D E X .

| | PAGE |
|--|------|
| Births in 1890, by counties, showing proportion of males to females | 30 |
| by sex and months..... | 34 |
| by towns..... | 8-29 |
| in the cities of the State..... | 188 |
| percentage of American and foreign, by counties..... | 189 |
| to each 1,000 of the population | 7 |
| 1880 to 1890 | 4 |
| with populations and rates | 187 |
| triplet, by sex and parentage, 1890 | 33 |
| twin, by counties | 31 |
| by sex and parentage..... | 32 |
| Birth-rate, 1890..... | 186 |
| Brain diseases, deaths from, 1884-1890 | 256 |
| Bright's disease, deaths from, 1884-1890..... | 274 |
| Cancer, mortality from, 1884-1890 | 256 |
| Centenarians, deaths of, 1890 | 224 |
| Cholera infantum, deaths from, in 1890, by ages, sex, and months, by cities | 261 |
| 1884-1890 | 257 |
| by ages | 259 |
| in the cities | 260 |
| Constitutional diseases, deaths from, 1884-1890 | 230 |
| Consumption, deaths from, in 1890, by counties by ages and sex..... | 248 |
| by months and sex | 250 |
| by nationality, civil con- dition, and sex | 252 |
| in Concord..... | 242 |
| Dover | 245 |
| Keene..... | 246 |
| Manchester..... | 241 |
| Nashua | 243 |
| Portsmouth..... | 244 |
| 1883-1890, in cities of the State | 247 |
| 1884-1890..... | 238 |
| with percentage to total mortality.. | 240 |
| Croup, deaths from, 1884-1890..... | 270 |
| by ages..... | 269 |
| Death-rate in 1890..... | 186 |
| Deaths in 1890, by age periods, compared with the living population at each period..... | 214 |

| | |
|---|---------|
| Deaths in 1890, by ages, sex, and months | 181 |
| by counties | 168 |
| and towns..... | 134-166 |
| causes of, alphabetically arranged by ages, sex, and months | 170 |
| by classes and counties. | 227 |
| orders | 132 |
| by towns and counties..... | 44-131 |
| twenty prominent, diagram showing | 235 |
| of centenarians..... | 224 |
| of children under five years of age, by seasons | 220 |
| from consumption, by ages and sex, by counties | 248 |
| by months and sex, by counties | 250 |
| in the cities of the State..... | 241-246 |
| by towns and counties | 8-29 |
| by counties, by nativity | 222 |
| by seasons..... | 221 |
| Deaths from 1880-1890 | 6 |
| 1883-1890, at age periods..... | 213 |
| 1884-1890, by ages and sex | 215 |
| percentage of to total mortality..... | 218 |
| causes of, by classes..... | 228 |
| twenty prominent | 234 |
| by classes, percentage of causes of..... | 226 |
| number of male and female decedents compared... .. | 212 |
| nativity of decedents..... | 223 |
| percentage of by quarters | 211 |
| with population and rates | 187 |
| with death-rates | 206 |
| by counties..... | 210 |
| from brain diseases..... | 256 |
| consumption | 238 |
| by counties, with percentages to total mortality | 240 |
| in the cities of the State | 247 |
| constitutional diseases | 230 |
| developmental diseases | 233 |
| local diseases | 231 |
| pneumonia, by ages..... | 254 |
| by counties..... | 253 |
| by months and quarters.... | 255 |
| zymotic diseases..... | 229 |
| nomenclature of causes of | 281 |
| Developmental diseases, deaths from, 1884-1890 | 233 |
| Diarrheal diseases, deaths from, 1884-1890 | 257 |
| Diphtheria, deaths from, 1884-1890..... | 270 |
| by ages..... | 266 |
| sex and months, by cities | 267 |
| Divorces, 1890, by counties..... | 41, 200 |
| ratio of to marriages..... | 204 |
| 1870-1890, by counties..... | 202 |
| 1882-1890, causes of | 42 |
| ratio of to marriages | 203 |
| total number of, with ratio to total number of mar- riages | 205 |
| Dropsy, deaths from, 1884-1890 | 274 |

| | |
|--|------|
| Fever, typhoid, deaths from, 1884-1890 | 271 |
| by ages | 273 |
| with percentage to total mortality.. | 272 |
| Kidney diseases, deaths from, 1884-1890 | 274 |
| Local diseases, deaths from, 1884-1890 | 230 |
| Marriage-rate, 1890 | 186 |
| 1882-1890, by counties | 193 |
| Marriages, 1890, by counties and ages | 36 |
| months | 37 |
| nativity | 36 |
| towns | 8-29 |
| interesting facts concerning | 40 |
| 1880-1890 | 5 |
| 1882-1890 | 191 |
| by counties | 192 |
| by nativity | 196 |
| by percentage of American and foreign born | 198 |
| 1883-1890, by ages | 195 |
| by months and quarters, with marriage-rates | 194 |
| with population and rates | 187 |
| Measles, deaths from, 1884-1890 | 178 |
| by ages | 179 |
| Nephritis, deaths from, 1884-1890 | 174 |
| Population of the State for each year, 1890-1890 | 186 |
| by counties, 1890-1890 | 185 |
| Pneumonia, deaths from, 1884-1890, by ages | 254 |
| by counties | 253 |
| by months and quarters | 255 |
| Scarlatina, deaths from, in 1890, by counties | 277 |
| 1884-1890 | 275 |
| by ages | 276 |
| Zymotic diseases, deaths from, 1884-1890 | 229 |

TABLES.

| | |
|---|------|
| Table I. Showing births for 1890, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890 | 4 |
| I. Showing marriages for 1890, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890 | 5 |
| I. Showing deaths for 1890, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, and 1890 | 6 |
| II. Population of 1890; births, marriages, and deaths, with percentage of each to one thousand of the population, for the year ending December 31, 1890 | 7 |
| III. Births, marriages, and deaths for the year ending December 31, 1890 | 8-29 |
| IV. Births by counties, showing proportion of males to females, 1890. | 30 |
| V. Twin births by months and counties, 1890 | 31 |

| | |
|---|---------|
| Table VI. Twin births by sex and parentage, by counties, 1890..... | 32 |
| VII. Triplet births by sex and parentage, 1890..... | 33 |
| VIII. Births by sex and month, by counties, 1890..... | 34 |
| IX. Marriages by counties and nativity, 1890..... | 36 |
| X. Marriages by months and counties, 1890..... | 37 |
| XI. Marriages by ages and counties, 1890..... | 38 |
| XII. Interesting facts in relation to marriages, 1890..... | 40 |
| XIII. Divorces decreed by the supreme court of New Hampshire, in the year 1890, as returned by the clerks of the several counties..... | 41 |
| XIV. Causes upon which divorces were decreed for eight years, 1882- 1890, inclusive, by counties..... | 42 |
| XV. Causes of death, arranged by towns and counties..... | 44-131 |
| XVI. Recapitulation of the causes of death by classes and orders, by counties..... | 132 |
| XVII. Deaths by ages, sex, and months, by counties and towns..... | 134-166 |
| XVIII. Deaths by ages, sex, and months, by counties..... | 168 |
| XIX. Causes of death alphabetically arranged by ages, sex, and months..... | 170-180 |
| XX. Deaths by sex, age, and month..... | 181 |
| 1. Population of counties in 1880 and 1890..... | 185 |
| 2. Estimated population of New Hampshire for each year from 1880 to 1890, inclusive..... | 186 |
| 3. Births, marriages, and deaths, with the estimated population and rates, for 1884 to 1890, inclusive..... | 187 |
| 4. Births in cities for 1890, with rate per 1,000..... | 188 |
| 5. Percentage of American and foreign births, by counties, 1890.. | 189 |
| 6. Marriage-rates for 1882 to 1890, inclusive..... | 191 |
| 7. Marriages by counties from 1882 to 1890, inclusive..... | 192 |
| 8. Marriage-rates for 1882 to 1890, inclusive, according to estimated population of each year, by counties..... | 193 |
| 9. Marriages and marriage-rates by months and quarters, from 1883 to 1890, inclusive..... | 194 |
| 10. Marriages for eight years, 1883 to 1890, inclusive, by ages..... | 195 |
| 11. Marriages according to nativity. — Percentages 1882 to 1890, in- clusive..... | 196 |
| 12. Proportion of American to foreign born persons married, for 1882 to 1890, inclusive..... | 197 |
| 13. Percentages of American and foreign born persons married, by counties, for 1882 to 1890, inclusive..... | 198 |
| 14. Divorces decreed from 1870 to 1890, inclusive, by counties..... | 202 |
| 15. Ratio of divorces to marriages from 1882 to 1890, inclusive..... | 203 |
| 16. Ratio of divorces to marriages, by counties, for 1890..... | 204 |
| 17. Ratio of total number of divorces to total number of marriages, by counties, from 1882 to 1890, inclusive..... | 205 |
| 18. Deaths and death-rates from 1884 to 1890, inclusive..... | 208 |
| 19. Deaths and death-rates, by counties, from 1884 to 1890, inclusive, figured on estimated population..... | 210 |
| 20. Percentages of deaths, by quarters, from 1884 to 1890, inclusive.. | 211 |
| 21. Mortality of males and females compared, 1884 to 1890, inclusive | 212 |
| 22. Deaths at age periods by percentages, for 1883 to 1890, inclusive | 213 |
| 23. Deaths at different periods, compared with the number living at the same period, 1890..... | 214 |
| 24. Deaths by ages and sex, from 1884 to 1890, inclusive..... | 215 |
| 25. Percentages of deaths by ages and sex to total mortality, from 1884 to 1890, inclusive..... | 218 |

| | |
|---|---------|
| Table 26. Deaths of children under five years of age, by seasons, 1890 | 220 |
| 27. Deaths by seasons, 1890 | 221 |
| 28. Nativity of persons deceased for 1890, by counties | 222 |
| 29. Nativity of persons deceased from 1884 to 1890, inclusive | 223 |
| 30. Deaths in 1890, aged one hundred years, or more | 224 |
| 31. Causes of death, by classes, 1884 to 1890, inclusive | 225 |
| 32. Percentage of causes of death, by classes, 1884 to 1890, inclusive .. | 226 |
| 33. Causes of death, by classes and counties, 1890 | 227 |
| 34. Mortality from prominent zymotic diseases from 1884 to 1890, inclusive | 229 |
| 35. Mortality from principal constitutional diseases, 1884 to 1890, inclusive | 230 |
| 36. Mortality from principal local diseases, 1884 to 1890, inclusive ... | 231 |
| 37. Mortality from principal developmental diseases, 1884 to 1890, in- clusive | 233 |
| 38. Mortality from twenty prominent causes, 1884 to 1890, inclusive .. | 234 |
| 39. Mortality from consumption from 1884 to 1890, inclusive | 238 |
| 40. Mortality from consumption, by counties, with percentages of deaths to total mortality, from 1884 to 1890, inclusive | 240 |
| 41. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Manchester | 241 |
| 42. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Concord | 242 |
| 43. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Nashua | 243 |
| 44. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Portsmouth | 244 |
| 45. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Dover | 245 |
| 46. Deaths from pulmonary consumption, by seasons, ages, and na- tivity, 1890, for the city of Keene | 246 |
| 47. Percentage of deaths from consumption to the total mortality of the cities of the State for the years 1883 to 1890, inclusive | 247 |
| 48. Deaths from consumption, by ages and sex, by counties, for 1890 .. | 248 |
| 49. Deaths from consumption, by months and sex, by counties, for 1890 | 250 |
| 50. Deaths from consumption, by nationality, civil condition, and sex, by counties, for 1890 | 252 |
| 51. Mortality from pneumonia, by counties, from 1884 to 1890, in- clusive | 253 |
| 52. Mortality from pneumonia, from 1884 to 1890, inclusive, by ages .. | 254 |
| 53. Mortality from pneumonia, by months and quarters, from 1884 to 1890, inclusive | 255 |
| 54. Mortality from brain diseases, 1884 to 1890, inclusive | 256 |
| 55. Mortality from diarrheal diseases, 1884 to 1890, inclusive | 257 |
| 56. Mortality from cholera infantum from 1884 to 1890, inclusive | 258 |
| 57. Mortality from cholera infantum from 1884 to 1890, inclusive, by ages | 259 |
| 58. Cholera infantum, by cities | 260 |
| 59. Cholera infantum, by ages, sex, and months, particularly show- ing the number of decedents in the cities and towns returning the greatest mortality from this disease | 261-264 |
| 60. Mortality from cancer, with ratios to estimated population and to total mortality from 1884 to 1890, inclusive | 265 |
| 61. Mortality from diphtheria from 1884 to 1890, inclusive, by ages .. | 266 |

| | |
|---|-----|
| Table 62. Diphtheria, by ages, sex, and months, particularly showing number of decedents in the cities and towns returning the greatest mortality from this disease | 267 |
| 63. Mortality from croup from 1884 to 1890, inclusive, by ages..... | 269 |
| 64. Mortality from croup and diphtheria from 1884 to 1890, inclusive..... | 270 |
| 65. Mortality from typhoid fever from 1884 to 1890, inclusive..... | 271 |
| 66. Mortality from typhoid fever, by counties, with percentages of deaths to total mortality, from 1884 to 1890, inclusive..... | 272 |
| 67. Mortality from typhoid fever from 1884 to 1890, inclusive, by ages..... | 273 |
| 68. Mortality from Bright's disease, nephritis, and other kidney diseases, and from dropsy, with ratios to total mortality, from 1884 to 1890, inclusive | 274 |
| 69. Mortality from scarlatina from 1884 to 1890, inclusive..... | 275 |
| 70. Mortality from scarlatina from 1884 to 1890, inclusive, by ages... | 276 |
| 71. Deaths from scarlatina, by counties, 1890 | 277 |
| 72. Mortality from measles from 1884 to 1890, inclusive | 278 |
| 73. Mortality from measles from 1884 to 1890, inclusive, by ages..... | 279 |



